Index to Volumes 36, 37 and 38

(1952, 1953 and 1954)

NOTE: The volume year is in *italic* type. Page numbers of symposium and clinic titles are in **boldface** type.

SYMPOSIA

1952

January (Chicago)	RECENT ADVANCES IN CARDIOVASCULAR DISEASES
March (Toronto)	1. PSYCHOLOGIC ASPECTS OF MEDICINE
(Tulane)	2. SYMPTOMS
May (New York)	ENDOCRINE AND METABOLIC DISORDERS
July (Los Angeles)	RECENT ADVANCES IN MEDICINE
September (Boston)	SPECIFIC METHODS OF TREATMENT
November (Philadelphia)	PEDIATRICS

1953

January (Chicago)	GASTROINTESTINAL DISEASES
March (Nationwide)	NERVOUS AND MENTAL DISEASES
May (New York)	PROLONGED ILLNESS
July (Nationwide)	BEDSIDE MANAGEMENT
September (Boston)	SPECIFIC METHODS OF TREATMENT
November (Philadelphia)	CLINICAL MEDICINE

1954

January (Chicago)	EMERGENCIES IN GENERAL PRACTICE
March (Nationwide)	EFFICACY OF NEW DRUGS
May (New York)	DIFFERENTIAL DIAGNOSIS OF INTERNAL DISEASES
July (Mayo Clinic)	BRONCHIAL AND PULMONARY DISEASE
September (Boston)	SPECIFIC METHODS OF TREATMENT
November (Philadelphia)	CARDIOVASCULAR DISEASES

ABDOMEN, acute, in adults, early care, *1954:* Jan., **115–141**
injuries, in auto crash, *1954:* Jan., 85
pain in, as manifestation of rheumatic fever, *1952:* Nov., 1650
upper, pain in, differential diagnosis, *1954:* May, **835–846**
Abruptio placentae, *1954:* Jan., 275
induction of labor in, *1952:* Sept., 1475
Abscess. See also under names of organs.
perianal, incision, *1952:* Sept., 1455
office treatment, *1953:* Jan., 269
perinephric, *1954:* Jan., 293
perirectal, incision, *1952:* Sept., 1455
peritonsillar, *1954:* Jan., 247; *Sept.*, 1316
pilonidal, incision, *1952:* Sept., 1457
retropharyngeal, *1954:* Jan., 248
Abscess, spinal, epidural, acute, *1954:* Jan., 167
Acetabulum, dysplasia or obliquity of, *1953:* Sept., 1430
Acetanilid in rheumatoid arthritis, *1953:* July, 1238
Acetone, plasma, test, *1953:* Sept., 1540
Acetonuria, office tests, *1953:* Sept., 1532
Acetylsalicylic acid, in arthritis, rheumatoid, *1953:* July, 1237
in rheumatic fever, *1952:* Nov., 1654; *1953:* July, 1221; *1954:* Nov., 1711
Acetylureas in epilepsy, *1952:* Sept., 1386, 1389
Achlorhydria, cancer of stomach and, *1953:* Jan., 69
Achromycin in pneumonia, *1954:* July, 982

Acid, burns of eye, emergency treatment, *1952:* Sept., 1219
phosphatase. See under *Phosphatase.*
Acidity, gastric, in carcinoma of stomach, *1953:* Jan., 73
Acidosis, and uretero-intestinal anastomosis, *1954:* Jan., 294
diabetic, *1953:* July, 1108; *1954:* Jan., 184, 188
treatment, *1952:* May, **767–782**
in heart failure, *1952:* Jan., 112
tetany following, *1952:* May, 891
uremic, management, *1954:* Sept., 1452
Acne vulgaris, treatment, *1953:* July, 1188
ACTH, administration, *1952:* Jan., 233, May, 801, 818
diagnostic, in pulmonary disease, *1954:* May, 727
effects on gastric secretion and peptic ulcer, *1952:* July, 1079
eosinophil response to, in Addison's disease, *1952:* May, 724, 744
in adrenogenital syndrome, *1952:* Jan., 243
in allergy and allergic states, *1952:* May, **811–827**
in amenorrhea, *1953:* July, 1090
in angioedema, *1952:* May, 824
in angioneurotic edema, *1952:* Jan., 240
in arthritis, rheumatoid, *1952:* Jan., 238; *1953:* May, 818, July, 1246
in asthma, *1952:* Jan., 239, 241, May, 819, 823, July, 1137, Sept., 1274, 1277; *1953:* May, 781, July, 1020; *1954:* March, **449–457,** July, 975
of infants and children, *1954:* Sept., 1264
in atherosclerosis, *1952:* Jan., 190, 193
in burns, *1953:* July, 1125
in colitis, ulcerative, *1952:* Jan., 241, July, 1069; *1953:* Jan., 254, July, 1171
in collagen diseases, *1952:* Jan., 238, May, 824; *1953:* Nov., 1710
in dermatitis, atopic, *1952:* Jan., 241, May, 823, July, 1137
exfoliative, *1952:* Jan., 241
in dermatomyositis, *1952:* Jan., 239
in digestive diseases, *1952:* July, **1069–1081**
in drug sensitivity, *1952:* Jan., 240; *1953:* Sept., 1417
in eczema of children, *1952:* May, 823; *1954:* Sept., 1260
in enteritis, regional, *1952:* July, 1078
in eye diseases, *1952:* Jan., 240
in glomerulonephritis, chronic, nephrotic stage, *1952:* Jan., 243
in gout, *1952:* Jan., 243
in hay fever, *1952:* Jan., 240
in headache, *1953:* July, 1265
in hepatitis, *1952:* July, 1078
in Hodgkin's disease, *1952:* Jan., 242; *1953:* May, 861
ACTH, in hypersensitivities, *1952:* Jan., 239
in hypoglycemia, spontaneous, *1952:* Jan., 243
in Landry-Guillain-Barré syndrome, *1952:* Sept., 1367
in leukemia, *1952:* Jan., 242; *1953:* May, 861, Nov., 1761
in liver disease, *1952:* July, 1078, Sept., 1352; *1953:* Jan., 116, July, 1145
in lupus erythematosus, *1952:* Jan., 238, 240, July, 1116; *1953:* Nov., 1710
in lymphomas, *1953:* May, 861
in lymphosarcoma, *1953:* May, 861
in metabolic disorders, *1952:* Jan., 243
in myasthenia gravis, *1953:* March, 540
in mycosis fungoides, *1953:* May, 862
in nephrosis, *1952:* Jan., 243
in nephrotic syndrome, *1952:* July, 933; *1953:* May, 692, July, 1135, 1222
in neurodermatitis, *1952:* May, 823
in neuropathies, peripheral, *1954:* Sept., 1336
in pemphigus, *1952:* Jan., 241
in peptic ulcer, *1952:* July, 1079
in periarteritis nodosa, *1952:* Jan., 239
in polyposis, *1952:* May, 824
in psoriasis, *1952:* Jan., 241
in psychotic episodes, acute, *1953:* March, 591
in pulmonary fibrosis, *1954:* July, 1017
in purpura, thrombocytopenic, *1953:* Sept., 1403
in rheumatic fever, *1952:* Jan., 219, 238, Nov., 1657; *1953:* July, 1222; *1954:* Nov., 1711
in rhinitis, vasomotor, *1952:* May, 824
in rickettsial infections, *1953:* March, 411
in scleroderma, *1952:* Jan., 239
in serum sickness, *1952:* Jan., 240
in skin disorders, *1953:* July, 1180
in surgery, *1952:* Jan., 242
in tuberculosis, *1954:* July, 1173
in urticaria, *1952:* Jan., 240, May, 824; *1953:* May, 793
physiologic and clinical considerations, *1952:* Jan., **229–246,** May, **791–809**
sensitization to, *1952:* May, 819
side and toxic effects, *1953:* May, 818, 819, July, 1228; *1954:* March, 453
studies, recent, *1952:* Jan., **229–246**
test, 48 hour, in Addison's disease, *1952:* May, 724
therapeutic uses, *1952:* Jan., 237; May, 802
therapy, complications, *1952:* Jan., 244, May, 803
contraindications, *1952:* May, 805, 819

ACTH, therapy, magnesium levels in, *1952:* July, 1166
management of clinical state, *1952:* Jan., 236
tests in, *1952:* Jan., 234
Actinomycosis of lung, diagnosis, *1954:* May, 739
Adams-Stokes syndrome, treatment, *1953:* July, 956, Sept., 1315; *1954:* Jan., 22
Adanon in rheumatoid arthritis, *1953:* July, 1238
Addison's disease, *1952:* May, **721–737**
treatment, *1952:* May, 725
Adenine antagonists in leukemia, *1953:* Nov., 1763
Adenitis, tuberculous, with nodular goiter, jaundice and terminal coma, clinicopathologic conference, *1953:* Nov., 1675
Adenocarcinoma of thyroid gland. See *Thyroid gland.*
Adenohypophysis, functional tests, *1952:* May, 751
Adenoma, bronchial, diagnosis, *1954:* May, 734; *July,* 1043
diagnosis and treatment, *1954:* July, **1097–1107**
Adhesions, postoperative, intestinal obstruction due to, *1954:* Jan., 127
Adrenal cortex, functional tests, *1952:* May, 743
hyperfunction, *1952:* Nov., 1715
hyperplasia, in childhood, *1952:* Nov., 1723, 1725
tumors, *1952:* Nov., 1723
Adrenal crisis, acute, treatment, *1952:* May, 734
Adrenal dysfunction in etiology of chronic nonspecific ulcerative colitis, *1953:* Nov., 1779
Adrenal extracts in Addison's disease, *1952:* May, 733
Adrenal medulla, functional tests, *1952:* May, 754
Adrenal steroids, *1952:* Jan., 231
effect on capillary permeability, *1952:* Jan., 210
in atherogenesis, *1952:* Jan., 190
Adrenal stimulation tests in Addison's disease, *1952:* May, 725
Adrenalectomy, for arterial hypertension, *1953:* Nov., 1653
in carcinoma of prostate, *1952:* May, 699
Adrenalin. See *Epinephrine.*
Adrenocorticotropic hormone. See *ACTH.*
Aero-otitis media, *1954:* Jan., 246
Aerosol therapy in bronchiectasis, *1954:* July, 1023
Afibrinogenopenia, *1952:* July, 1065
Aged, care of, *1952:* March, **569–583**
cardiovascular disease in, *1954:* Nov., **1767–1784**
Aging, nutritional aspects, *1954:* Sept., **1485–1492**
Aging, processes, normal, *1952:* March, 571, 572
Air embolism, cerebral, from air injection into maxillary antrum, *1954:* Jan., 178
treatment, *1953:* July, 961
Air-hammer disease, *1952:* Jan., 156
Air passages, foreign bodies in, *1954:* Jan., 251
Airsickness, treatment, *1952:* Sept., **1373–1380**
Airway, maintaining, in crash injuries, *1954:* Jan., 80
in poisoning, *1954:* Jan., 207
Albright's syndrome. See *Osteitis fibrosa cystica.*
Albumin, salt-poor, in liver disease, *1953:* July, 1146
in nephrotic syndrome, *1953:* July, 932, 1136
Albuminuria, office tests, *1953:* Sept., 1534
Alcohol, in angina pectoris, *1954:* Nov., 1663
in myocardial ischemia, *1953:* Sept., 1288
injection, for angina pectoris, *1954:* Nov., 1665
Alcoholics Anonymous, *1953:* March, 604
Alcoholism, Antabuse in, *1954:* March, **515–524**
chronic, treatment, *1953:* March, **595–607**
polyneuropathy in, *1954:* Sept., 1328, 1334, 1335
Aldinamide in tuberculosis, *1952:* Sept., 1260
Alkali burns of eye, emergency treatment, *1952:* Sept., 1219
Alkalosis, hypochloremic, *1952:* July, 964
in congestive failure, *1953:* July, 982
in peptic ulcer, *1953:* Jan., 40
tetany due to, *1952:* May, 891
Allergens, thrombocytopenia secondary to, *1952:* Nov., 1699
Allergic. See also *Allergy.*
Allergic emergencies, treatment, *1954:* Jan., **63–73**
Allergic reactions, hypertension in, treatment, *1953:* Sept. 1334
Allergic states, cardiovascular system and, *1953:* Nov., **1625–1638**
Allergy, bacterial, *1953:* Nov., 1626
bronchial disease and, *1954:* July, **963–968**
dermatologic, *1953:* May, 768, 794
drug, *1953:* Nov., 1626
in infants and children, *1954:* Sept., 1271
prevention and treatment, *1953:* Sept., **1409–1418**
food, *1953:* Jan., 12
immunologic mechanisms, *1952:* May, 815

Allergy, in cardiovascular system, clinical manifestations, *1953:* Nov., 1628
in etiology of chronic nonspecific ulcerative colitis, *1953:* Nov., 1780
in infancy and childhood, *1954:* Sept., **1255–1279**
long-range care, *1953:* Sept., **1419–1425**
pharmacopeia, *1954:* Sept., 1276
mechanisms, *1953:* Nov., 1625
nasal, *1954:* Sept., 1313
in infants and children, *1954:* Sept., 1265
peripheral, *1953:* Nov., 1633
Piromen in, *1954:* March, **561–568**
prolonged illness and, *1953:* May, **767–784**
reaction, *1953:* Nov., 1626
Aluminum hydroxide in peptic ulcer, *1952:* Sept., 1324
Alveolar cell tumor of lung, *1954:* July, **1139–1142**
Amebiasis, colonic, diagnostic aspects, *1952:* March, **405–409**
treatment, *1953:* May, 903, Nov., **1803–1809**
Amenorrhea, *1953:* July, **1077–1095**
due to endocrine dysfunction, *1952:* May, 706, 709
due to hypometabolism, *1952:* Nov., 1734
psychotherapeutic methods in, *1953:* July, 1092
secondary, *1952:* Nov., 1734
surgical therapy, *1953:* July, 1091
A-methopterin in leukemia, *1953:* May, 859, Nov., 1763
Amidopyrine in rheumatic fever, *1952:* Nov., 1655
Amino acids, hepatic function and, *1953:* Jan., 117
in liver disease, *1953:* July, 1142
Amino-an-fol in acute leukemia, *1953:* May, 859
Aminophylline, in acute left ventricular failure, *1954:* Jan., 9
in asthma, *1952:* Sept., 1271, *1953:* July, 972
in children, *1954:* Sept., 1263
Aminopterin in leukemia, *1953:* May, 859, Nov., 1763
Amithiazone in tuberculosis, *1952:* Sept., 1260
Ammonium chloride in congestive heart disease, *1952:* March, 430; *1953:* May, 650, July, 982; *1954:* Nov., 1657
in aged, *1954:* Nov., 1773
Ammonium salts in chemical burns of eye, *1952:* Sept., 1219
Amphetamine in parkinsonism, *1953:* March, 531
Amputation in chronic arterial occlusions, *1952:* Jan., 153
Amylase, blood and urine, in acute pancreatitis, *1953:* Jan., 201
Amyl nitrite inhalations in headache, *1953:* July, 1263
Amyloid disease, spleen and liver in, *1954:* May, 861
Amyloidosis, generalized, in nontropical sprue, *1952:* July, **1173–1185**
of liver, *1953:* Jan., 102
Amytal test in hypertension, *1952:* Jan., 120
Analgesics in functional disorders, *1953:* Nov., 1799
in obstetrics, *1954:* Sept., **1437–1445**
Anaphylactoid reactions, severe, treatment, *1954:* Jan., 71
Androgen therapy. See *Testosterone.*
Androgenic hyperfunction in childhood, *1952:* Nov., 1718
Anemia(s), hemolytic, acquired, splenectomy for, *1953:* Jan., 193
congenital, splenectomy for, *1953:* Jan., 188
familial, in differential diagnosis of infectious hepatitis, *1952:* Nov., 1644
Lederer type, splenectomy for, *1953:* Jan., 191
high cardiac output failure in, *1953:* July, 975
hypochromic microcytic, *1953:* July, 1195
in chronic uremia, treatment, *1954:* Sept., 1454
iron deficiency, *1952:* Nov., 1686; *1953:* July, 1195
role of infection in, *1952:* Nov., 1688
macrocytic, *1953:* July, 1197
normocytic, *1953:* July, 1195
pernicious, *1953:* July, 1197
cancer of stomach and, *1953:* Jan., 69
pre- and postoperative care in, *1953:* May, 759
splenic, *1954:* May, 872
treatment, *1953:* July, **1191–1202**
Anesthesia, in cardiovascular disease, *1954:* Nov., **1733–1739**
in obstetrics, *1954:* Sept., **1437–1445**
testing pain with, *1952:* March, 497
Anesthetics, liver toxicity from, *1953:* Sept., 1385
Aneurysm, aortic, asthma and, *1952:* March, 363
intracranial, rupture of, *1952:* Jan., 171
types, *1952:* Jan., 145, 146
Anger, physical manifestations, *1952:* March, 469
Angina pectoris, *1952:* Jan., 85, 88, July, 991; *1953:* Sept., 1284, Nov., 1633
differentiation from other chest pain, *1954:* May, **743–751**
in aged, *1954:* Nov., 1775
treatment, *1954:* Jan., 15, Nov., 1662

Angiocardiography, *1952:* Nov., 1677; *1954:* May, 796
in congenital heart disease, value, *1952:* Jan., 57
in pulmonary disease, *1954:* May, 727
Angioedema in infants and children, *1954:* Sept., 1269
Angiography, cerebral, *1954:* May, 801
Angioneurotic edema, acute severe, treatment, *1954:* Jan., 69
Angiospasm, cerebral, *1953:* March, 426
Anorectum, constricted, in children, *1953:* Jan., 274
surgery of, instruments for, *1952:* Sept., 1451
Anoscopy, *1952:* Sept., 1448; *1953:* Jan., 263
Anoxemia, effect on capillary permeability, *1952:* Jan., 208
Anoxia, hepatic, *1953:* Jan., 111
syncope in, *1953:* Sept., 1337
Antabuse in alcoholism, *1953:* March, 602; *1954:* March, **515–524**
side and toxic effects, *1954:* March, 516
treatment, *1954:* March, 520
Antacids in peptic ulcer, *1952:* Sept., 1324; *1953:* Jan., 34
Anti-anemic factors, interrelationship, *1952:* Sept., 1228
Antibiotics. See also *Penicillin, Streptomycin*, etc.
administration, *1952:* Jan., 258
administration, *1952:* Jan., 258
dosages, *1952:* Jan., 259
in accessible infections, *1952:* Nov., 1615
effect on normal fecal flora, *1952:* July, 1083
in amebiasis, *1952:* Jan., 254, 255, July, 1089; *1953:* Nov., 1806
in appendicitis, *1953:* Jan., 224
in bronchiectasis, *1954:* July, 1023
in brucellosis, *1952:* Jan., 251, 253
in burns, *1953:* July, 1124
in cat-scratch disease, *1952:* Sept., 1252
in chickenpox, *1952:* Sept., 1250
in Chlamydozoaceae infections, *1952:* Sept., 1241
in colitis, ulcerative, *1952:* July, 1097; *1953:* Jan., 252, July, 1170
in common cold, *1952:* Sept., 1246
in conjunctivitis, inclusion, *1952:* Sept., 1243
in dermatitis, acute, *1952:* Sept., 1439
in dermatitis herpetiformis, *1952:* Sept., 1249
in fevers, effect on laboratory results, *1954:* May, 898
in gas gangrene, *1952:* Jan., 251, 253
in gastrointestinal disease, *1952:* July, **1083–1097**
in herpetic and other skin diseases, *1952:* Sept., 1248
Antibiotics, in ileitis, regional, *1952:* July, 1097
in infections, *1952:* Jan., 247
accessible, *1952:* Nov., 1615
inacessible, *1952:* Nov., 1616
viral, *1952:* Jan., 254, Sept., **1239–1252**
in influenza, *1952:* Sept., 1247
in laryngotracheobronchitis, *1952:* Jan., 255, 256
in leptospirosis, *1952:* Jan., 255
in liver disease, *1952:* Sept., 1351
in lymphogranuloma venereum, *1952:* Sept., 1242
in measles, *1952:* Sept., 1252
in meningitis, *1952:* Jan., 249, 255; *1953:* March, 338
aseptic, *1952:* Sept., 1252
influenzal, *1953:* March, 339
intrathecal, *1953:* Sept., **1363–1378**
streptococcal, *1953:* March, 339
in mononucleosis, infectious, *1952:* Sept., 1251
in mumps, *1952:* Sept., 1250
in nephrotic syndrome, *1953:* July 1134
in otitis media, *1952:* Jan., 255, 256
in pediatrics, *1952:* Nov., **1607–1618**
in pneumonia, *1953:* July, 1055; *1954:* July, 981
atypical, *1952:* Sept., 1244
in poliomyelitis, *1952:* Sept., 1251
in psittacosis, *1952:* Sept., 1244
in pyuria, abacterial, *1952:* Sept., 1251
in rheumatic fever, *1952:* Nov., 1655
in syphilis, *1952:* Jan., 254, 255
in tetanus, *1952:* Jan., 251, 253
in tonsillitis, *1952:* Jan., 255, 256
in trachoma, *1952:* Sept., 1243
in tuberculosis, *1952:* Jan., 251, 253
in tularemia, *1952:* Jan., 251, 253
in thyphoid fever, *1952:* July, 1092
in urethritis, nonspecific, *1952:* Sept., 1251
in urinary tract infections, *1952:* Sept., 1430
in viral diseases, *1952:* Sept., **1239–1252**
in whooping cough, *1952:* Jan., 251, 252
in wounds, open, *1953:* Sept., 1475
synergism and antagonism, *1952:* Nov., 1613
toxicity, *1952:* Jan., 261
use, laboratory in, *1952:* Jan., 256
practical problems, *1952:* Jan., **247–262**
Anticholinergic drugs in gastrointestinal disease, *1954:* March, **459–471**
Anticoagulant therapy, hemorrhage from, treatment, *1953:* July, 959, Sept., 1296
in arterial occlusions, acute, *1952:* Jan., 143, 144; *1954:* Jan., 33
in cerebral hemorrhage and thrombosis, *1952:* Jan., 170

Anticoagulant therapy, in cerebral vascular accident, *1954:* Jan., 32, 176
in congestive heart failure, *1953:* May, 661
in cor pulmonale, acute, *1954:* Nov., 1690
in coronary thrombosis, prevention, *1952:* July, 998
in coronary heart disease, *1954:* March, **399–412,** Nov., 1668
in myocardial infarction, acute, *1953:* Sept., 1293
in aged, *1954:* Nov., 1778
prevention, *1952:* Jan., 83
in myocardial ischemia, *1953:* Sept., 1290
in phlebothrombosis, acute, *1954:* Jan., 40, 306
in thromboembolism, *1952:* Sept., 1318
long-term, *1953:* May, **659–666**
maintenance of constant prothrombin level in, *1952:* Jan., 113
Anticoagulants, circulating, bleeding due to, *1952:* July, 1066
Anticonvulsant drugs, *1954:* March, **473–484**
liver damage from, *1953:* Sept., 1386
side effects, control of, *1954:* Sept., **1339–1350**
Antidotes, *1954:* Jan., 201
Antiepileptic drugs, *1952:* Sept., **1381–1392;** *1954:* March, 473–484
control of side effects, *1954:* Sept., **1339–1350**
Antihistaminic drugs, in asthma, *1952:* Sept., 1272; *1953:* July, 1020
in dermatitis, acute, *1952:* Sept., 1440
in motion sickness, *1952:* Sept., 1378
in parkinsonism, *1953:* March, 531
in peptic ulcer, *1952:* Sept., 1330
in urticaria, *1953:* May, 793
Antihyaluronidase titer in rheumatic fever, *1952:* Nov., 1650
Antimetabolites in leukemia and allied disorders, *1953:* Nov., 1762
Antisecretory drugs in peptic ulcer, *1952:* Sept., 1328
Antiseptics, urinary, choice of, *1952:* Sept., 1430
Antisera in meningitis, *1953:* March, 340
Antispasmodics in peptic ulcer, *1953:* Jan., 35
Antistreptolysin titer in rheumatic fever, *1952:* Nov., 1650
Antithyroid drugs, in congestive heart failure, *1953:* July, 986
in hyperthyroidism, *1952:* May, **603–621;** *1953:* May, 701, 705, July, 1065
mechanism of action, *1953:* July, 1061
Antrenyl in gastrointestinal disease, *1954:* March, 466
Anuria in poisoning, treatment, *1954:* Jan., 206
Anus, abscesses, incision of, *1952:* Sept., 1455
fissure in, office treatment, *1953:* Jan., 268
in children, *1953:* Jan., 274
fistula, office treatment, *1953:* Jan., 269
papillae, hypertrophied, excision of, *1952:* Sept., 1455
skin tags, excision, *1952:* Sept., 1451
spasm, *1953:* Jan., 270
Anxiety, attacks of, *1952:* March, 566
fatigue due to, *1952:* March, 313
heart disease and, *1954:* Sept., 1536, Nov., 1796
hypertension and, *1954:* Nov., 1797
in structural disease, *1952:* March, **471–483**
neuroses manifested by, *1954:* Sept., 1355
physical manifestations, *1952:* March, 458, 464
role in neurotic symptom formation, *1954:* Sept., 1352
Aorta, arch of, anomalies, *1952:* Jan., 43, 64; *1954:* Nov., 1635
coarctation of, *1952:* Jan., 40, 63, Nov., 1664; *1954:* Nov., 1636
hypertension in, *1954:* May, 763
diseases, in aged, *1954:* Nov., 1782
overriding of, diagnosis, *1952:* July, 1046
roentgenographic changes in silicosis, *1953:* Nov., 1732
stenosis, *1952:* Nov., 1665
syncope and dizziness in, *1953:* Sept., 1318
Aortography, *1954:* May, 790
abdominal, *1954:* May, 799
thoracic, *1952:* Nov., 1679
Aphasia in differential diagnosis of deafness in children, *1952:* Nov., 1793
Apoplexy, *1952:* Jan., **159–175**
diagnosis and management, *1953:* March, **423–435;** *1954:* May, 766
Appendectomy, *1953:* Jan., 222
Appendicitis, acute, *1954:* Jan., 117
pathogenesis, clinical manifestations, differential diagnosis, treatment, *1953:* Jan., **207–226**
Appendix, anatomy, *1953:* Jan., 208
Apresoline, hypotension due to, *1953:* Sept., 1304
in hypertension, *1953:* Sept., 1304; *1954:* March, 367, 372, Nov., 1724
arterial, *1953:* Nov., 1651
Arch supports, *1953:* Sept., 1438
Arfonad in acute pulmonary edema, *1953:* July, 960

Arrhythmias, cardiac, *1952:* Jan., **3–20**
auscultation in, *1953:* Sept., 1557
circulatory collapse precipitated by, *1954:* Jan., 19
congestive failure in, *1953:* July, 978
disability in, causes, *1953:* May, 680
electrocardiography in, *1952:* Jan., 94
embolism in, anticoagulant therapy, long-term, *1953:* May, 660
in acute myocardial infarction, treatment, *1953:* Sept., 1299
management, *1954:* Jan., 23
Arsenic poisoning, polyneuropathy in, *1954:* Sept., 1329
BAL in, *1954:* Sept., 1333
Arsenic, radioactive, in lymphomas and leukemias, *1953:* May, 852
Arsenicals, hepatitis due to, *1953:* Sept., 1385
in amebiasis, *1953:* Nov., 1806
in leukemia, granulocytic, chronic, *1953:* Nov., 1761
Artane in parkinsonism, *1953:* March, 530, Sept., 1514; *1954:* March, 487, 490, 491, 492
Arteries, cerebral and pial, headache and, *1954:* May, 679
occlusions, *1952:* Jan., 142, 143, 146, 148; *1953:* July, 957; *1954:* Jan., 30
acute, treatment, immediate, definitive and late, *1954:* Jan., 32, 37, 38
Arteriosclerosis, hypertension and, *1954:* May, 756
obliterans, *1952:* Jan., 147, 148
of aorta in aged, *1954:* Nov., 1782
Arteriography, peripheral, *1954:* May, 790
Arteritis, temporal, *1954:* May, 691
Arthritic spurring vs. disk as cause of root compression, *1953:* March, 466
Arthritis, degenerative, treatment, *1954:* Sept., **1475–1484**
in rheumatic fever, *1952:* Nov., 1652; *1954:* Nov., 1706
emotional manifestations, *1952:* March, 478
hypertrophic, physical medicine in, *1952:* Sept., 1487
rheumatoid, hydrocortisone in, intra-articular, *1954:* March, **349–357**
oral, *1954:* March, **337–347**
physical medicine in, *1952:* Sept., 1489
rehabilitation techniques, *1953:* May, 815
treatment, *1953:* May, **815–827,** July, **1235–1250**
placental serum in, *1953:* May, **805–814**
Arthrodysplasia, hereditary, with dystrophy of nails, *1952:* July, 915
Ascariasis, Hetrazan in, *1954:* March, **591–597**
treatment, *1953:* May, 908
Ascites, formation in cirrhosis, mechanism, *1953:* Jan., 96
in hepatitis, *1953:* Jan., 131
origin, liver in, *1953:* Jan., 113
Ascorbic acid, effect on capillary permeability, *1952:* Jan., 211
in infant nutrition, *1952:* Jan., 283
Asphyxial states, treatment, *1954:* Jan., 55, 251
Aspiration of foreign bodies, *1954:* Jan., 51
Aspirin. See *Acetylsalicylic acid.*
Asthenia, neurocirculatory, *1954:* Sept., 1536, Nov., 1789
Asthma, *1952:* March, **347–365**
bronchial, *1952:* March, 350; *1953:* May, 770
1954: ACTH and cortisone in, *March,* **449–457,** July, 975
bedside management, *1953:* July, **1009–1022**
bronchoscopy in, *1953:* July, 1021
crises of, treatment, *1954:* July, **969–979**
drugs used in, evaluation, *1953:* July, 1016
in infants and children, *1954:* Sept., 1261
long-range care, *1953:* Sept., **1419–1425**
treatment, *1954:* Sept., 1263
treatment, *1952:* Sept., 1269; *1953:* May, 779, July, **1009–1022**
cardiac, *1952:* March, 350; *1953:* July, 959, Nov., 1633
pathologic physiology, *1953:* July, 1011
treatment, *1953:* July, 1012, Nov., 1636
conditions simulating, *1952:* March, 348
intractable, causes and treatment, *1954:* Jan., 63, 251
powders, *1953:* July, 1018
Astrocytoma in childhood, *1952:* Nov., 1802
Atabrine, in giardiasis, *1953:* May, 907
in malaria, *1953:* May, 907
Atelectasis, *1954:* July, 1046
Atherosclerosis, coronary, treatment, *1953:* Sept., **1283–1301**
low cholesterol-low fat diets in, *1952:* Jan., 189, 193, **195–199,** May, 869, 872
pathogenesis and treatment, *1952:* Jan., **177–194**
prevention, *1952:* July, **1001–1012**
Atomic attack, physician in, *1952:* Jan., **263–272**
Atomic injuries, *1952:* Jan., **263–272**

Atrial septum, defects, *1952:* Nov., 1665; *1954:* Nov., 1639
cardiac catheterization in *1952:* July, 1043
Atropine, in cardiac standstill, *1952:* Jan., 19
in parkinsonism, *1953:* Sept., 1512
in peptic ulcer, *1952:* Sept., 1329
Aureomycin, dosages, *1952:* Jan., 259
effect on normal fecal flora, *1952:* July, 1087
in amebiasis, *1952:* July, 1091; *1953:* Nov., 1806
in bacterial endocarditis, *1954:* March, 394
in infectious hepatitis in children, *1952:* Nov., 1645
in pediatric practice, *1952:* Nov., 1612
in pneumonia, *1954:* July, 982
in rickettsial infections, *1953:* March, 407
prophylactic, *1953:* March, 420
in salmonellosis, *1952:* July, 1095
in staphylococcal infections, *1953:* Sept., 1470
in urinary infections, *1952:* Sept., 1432, 1433
in vaginitis, nonspecific, *1952:* Nov., 1731
liver damage by, *1953:* Sept., 1386
Auricular fibrillation, *1952:* Jan., 7, 16
emotional manifestations, *1952:* March, 478
in acute coronary thrombosis, treatment, *1953:* July, 957
paroxysmal, *1953:* July, 965
treatment, *1954:* Jan., 23
Auricular flutter, *1952:* Jan., 8, 15
paroxysmal, *1953:* July, 966
treatment, *1954:* Jan., 24
Auricular tachycardia, paroxysmal, *1953:* July, 962
Autism, *1952:* Nov., 1545
Autohemotherapy in urticaria, *1953:* May, 794
Automobile crash victim, care of, *1954:* Jan., **75–94**
Autonomic control, disturbances, in emotional disorders, *1952:* March, 459
Aversion therapy in alcoholism, *1953:* March, 600

BABY. See *Infant.*
Bacitracin, dosage, *1952:* Jan., 259
in amebiasis, *1952:* July, 1091
in bacterial endocarditis, *1954:* March, 395
in staphylococcal infections, *1953:* Sept., 1471
Back, lower, anatomy, *1953:* Sept., 1449
pain, low, *1953:* Sept., 1457, 1458
herniated disk and, *1953:* March, 484, 508; *1954:* May, 666
postural, *1953:* Sept., 1455; *1954:* May, 666
syndromes, *1953:* Sept., **1449–1460**
Back strain, *1954:* May, 670
Backache, causes, diagnosis, *1953:* July, 1207; *1954:* May, **655–672**
management, *1953:* July, **1203–1213**
Bacteremia, problem cases, *1954:* May, 910
Bacteria, sensitivity testing, use and abuse, *1953:* Sept., 1465
Bacteriologic studies in pulmonary disease, importance, *1954:* July, **1219–1226**
in pulmonary tuberculosis, *1954:* July, 1158
BAL, in heavy metal poisoning, *1954:* Jan., 203, Sept., 1333
in hepatitis, toxic, *1953:* Sept., 1390
in lewisite burns of eye, *1952:* Sept., 1219
in peripheral neuropathies, *1954:* Sept., 1334
in polyneuritis, *1952:* Sept., 1365
Balarsen in amebiasis, *1953:* Nov., 1806
Ball-valve thrombus, *1953:* Sept., 1319
Ballistocardiography, *1954:* Nov., **1601–1615**
Banthine, in gastrointestinal disease, *1954:* March, 463
in peptic ulcer, *1952:* Sept., 1329; *1953:* Jan., 35
Banti's syndrome, *1954:* May, 872
Barbiturates, in epilepsy, *1952:* Sept., 1386, 1389
in obstetrics, *1954:* Sept., 1440
intoxication, *1954:* Jan., 212
Basal metabolic rate. See *Metabolism, basal.*
Baths, in acute dermatitis, *1952:* Sept., 1441
in dermatoses, *1953:* May, 799
Bauer-Aub diet, *1952:* May, 755
B.C.G. vaccine in prevention of tuberculosis, *1954:* Sept., 1528
Bed rest. See under *Rest.*
Bedside management, symposium on, *1953:* July, **953–1268**
Bee stings, reactions in children, *1954:* Sept., 1273
Behavior, inventory, preliminary, of children, *1952:* Nov., 1528
problems in children, management, *1953:* March, **565–577**
Belching, *1953:* Jan., 3
Bell's palsy, *1954:* Sept., 1330
cortisone in, *1954:* Sept., 1337
Bellabulgara in parkinsonism, *1953:* Sept., 1513; *1954:* March, 488, 492, 494
Belladonna, in parkinsonism, *1953:* March, 529, Sept., 1512
in peptic ulcer, *1952:* Sept., 1329
Benadryl, in motion sickness, *1952:* Sept., 1378, 1379
in parkinsonism, *1953:* Sept., 1515; *1954:* March, 487, 490, 492, 494
Bence-Jones protein in urine, *1953:* Sept., 1535
Benedict's test for sugar, *1953:* Sept., 1532

Benemid, in bacterial endocarditis, *1954:* March, 396
in pediatric practice, *1952:* Nov., 1611
Benodaine in diagnosis of pheochromocytoma, *1954:* March, **375–384**
Benzodioxane test in pheochromocytoma, *1952:* Jan., 123, May, 754
Bernheims' syndrome, *1952:* July, 912
Beta-naphthyldi-2-chloroethylamine in leukemia and allied disorders, *1953:* Nov., 1760
Bicarbonates in blood, office tests, *1953:* Sept., 1539
Bile, ducts, carcinoma of, *1953:* Jan., 166
diseases, diarrhea and bloody stools in, *1954:* May, 819
x-ray diagnosis, *1954:* May, 814
in urine, office test, *1953:* Sept., 1535
salts in chronic cholecystitis and cholelithiasis, *1953:* Jan., 163
Bilharziasis of liver, *1953:* Jan., 103
Biliary cirrhosis, obstructive, *1953:* Jan., 97
Biliary dyskinesia, *1953:* Jan., 156, 176
Biliary obstruction, congenital, *1953:* Jan., 156
Biliary tract, disease, diagnosis and treatment, *1954:* Sept., **1403–1417**
extrahepatic, normal physiology, *1953:* Jan., 170
syndromes and their treatment, *1953:* Jan., **155–167**
Bilirubin, serum, in jaundice, *1952:* March, 400
Biopsy, endometrial, *1952:* May, 750
in carcinoma of prostate, *1952:* May, 693
in diagnosis of cancer, *1954:* May, 641
needle, in bronchogenic carcinoma, *1954:* July, 1121
of liver. See under *Liver*.
of lymph nodes in bronchogenic carcinoma, *1954:* July, 1121
testicular, *1952:* May, 749
Bismuth, hepatitis due to, *1953:* Sept., 1385
Bite, dog, *1954:* Jan., 107
human, *1954:* Jan., 106
snake, *1954:* Jan., 108
Bladder, care in aged, *1952:* March, 577
management in paraplegia, *1953:* May, 926
neck obstruction, *1954:* Jan., 281
rupture, *1954:* Jan., 287
Blastomycosis of lung, diagnosis, *1954:* May, 739
Bleeding. See *Hemorrhage*.
Blood, cell count, in clinical diagnosis of congenital heart disease, *1952:* Nov., 1662
red cell, *1953:* Sept., 1537
white cell, *1953:* Sept., 1538
circuit, extracorporeal, *1953:* Nov., 1607
collecting, without using syringe, *1953:* Jan., 288
Blood, culture in clinical diagnosis of congenital heart disease, *1952:* Nov., 1662
examination, office procedures, *1953:* Sept., 1535
in stool, differential diagnosis, *1954:* May, **817–833**
in sputum, *1952:* March, 337
kinetic energy, circulatory consequences with special reference to kidney, *1952:* July, **967–980**
lead concentration in lead poisoning, *1952:* Nov., 1592, 1595
oxygenation, tests of impairment, *1954:* July, 1232
pressure, determination, *1952:* Nov., 1521
high. See also *Hypertension*.
differentiation, *1954:* May, **753–764**
intravascular, measurement, *1954:* May, 792
screening tests, *1952:* Nov., 1521
smear examination, *1952:* Nov., 1522; *1953:* Sept., 1538
studies in newborn infants, *1952:* Nov., 1568
sugar, tests for, *1953:* July, 1099, Sept., 1540
significance and limitations, *1953:* Jan., 286
transfusions. See *Transfusions*.
venous, cardiac, disposition of, *1953:* Nov., 1614
Body, temperatures, basal, in study of fertility, *1952:* May, 751
water, measurements, *1952:* May, 829
total, *1954:* May, 875
Boeck's sarcoid, *1945:* July, 1004
Bone, cysts, in infants and children, *1952:* Nov., 1754
treatment, *1952:* Nov., 1756
disease, urinary calculi in, *1954:* Sept., 1465
matrix and ossification, *1952:* May, 847
tumors in childhood, *1952:* Nov., 1803
Boric acid as antiseptic, the case against, *1954:* Jan., **299–304**
Bowels, care, in aged, *1952:* March, 577
Brachial plexus pressure, neck and shoulder pain due to, *1952:* Sept., 1298
Brachial neuritis, *1954:* Sept., 1330
Brachio-cephalic vessels and aortic arch, anomalous position, *1954:* Nov., 1635
Bradycardia, sinus, *1952:* Jan., 6
Brain, abscess, *1954:* Jan., 172
circulation, physiology of, *1952:* Jan., 161; *1954:* Nov., 1572
injuries, in auto crash, *1954:* Jan., 89
lesions, headache due to, *1954:* May, 674
organic, precocious puberty resulting from, *1952:* Nov., 1713
vascular, acute, differential diagnosis, *1954:* May, **765–779**

Brain, lesions, vascular, acute, diagnosis and management, *1953:* March, **423–435**
emergency treatment, *1954:* Jan., 43
softening of, *1952:* Jan., 165, 166
stem, glioma of, in childhood, *1952:* Nov., 1802
tumor in differential diagnosis of hydrocephalus, *1952:* Nov., 1744
Breast, carcinoma, advanced, hormone therapy, *1952:* May, **681–688**
detection and early diagnosis, *1954:* May, 646
Breast feeding, *1952:* Nov., 1556
maternal desire, *1952:* Nov., 1557
maternal inability, *1952:* Nov., 1558
maternal reluctance, *1952:* Nov., 1557
vs. artificial feeding, *1952:* Jan., 273
Bright's disease. See *Nephritis.*
Bromides in epilepsy, *1953:* March, 324; *1954:* March, 476
Bronchial obstruction, recurrent, chronic, clinicopathologic conference, *1953:* Nov., 1691
Bronchiectasis, cysts, *1954:* July, 1075
diagnosis, *1953:* July, **1023–1034;** *1954:* May, 736
in older people, *1953:* Sept., **1351–1361**
in silicosis, *1953:* Nov., 1734
treatment, *1953:* July, **1023–1034;** *1954:* July **1019–1026**
Bronchiolitis, acute, *1952:* Sept., 1284
treatment, *1952:* Sept., 1286
Bronchitis in asthma, control of, *1954:* July, 977
Bronchodilators in asthma, *1954:* July, 970
in children, *1954:* Sept., 1278
Bronchogenic carcinoma, diagnosis, *May,* 729; *1954:* July, **1109–1122**
treatment, *1954:* July, **1123–1131**
Bronchogenic cysts, congenital, *1954:* July, 1075
Bronchography in bronchiectasis, *1953:* July, 1028, Sept., 1353
techniques and application, *1954:* July, **1207–1214**
Broncholithiasis, *1954:* July, 1043
Bronchopulmonary sequestration, intralobar, *1954:* July, **1081–1090**
Bronchoscopy, diagnostic value, *1954:* July, **1215–1218**
in asthma, *1953:* July, 1021
in bronchial adenoma, *1954:* July, 1100
in bronchiectasis, *1953:* July, 1027
in bronchogenic carcinoma, *1954:* July, 1118
Bronchostenois, *1954:* July, 1044
in asthma, control of, *1954:* July, 978
Bronchus, adenoma, diagnosis and treatment, *1954:* July, **1097–1107**
Bronchus, compression by contiguous growths, *1954:* July, 1048
diseases, allergic, *1954:* July, **963–968**
symposium on, *1954:* July, **943–1241**
foreign bodies in, *1954:* July, 1040
obstruction, benign, problem of, *1954:* July, **1039–1049**
secretions, cytology, in diagnosis of pulmonary disease, *1954:* May, 725; July, 1118, 1223
tumors, benign, *1954:* July, 1043
Brown-Sequard syndrome, *1952:* July, 911
Buerger's disease. See *Thromboangiitis obliterans.*
Burns, acute, treatment, *1953:* July, **1119–1128**
chemical, of eye, emergency treatment, *1952:* Sept., **1215–1222**
emergency care, *1954:* Jan., **95–100**
of eye, *1954:* Jan., 240
pulmonary, *1953:* July, 1125
shock in, *1954:* July, 98
treatment, annotated outline, *1952:* Sept., **1201–1214**
Bursitis of shoulder, physical medicine in, *1952:* Sept., 1490
Butanephrine in asthma, *1953:* July, 1017
Butazolidin, in gout, *1954:* March, **611–624**
in rheumatoid arthritis, *1953:* July, 1239

CAFERGOT in headache, *1953:* July, 1265
Calcinosis, interstitial in tendinitis of shoulder, *1952:* Sept., 1304
Calcium, deficiency, in uremia, *1954:* Sept., 1454
tetany due to, *1952:* May, 880
in urine, office test, *1953:* Sept., 1534
serum, in acute pancreatitis, *1953:* Jan., 202
in parathyroid disease, *1952:* May, 755
Calcium carbonate in peptic ulcer, *1952:* Sept., 1325
Calcium versenate in lead poisoning, *1952:* Nov., 1593
Calculi, bronchial, *1954:* July, 1043
common duct, *1953:* Jan., 153; *1954:* Sept., 1412
gallbladder. See *Gallstones.*
ureteral or renal, *1954:* Jan., 283
urinary, medical management, *1954:* Sept., **1461–1474**
types and causes, *1954:* Sept., 1462
Calories, requirements in aged, *1954:* Sept., 1487
Cancer. See *Carcinoma.*
Capillary(ies), circulation, clinical physiology, *1952:* Jan., **201–215**
fragility in hypertension, *1952:* Jan., 124
in peripheral vascular disease, *1954:* May, 789

Capillary(ies), permeability, *1952:* Jan., 205, *1954:* May, 879
tourniquet test, *1953:* Nov., 1847
topography and vasomotion, *1952:* Jan., 211
Carbarsone, in amebiasis, *1953:* Nov., 1806
in amebic dysentery, *1953:* May, 904, 905
suppositories in Trichomonas vaginalis vaginitis, *1952:* Sept., 1467
Carbohydrate(s), in infant feeding, *1952:* Jan., 276
restriction in diabetes mellitus, *1953:* May, 716
Carbomycin in staphylococcal infections, *1953:* Sept., 1472
Carbon dioxide, inhalations, in amenorrhea, *1953:* July, 1092
in asthma, *1954:* July, 973
in headache, *1953:* July, 1263
narcosis complicating oxygen therapy, *1953:* July, 960
Carbon monoxide poisoning, *1954,* Jan., 59, 215
Carbon tetrachloride, liver damage from, *1953:* Sept., 1386
poisoning, *1954:* Jan., 59
Carcinoma, bronchogenic, bronchiectasis and, *1953:* Sept., 1360
diagnosis, May, 729; *1954:* July, **1109–1122**
treatment, *1954:* July, **1123–1131**
detection methods, *1954:* May, 642
diagnosis, early, *1954:* May, **639–654**
emotional manifestations, *1952:* March, 480
endocrine therapy, *1954:* Sept., 1285
in childhood, *1952:* Nov., **1797–1806**
intractable pain in, control of, *1954:* Sept., 1296
management, medical problems in, *1953:* May, **869–884**
metabolic antagonists in, *1954:* Sept., 1290
metastatic, laboratory methods for estimating activity of, *1954:* Sept., 1290
treatment, *1954:* Sept., **1281–1299**
nitrogen mustard therapy, *1954:* Sept., 1284
nonmalignant disease in, management, *1953:* May, 880
of organs. See under organ names.
pain in, control of, *1953:* May, 875
palliative treatment, *1953:* May, 878; *1954:* Sept., **1281–1299**
radiation therapy, *1954:* Sept., 1283
radioactive gold therapy, *1954:* Sept., 1285
Cardiac. See also *Heart*
emergencies, *1953:* July, 955–970; *1954:* Jan., **7–28**
patient, work capacity of, *1953:* May, **667–684**
Cardiology, clinical, contributions of physiologic research to, *1954:* Nov., **1565–1573**
Cardiospasm, *1953:* Jan., 15
treatment, *1952:* March, 384
wrongly blamed on heart, *1952:* March, 507
Cardiovascular defects, congenital, cardiac catheterization and contrast study of heart and great vessels in, *1952:* Nov., **1673–1682**
diagnosis and treatment, *1954:* Nov., **1635–1648**
diagnosis in reference to surgical intervention, *1952:* Jan., **37–51**
Cardiovascular disease, anesthesia in relation to, *1954:* Nov., **1733–1739**
home care, rehabilitation and placement in injury in, *1954:* Nov., **1785–1788**
in aged, *1952:* March, 580; *1954:* Nov., **1767–1784**
symposium on, *1952:* Jan., **1–228**; *1954:* Nov., **1561–1800**
Cardiovascular system, allergic states and, *1953:* Nov., **1625–1638.** See also *Allergy in cardiovascular system.*
in kidney disease, *1953:* Nov., **1657–1668**
Cardiovascular syphilis, penicillin in, *1954:* Nov., **1757–1765**
Carditis in rheumatic fever, *1952:* Nov., 1651; *1954:* Nov., 1706
Carotid artery, internal, thrombosis of, *1954:* Jan., 175; May, 768
Carotid sinus pressure, as test for arrhythmias, *1952:* Jan., 10
in treatment of supraventricular tachycardia, *1952:* Jan., 12
Carotid sinus syndrome, syncope in, treatment, *1953:* Sept., 1313, 1329
Carter-Robbin's test of posterior pituitary function, *1952:* May, 753
Cataplexy, *1952:* March, 541
Catheterization, cardiac. See under *Heart.*
Cation exchange resins. See under *Resins.*
Caudal anesthesia in obstetrics, *1954:* Sept., 1443
Causalgia, *1952:* Jan., 156, March, 492
of neck and shoulder, *1952:* Sept., 1306
Cedilanid, in acute pulmonary edema in pregnancy, *1954:* Nov., 1750
in congestive heart failure, *1954:* Nov., 1655
Cephalin-cholesterol flocculation, abnormal, incidence in infectious hepatitis, *1952:* Nov., 1642
test, of Hanger, *1952:* March, 398
Cephalopelvic disproportion, induction of labor in, *1952:* Sept., 1478
Cerebral. See also *Brain.*

Cerebral attacks, psychic aspects, *1952:* March, 557–568
Cerebral circulation, *1953:* March, 424
Cerebral vascular accidents, diagnosis and management, *1952:* 159–175; *1953:* March, 423–435
differentiation, *1954:* May, 765–779
emergency treatment, *1954:* Jan., 43
in aged, *1952:* March, 581
space-occupying lesions and, differentiation, *1954:* May, 774
stellate ganglion block and anticoagulant therapy in, *1954:* Jan., 32, 176
Cerebral vascular disorders, syncope in, *1953:* Sept., 1327
Cerebrospinal fluid examination, office procedures, *1953:* Sept., 1541
Cervical root compression, syndromes of, neurologic and roentgenologic aspects, *1953:* March, 451–478
treatment, *1953:* March, 462, 467, 468
Cervix uteri, carcinoma, early diagnosis, *1954:* May, 644
lesions, leukorrhea due to, treatment, *1952:* Sept., 1463, 1465
Chair treatment of congestive heart failure, *1953:* July, 966
of myocardial infarction, *1954:* Nov., 1667
Charcot-Marie-Tooth disease, *1953:* March, 553
Chemotherapy, in leukemia and allied disorders, *1953:* Nov., 1755–1767
in meningitis in children, *1952:* Nov., 1617
intrathecal, *1953:* Sept., 1363–1378
in parkinsonism, *1953:* Sept., 1511
in tuberculosis, present status, *1952:* Sept., 1257; *1954:* July, 1167–1176
Chest. See *Thorax.*
Child(ren), allergy in, *1954:* Sept., 1255–1279
long-range care, *1953:* Sept., 1419–1425
appraisal of, *1952:* Nov., 1516
developmental, by general practitioner, *1952:* Nov., 1525–1532
frequency of examination, *1952:* Nov., 1517
behavior inventory, preliminary, *1952:* Nov., 1528
behavior problems in, *1953:* March, 565–577
cancer in, *1952:* Nov., 1797–1806
deaf, *1952:* Nov., 1787–1795
developmental norms and observations, *1952:* Nov., 1527
growing, posture changes in, *1952:* Nov., 1533–1540
hemorrhagic disease in, *1952:* Nov., 1693–1710
Child(ren), hernias in, management of, *1952:* Nov., 1767–1777
hospitalization of, problems resulting from, *1952:* Nov., 1552
immunization schedules, *1954:* Sept., 1506
infectious hepatitis in, *1952:* Nov., 1637–1647
iron deficiency in, *1952:* Nov., 1683–1691
lead poisoning in, *1952:* Nov., 1587–1597
meningitis in, tuberculous, *1953:* March, 345–362
noninfectious osseous lesions of, *1952:* Nov., 1751–1765
of diabetic mothers, course and management, *1953:* Sept., 1481–1496
orthopedic problems in, *1953:* Sept., 1427–1448
physically handicapped, New York plan for, *1953:* May, 935
proctologic problems in, *1953:* Jan., 274
rheumatic fever in, recognition and management, *1952:* Nov., 1649–1658; *1954:* Nov., 1693–1716
tuberculosis in, treatment of, *1952:* Nov., 1619–1626
Childbirth. See *Labor.*
Chiniofon in amebiasis, *1953:* Nov., 1806
Chlamydozoaceae infections, antibiotics in, *1952:* Sept., 1241
Chloral hydrate in asthma, *1954:* July, 975
Chloramphenicol. See *Chloromycetin.*
Chlorides in blood, office tests, *1953:* Sept., 1539
Chlorine poisoning, *1954:* Jan., 59
Chloromycetin, dosages, *1952:* Jan., 259
effect on normal fecal flora, *1952:* July, 1087
in amebiasis, *1952:* July, 1091
in bacterial endocarditis, *1954:* March, 394
in pediatric practice, *1952:* Nov., 1612
in rickettsial infections, *1953:* March, 407
prophylactic, *1953:* March, 420
in salmonellosis, *1952:* July, 1095
in staphylococcal infections, *1953:* Sept., 1470
in typhoid fever, *1952:* July, 1092; *1954:* March, 578, 586
in urinary infections, *1952:* Sept., 1432, 1433
Chloroquine, in amebiasis, *1952:* July, 1091
Chloroquin diphosphate, in amebiasis, *1953:* Nov., 1807
in malaria, *1953:* May, 906
Cholangitis, *1953:* Jan., 173
Cholecystectomy, prophylactic, *1953:* Jan., 153
syndrome following, *1953:* Jan., 169–179

Cholecystitis, acute, *1953:* Jan., **145–154**, 158, 172; *1954:* Jan., 133, Sept., 1409
epigastric pain in, *1952:* March, 369
chronic, *1953:* Jan., **145–154**, 160, 174; *1954:* Sept., 1403
Cholecystolithiasis, chronic, *1953:* Jan., 172
Cholelithiasis, *1953:* Jan., **145–154**, 160; *1954:* Sept., 1403
Cholera, immunization, *1954:* Sept., 1517
Cholesterol, concept of atherogenesis, *1952:* Jan., 177
excess, in blood, clinical significance and management, *1952:* May, 865
metabolism, liver in, *1953:* Jan., 117
pneumonia, *1954:* July, 990
restriction, in atherosclerosis, *1952:* Jan., 189, 193, **195–199**, May, 872
in coronary disease, *1953:* May, 674
serum, in thyroid disease, *1952:* May, 742
Cholesterosis, *1954:* Sept., 1407
Choline esterase, serum, in liver disease, *1953:* Jan., 120
Cholinergic blocking agents in peptic ulcer, *1952:* Sept., 1329
Chondrosarcoma in infants and children, *1952:* Nov., 1759
Chorea, as manifestation of rheumatic fever, *1952:* Nov., 1653; *1954:* Nov., 1705
Choroid plexus coagulation or extirpation, *1952:* Nov., 1746
Chronic illness, symposium on, *1953:* May, **629–941**
Ciliary injection, *1954:* Jan., 227, 229
Cinchophen, hepatitis due to, *1953:* Sept., 1385
Circulation, lesser, physiology, as altered by congenital and acquired heart disease, *1952:* July, **1035–1049**
time, determinations, *1954:* Nov., 1567
in congenital heart disease, *1952:* Nov., 1662
in peripheral vascular disease, *1954:* May, 787
in thyroid disease, *1952:* May, 742
Circulations, regional, new knowledge about, *1954:* Nov., 1569
Circulatory collapse due to heart disease, *1954:* Jan., 16
Circulatory consequences of blood kinetic energy, particularly in kidney, *1952:* July, **967–980**
Cirrhosis, biliary, obstructive, *1953:* Jan., 97
cardiac, *1953:* Jan., 102
clinical aspects, *1953:* Jan., 103
infiltrative, *1953:* Jan., 100
Laennec's, *1953:* Jan., 89, 92
splenectomy in, *1953:* Jan., 194
of liver, diagnosis, *1954:* May, 866
in hepatitis, *1952:* Sept., 1348
natural history of, *1953:* Jan., **87–108**
Cirrhosis, of liver, treatment, *1953:* July, **1139–1156**
pigmentary, *1953:* Jan., 100
portal, *1953:* Jan., 89, 92
postnecrotic, *1953:* Jan., 89, 90
xanthomatous, *1953:* Jan., 98
zooparasitic, *1953:* Jan., 103
Citrate tetany, *1952:* May, 892
Cleidocranial dysostosis in differential diagnosis of hydrocephalus, *1952:* Nov., 1744
Climacteric. See *Menopause.*
Climatotherapy in rheumatoid arthritis, *1953:* May, 817
Clinicopathologic conference, *1952:* March, **435–444**; *1953:* Nov., **1675–1696**; *1954:* May, **921–932**
Clinitest for sugar, *1953:* Sept., 1532
Clubfoot, *1953:* Sept., 1431
Coagulation, disturbance, bleeding disorders associated with, *1952:* July, 1058
mechanism, clinical concept, *1953:* Nov., 1843
Coagulogram, clinical use, *1953:* Nov., **1843–1853**
Coarctation of aorta. See under *Aorta.*
Coccidioidomycosis of lung, diagnosis, *1954:* May, 739
Cold pressor test in hypertension, *1952:* Jan., 121
Colectomy for ulcerative colitis, *1953:* Jan., 255
Colic, biliary, *1953:* Jan., 149, 160; *1954:* Jan., 132
postoperative, *1953:* Jan., 164
mucous, *1953:* Jan., 7
Colitis, diarrhea and bloody stools in, *1954:* May, 823, 824
spastic, *1953:* Jan., 7
ulcerative, chronic, treatment, *1953:* Jan., **247–259**, July, **1157–1174**
nonspecific, chronic, etiologic factors, *1953:* Nov., 1778
local deficiency factors, *1953:* Nov., 1780
management of patients with, *1953:* Nov., **1777–1784**
Collagen disorders, diffuse, clinical expressions, *1953:* Nov., **1697–1714**
manifestations, *1953:* Nov., 1701
treatment, *1953:* Nov., 1710
Collapse therapy in tuberculosis, *1952:* Sept., 1260
Collar, use, in cervical root compression, *1953:* March, 463
Colon, amebiasis, diagnostic aspects, *1952:* March, **405–409**
carcinoma, detection and early diagnosis, *1954:* May, 647
in ulcerative colitis, *1953:* Jan., 258, July, 1164
obstruction due to, *1954:* Jan., 125
diseases, diarrhea and bloody stools in, *1954:* May, 822
functional, *1953:* Jan., **3–16**
x-ray diagnosis, *1954:* May, 814

Colon, diverticulitis, *1954:* Jan., 130
irritable, anticholinergic drugs in, *1954:* March, 459
sore, *1953:* Jan., 7
Coma, diabetic, *1953:* Jan., 280
magnesium metabolism in, *1952:* July, 1161
treatment, *1952:* May, **767–782**
hepatic, *1953:* Jan., 112
patient in, examination, *1953:* March, 310
neurologic, *1952:* Sept., 1401
terminal, in nodular goiter, tuberculous adenitis and jaundice, clinicopathologic conference, *1953:* Nov., 1675
Comedos, perianal, excision of, *1952:* Sept., 1457
Commissurotomy for mitral stenosis, evaluation of patients for, by cardiac catheterization, *1952:* July, 1040
Common duct, stone in, *1953:* Jan., 153; *1954:* Sept., 1412
missed at operation, *1953:* Jan., 177
stricture, postoperative, *1953:* Jan., 165
Communications, privileged, *1953:* Sept., 1573
Complex, Eisenmenger's. See *Eisenmenger's complex.*
Compound E. See *Cortisone.*
Compound 08958 in parkinsonism, *1953:* Sept., 1516
Conduction disturbances, electrocardiogram in, *1952:* Jan., 94
Condyloma acuminata, office treatment, *1953:* Jan., 271
removal, *1952:* Sept., 1454
Conflict situation, treatment, *1953:* Nov., 1796
Conjunctival injection, *1954:* Jan., 227, 228
Conjunctivitis, *1954:* Jan., 228
Constipation, *1953:* Jan., 9
treatment, *1953:* Jan., 10
Constitutional factors determining reactions to morbid influences, *1952:* March, 467
Contact dermatitis. See under *Dermatitis.*
Conteben in tuberculosis, *1952:* Sept., 1260
Contractions, premature, *1952:* Jan., 7, 11
Conversion symptoms in office patient, *1954:* Sept., 1356
Convulsions, blood sugar in, significance, *1953:* Jan., 286
differential diagnosis, *1954:* May, **693–704**
etiology, *1954:* May, 694
uremic, treatment, *1954:* Sept., 1458
Convulsive disorders, *1953:* March, **315–328**
drugs used in, control of side effects, *1954:* Sept., **1339–1350**
Coordination, disturbances, testing for, *1953:* March, 307
Cor pulmonale, *1954:* Nov., **1675–1692**
acute, *1954:* Nov., 1686
physiologic research in, *1954:* Nov., 1571
chronic, *1953:* July, 1013; *1954:* Nov., 1675
Coramine. See *Nikethamide.*
Coronary artery, disease, anticoagulants in, *1954:* March, **399–412**
diagnosis and treatment, *1952:* Jan., **69–91**; *1954:* Nov., **1659–1674**
disability in, causes, *1953:* May, 673
electrocardiogram in, *1952:* Jan., 96; *1953:* Sept., 1346
in aged, *1954:* Nov., 1775
pain of, vs. noncardiac pain, *1954:* May, **743–751**
surgical risk in, *1954:* Nov., 1672
syncope in, treatment, *1953:* Sept., 1319
treatment, *1953:* Sept., **1283–1301**; *1954:* March, **399–412**; Nov., **1659–1674**
left, anomalous origin from pulmonary artery, *1952:* Nov., 1667
Coronary circulation, physiologic research in, *1954:* Nov., 1569
Coronary insufficiency, chronic, anticoagulant therapy in, *1953:* May, 662
treatment, *1954:* Jan., 15, Nov., 1659, 1775
Corticoids, glycogenic, in adrenal cortex disease, *1952:* May, 744
Corticotropin. See *ACTH.*
Cortisone, administration, *1952:* Jan., 233, May, 801, 818
diagnostic, in pulmonary disease, *1954:* May, 727
effects on gastric secretion and peptic ulcer, *1952:* July, 1079
in Addison's disease, *1952:* Jan., 243, May, 727
in adrenogenital syndrome, *1952:* Jan., 243
in allergy, *1952:* May, **811–827**
in amenorrhea, *1953:* July, 1090
in androgenic adrenocortical hyperfunction, *1952:* Nov., 1717
in angioedema, *1952:* May, 824
in angioneurotic edema, *1952:* Jan., 240
in arthritis, rheumatoid, *1952:* Jan., 238; *1953:* May, 818, July, 1246
in asthma, *1952:* Jan., 239, May, 819, Sept., 1274, 1277; *1953:* May, 781, July, 1020; *1954:* March, **449–457**, July, 975
in infants and children, *1954:* Sept., 1264
in atherosclerosis, *1952:* Jan., 190, 193
in burns, *1953:* July, 1125
chemical, of eye, *1952:* Sept., 1220

Cortisone, in colitis, ulcerative, *1952:* Jan., 241, July, 1069; *1953:* Jan., 254, July, 1171
in collagen diseases, *1952:* Jan., 238, May, 824; *1953:* Nov., 1710
in dermatitis, atopic, *1952:* Jan., 241; May, 823, July, 1137
in dermatomyositis, *1952:* Jan., 239
in digestive diseases, *1952:* July, **1069–1081**
in drug sensitivity, *1952:* Jan., 240; *1953:* Sept., 1417
in eczema, infantile, *1952:* May, 823; *1954:* Sept., 1260
in enteritis, regional, *1952:* July, 1078
in eye diseases, *1952:* Jan., 240
in glomerulonephritis, chronic, nephrotic stage, *1952:* Jan., 243
in hay fever, *1952:* Jan., 240
in hepatitis, *1952:* July, 1078
in Hodgkin's disease, *1953:* May, 861
in hypersensitivities, *1952:* Jan., 239
in hyperthyroidism, *1953:* May, 700
in hypoglycemia, spontaneous, *1952:* Jan., 243
in Landry-Guillain-Barré syndrome, *1952:* Sept., 1367
in leukemia, *1952:* Jan., 242; *1953:* May, 861, Nov., 1761
in liver disease, *1952:* July, 1078, Sept., 1352; *1953:* Jan., 116, July, 1145
in lupus erythematosus, *1952:* Jan., 238, 240, July, 1116; *1953:* Nov., 1710
in lymphomas, *1953:* May, 861
in lymphosarcoma, *1953:* May, 861
in metabolic disorders, *1952:* Jan., 243
in mycosis fungoides, *1953:* May, 862
in nephrosis, *1952:* Jan., 243
in nephrotic syndrome, *1952:* July, 933; *1953:* May, 692, July, 1135
in neurodermatitis, *1952:* May, 823
in neuropathies, peripheral, *1954:* Sept., 1336
in pemphigus, *1952:* Jan., 241
in periarteritis nodosa, *1952:* Jan., 239
in polyposis, nasal, *1952:* May, 824
in psychotic episodes, acute, *1953:* March, 591
in pulmonary fibrosis, *1954:* July, 1017
in purpura, thrombocytopenic, *1953:* Sept., 1403
idiopathic, *1952:* Nov., 1702
in rheumatic fever, *1952:* Jan., 219, 238, Nov., 1657; *1953:* July, 1222; *1954:* Nov., 1711
in rhinitis, vasomotor, *1952:* May, 824
in rickettsial infections, *1953:* March, 411
in scleroderma, *1952:* Jan., 239
in serum sickness, *1952:* Jan., 240
in skin disorders, *1953:* July, 1180
in status asthmaticus, *1954:* Jan., 68
in surgery, *1952:* Jan., 242
in tuberculosis, *1954:* July, 1173
Cortisone, in typhoid fever, *1954:* March, 578, 586
in urticaria, *1952:* Jan., 240, May, 824; *1953:* May, 793; *1954:* Jan., 70
physiologic and clinical considerations, *1952:* Jan., **229–246**, May, **791–809**
side and toxic effects, *1952:* May, 732; *1953:* May, 818, 819, July, 1228; *1954:* March, 453
studies, recent, *1952:* Jan., **229–246**
therapeutic uses, *1952:* Jan., 237, May, 802
therapy, complications, *1952:* Jan., 244, May, 803
contraindications, *1952:* May, 805, 819
management of clinical state, *1952:* Jan., 236
tests in, *1952:* Jan., 234
Corynebacterium infections, erythromycin in, *1954:* March, 572
Costen's syndrome, *1952:* March, 323
Cough, causes and treatment, *1954:* July, **949–962**
chronic, *1952:* March, **333–337**
differential diagnosis, *1954:* May, **705–719**
mechanism, *1954:* May, 707
syncope due to, *1953:* Sept., 1321
Coumadin in coronary heart disease, *1954:* March, 411
Crash victim, automobile, care of, *1954:* Jan., **75–94**
Cry of baby, *1952:* Nov., 1560
Cryptitis, anal, *1953:* Jan., 270
Cryptococcosis, *1953:* Nov., 1738
Cumopyran, as anticoagulant, *1953:* May, 665
in coronary heart disease, *1954:* March, 411
Curare in parkinsonism, *1953:* March, 531
Cushing's syndrome, hypertension in, *1954:* May, 762
in corticosteroid therapy, *1953:* May, 818, 819
tests for, *1952:* May, 744
Cyanide poisoning, *1954:* Jan., 220
Cyanosis, heart anomalies associated with, *1952:* Jan., 44
Cyclopropane anesthesia in obstetrics, *1954:* Sept., 1442
Cylindroma of trachea, *1954:* July, 1092
Cysts, air-containing, thin-walled, of lung, *1954:* July, 1078
bone. See under *Bone*.
bronchiectatic, *1954:* July, 1075
bronchogenic, congenital, *1954:* July, 1075
of lungs, *1954:* July, **1075–1079**
Cystic duct, remnant, resulting in "reformed gallbladder," *1953:* Jan., 177
Cystitis, *1952:* Sept., 1427
Cytodiagnosis in carcinoma of stomach, *1953:* Jan., 74

Cytological test for cancer, *1954:* May, 641
Cytology of sputum and bronchial secretions, *1954:* May, 725, July, 1118
Cytosiderosis, liver in, *1953:* Jan., 101

DANILONE, as anticoagulant, *1953:* May, 665
Darstine in gastrointestinal disease, *1954:* March, 467
DDS in leprosy, *1954:* March, 559, 603
Deafness in children, *1952:* Nov., **1787–1795**
Death, fear of, in patient, *1952:* March, 473
  sudden, overdistention of veins following, *1953:* Nov., **1669–1673**
Dehydration in chronic disease, pre- and postoperative management, *1953:* May, 758
Delirious states, management, *1954:* Jan., 146
Demerol, in obstetrics, *1954:* Sept., 1440
  in rheumatoid arthritis, *1953:* July, 1238
  poisoning, nalorphine hydrochloride in, *1954:* Jan., 203, 220
Denis-Browne splint, *1953:* Sept., 1428
Depo-Heparin in coronary heart disease, *1954:* March, 408
Deportments, physicians', *1952:* March, 586
Depressed patients, fatigue in, *1952:* March, 314
Depression, mild, *1952:* March, **527–537**
  with somatic manifestations, *1954:* Sept., 1357
Dermatitis, acute, treatment, guiding principles, *1952:* Sept., **1435–1443**
  allergic, *1953:* May, 768, 794
  atopic, *1953:* May, 768, 794; *1954:* Sept., 1256
    treatment, *1952:* July, **1127–1139**; *1953:* May, 797
  contact, emergency treatment, *1954:* Jan., 72
    in infants and children, *1954:* Sept., 1271
  hydrocortisone ointment in, *1954:* March, **321–336**
  treatment, *1953:* July, 1182
Dermatologic diagnosis, *1953:* July, 1176. See also under *Diagnosis.*
Dermatomyositis, *1953:* Nov., 1704
  in childhood, *1953:* March, 555
Dermatophytoses, treatment, *1954:* Sept., **1301–1308**
Dermatosis, of feet, office test, *1953:* Sept., 1543
  producing chronic illness, *1953:* May, **785–803**
  treatment, *1953:* July, **1175–1190**
Desensitization in atopic dermatitis, *1952:* July, 1136
Desoxycorticosterone, in Addison's disease, *1952:* May, 727
Dexedrine in parkinsonism, *1953:* March, 531
Dextrocardia, *1952:* Nov., 1666
Dextrose therapy in liver disease, *1953:* July, 1140
Diabetes, bronze, *1953:* Jan., 100
Diabetes mellitus, diagnosis, *1953:* July, 1098
  emergency complications, *1954:* Jan., **183–197**
  in childhood, *1953:* July, 1109
  insulin allergy and resistance in, management, *1952:* May, **783–790**
  management, *1953:* May, **715–731**, July, **1097–1112**
  polyneuropathy in, *1954:* Sept., 1328, 1334, 1335
  pre- and postoperative care in, *1953:* May, 754
  predisposition to, in women who give birth to large babies, *1952:* July, **1151–1155**
  pregnancy and, *1953:* July, 10
    induction of labor in, *1952:* Sept., 1477
    management, *1953:* Sept., **1481–1496**
Diabetic mothers, children of, course and management, *1953:* Sept., **1481–1496**
Diagnosis, clinical, of congenital heart disease, *1952:* Nov., **1659–1671**
  dermatologic, *1953:* July, 1176
  differential, symposium on, *1954:* May, **637–932**
  neurologic, *1952:* Sept., **1393–1408**
  proctologic, *1952:* Sept., **1445–1450**
Diamox in congestive heart failure, *1954:* Nov., 1657
Diaphragm, dome of, roentgenographic changes in silicosis, *1953:* Nov., 1733
Diarrhea, differential diagnosis, *1954:* May, **817–833**
  functional, *1953:* Jan., 15
Diasone in leprosy, *1954:* March, 599, 603
Dibenamine, hypotension due to, *1953:* Sept., 1332
  in pheochromocytoma, diagnostic, *1952:* May, 754
Dibenzyline in hypertension, *1954:* Nov., 1726
Dicumarol, dosage and administration, *1953:* May, 663
  excessive hypoprothrombinemia due to, Mephyton in, *1954:* March, **413–417**
  hemorrhage from, treatment, *1953:* July, 959, Sept., 1296
  hypoprothrombinemia due to, *1952:* July, 1063
  in arterial embolism, *1952:* Jan., 144
  in cor pulmonale, acute, *1954:* Nov., 1690

Dicumarol, in coronary heart disease, *1954:* March, 409, Nov., 1669
in myocardial infarction, acute, *1953:* Sept., 1294
in aged, *1954:* Nov., 1778
in prevention of coronary thrombosis, *1952:* July, 998
in thromboembolism, *1952:* Sept., 1318
Diet, aged persons, *1954:* Sept., **1485–1492**
Bauer-Aub, *1952:* May, 755
cholesterol-poor, in coronary disease, *1953:* May, 674
low fat, in prevention and treatment of atherosclerosis, *1952:* Jan., 189, 193, **195–199,** May, 872
in arthritis, rheumatoid, *1953:* July, 1243
in asthma, *1953:* July, 1015
in atherosclerosis, role, *1952:* May, 869
in burns, *1953:* July, 1125
in cholecystitis, chronic, *1953:* Jan., 163
in cholelithiasis, chronic, *1953:* Jan., 163
in colitis, ulcerative, *1953:* July, 1169
in dermatitis, atopic, *1952:* July, 1136
in diabetes mellitus, *1953:* July, 1100
insulin-treated patient, *1953:* May, 726
without insulin, *1953:* May, 716
in functional disorders, *1953:* Nov., 1799
in glomerulonephritis, *1953:* July, 1131
in heart failure, congestive, *1952:* March, 429; *1953:* May, 648, 655
in hypercholesteremia, role, *1952:* May, 869
in hypertension, *1952:* July, 1022
arterial, *1953:* Nov., 1650
in hyperthyroidism, *1953:* May, 699
in kidney failure, chronic, *1952:* Sept., 1417
in liver disease, *1953:* July, 1150, Sept., 1389
in myocardial infarction, *1953:* Sept., 1285; *1954:* Nov., 1667
in nephrotic syndrome, *1952:* July, 927; *1953:* May, 690, July, 1134
in peptic ulcer, *1952:* Sept., 1332; *1953:* Jan., 34
in rheumatic fever, *1952:* Jan., 225, Nov., 1655
in tuberculosis in children, *1952:* Nov., 1620
sodium-poor, in hypertension, *1952:* Jan., 127
handicaps of, *1953:* May, 671
in liver disease, *1953:* July, 1147
reducing, in obesity, performance index as measure of, *1953:* May, **733–746**
rice, in hypertension, *1952:* Jan., 127, 135
Diethylstilbestrol, in abnormal uterine bleeding, *1952:* May, 715
in amenorrhea, *1952:* May, 709
in carcinoma of breast, *1952:* May, 682
of prostate, *1952:* May, 697
in dysmenorrhea, *1952* Nov., 1736; *1954:* Sept., 1429
in gonorrheal vaginitis, acute, *1952:* Nov., 1731
in pregnancy with diabetes, *1953:* Sept., 1485
Digestive tract, hypersensitive, *1953:* Jan., 5
Digitalis, electrocardiographic check on use, *1952:* Jan., 97
in acute left ventricular failure, *1954:* Jan., 10
in atrioventricular heart block, *1952:* Jan., 19
in auricular fibrillation, *1952:* Jan., 16
in auricular flutter, *1952:* Jan., 15
in heart disease in pregnancy, *1954:* Nov., 1749
in heart failure, congestive, *1952:* March, 426; *1953:* May, 647; *1954:* Nov., 1655
in aged, *1954:* Nov., 1773
in myocardial infarction, acute, *1954:* Jan., 14
in paroxysmal supraventricular tachycardia, *1952:* Jan., 13
in pulmonary edema in pregnancy, acute, *1954:* Nov., 1750
in rheumatic fever, *1952:* Nov., 1656
in rheumatic heart disease, *1954:* Nov., 1710
toxic rhythms from, *1953:* July, 966
Digitoxin, in congestive heart failure, *1954:* Nov., 1655
in myocardial infarction, *1954:* Nov., 1671
Digoxin in congestive heart failure, *1953:* May, 647; *1954:* Nov., 1655
Dihydroergocornine, hypotension due to, *1953:* Sept., 1332
Dihydrostreptomycin, in tuberculosis, *1952:* Sept., 1259; *1954:* July, **1167–1176**
reactions, *1954:* July, 1171
Dilantin sodium, in epilepsy, *1952:* Sept., 1385, 1388; *1953:* March, 323; *1954:* March, 475
side effects, *1954:* Sept., 1341
Dimercaprol. See *BAL.*
Diodoquine in amebiasis, *1953:* Nov., 1807
Diparcol in parkinsonism, *1953:* Sept., 1514
Diphenan in enterobiasis, *1953:* May, 910
Diphenylhydantoin sodium. See *Dilantin sodium.*
Diphtheria, antibiotics in, *1952:* Jan., 251, 253
immunization, *1952:* Nov., 1599; *1954:* Sept., 1501
polyneuritis of, *1954:* Sept., 1328

Disease(s), chronic, pre- and post-operative care in, *1953:* May, **747–765**
rehabilitation in management of, *1953:* May, **915–932**
symposium on, *1953:* May, **629–941**
combined systems, physical medicine in, *1952:* Sept., 1492
contagious. See *Infectious diseases, acute.*
functional vs. organic, concept of, *1952:* March, **305–310**
organic, in diagnosis of fatigue, *1953:* Nov., 1788
patient's conception of, *1952:* March, 472
structural, emotional manifestations, *1952:* March, **471–483**
the physician, the patient and, *1953:* Nov., **1833–1841**
Disk syndrome, backache in, *1954:* May, 666
cervical, *1953:* March, **451–478**
lumbar, *1953:* March, **479–502, 503–510**
Disulfiram. See *Antabuse.*
Diucardyn as diuretic, *1952:* July, 954
Diuretics, in edema, *1952:* July, 953
in nephrotic syndrome, *1952:* July, 932; *1953:* May, 691, July, 1136
in premenstrual tension, *1952:* May, 719
mercurial, *1952:* July, 932, 953
in congestive heart failure, *1952:* March, 429; *1953:* May, 649; *1954:* March, **431–435,** Nov., 1656
in aged, *1954:* Nov., 1774
in rheumatic fever, *1952:* Nov., 1656
poisoning due to, *1952:* Jan., 111
potentiating agents with, *1953:* July, 985
urea as, *1953:* May, 691, July, 985, 1136
Diverticulitis of colon, *1954:* Jan., 130
Diverticulum, Meckel's, 1953: *Jan.,* **227–235**
Doctor-patient relationship, *1952:* Jan., **289–296,** March, 308, 469, **585–592**
in peptic ulcer, *1952:* Sept., 1334
Dog bite, *1954:* Jan., 107
Douche, vaginal, in leukorrhea, *1952:* Sept., 1463
Drainage, mechanical, in edema of nephrotic syndrome, *1952:* July, 931
postural, in bronchiectasis, *1953:* Sept., 1354; *1954:* July, 1062
suction, in spontaneous pneumothorax, *1954:* July, 1069
Dramamine in motion sickness, *1952:* Sept., 1378, 1379
Dressings, wet, in acute dermatitis, *1952:* Sept., 1441
Drowning, *1954:* Jan., 58
Drug(s), allerties, *1953:* Nov., 1626
in infants and children, *1954:* Sept., 1270
eruptions, treatment, *1953:* July, 1185
Drug(s), hypotension due to, *1953:* Sept., 1330
modern, hemocytopenic reactions to, *1953:* Nov., **1811–1820**
new, efficacy of, symposium on, *1954:* March, **319–628**
reactions to, treatment, *1954:* Jan., 71
suspect, *1953:* Nov., 1815, 1816
sensitivity, prevention and treatment, *1953:* Sept., **1409–1418**
sympathomimetic, in treatment of functional disorders, *1953:* Nov., 1799
therapy in hypertension, arterial, *1953:* Nov., 1651
thrombocytopenia secondary to, *1952:* Nov., 1699
Ductus arteriosus, patent, *1952:* Jan., 38, 63, Nov., 1663; *1954:* Nov., 1637
cardiac catheterization in, *1952:* July, 1045
reverse, *1954:* Nov., 1639
Duodenitis, treatment, *1952:* March, 384
Duodenum, diseases, x-ray diagnosis, *1954:* May, 812
ulcer, hemorrhages from, recurrent, *1953:* Jan., 24
Dye, injections in angiocardiography, reactions to, *1952:* Nov., 1678
studies, special, in hydrocephalus, *1952:* Nov., 1743
Dysentery, amebic, acute, treatment, *1953:* May, 904
Dyskinesia, biliary, *1953:* Jan., 156, 176; *1954:* Sept., 1408
Dysmenorrhea, *1952:* May, 717, Nov., 1735; *1954:* Sept., 1419
Dyspepsia, *1952:* March, **367–384**
Dyspeptic, *1953:* Jan., 15
Dysplasia, fibrous, in infants and children, *1952:* Nov., 1752
retinal, in differential diagnosis of retrolental fibroplasia, *1952:* Nov., 1581
Dyspnea, *1952:* March, **341–344**
functional, *1954:* July, 1231
in congestive heart failure, *1952:* Jan., 32, 34; *1954:* Jan., 7
simulated, *1952:* Jan., 113
Dystrophy, muscular, progressive, differential diagnosis, *1953:* March, **545–563**
in children, *1953:* March, 547

EAR, cough, reflex, *1954:* May, 715
diseases, *1954:* Sept., 1319
headache in, *1954:* May, 689
Ear, nose and throat emergencies, *1954:* Jan., **241–263**
Earache, *1954:* Jan., 244
Ebstein's disease, *1952:* Nov., 1669
Eczema, allergic, *1952:* July, 1127
in infants and children, *1953:* May, 768, 794; *1954:* Sept., 1256

Eczema, in infants and children, long-range care, *1953:* Sept., **1419–1425**
treatment, *1954:* Sept., 1257
vaccinatum, antibiotics in, *1952:* Sept., 1249
Eddowes' syndrome, *1952:* July, 913
Edema, *1952:* May, 836
angioneurotic, *1953:* May, 790
acute severe, treatment, *1954:* Jan., 69
hormonal disturbance in, *1952:* May, 838
in congestive heart failure, *1952:* Jan., 31, 33
in hepatitis, *1953:* Jan., 131
in uremia, management, *1954:* Sept., 1452
pathogenesis and differential diagnosis, *1954:* May, **875–889**
post-thrombophlebitic, prevention and treatment, *1954:* Jan., 311
pulmonary, acute, treatment, *1953:* July, 959
in pregnancy, *1954:* Nov., 1750
physiologic research in, *1954:* Nov., 1571
treatment, in nephrotic syndrome, *1952:* July, 928
recent developments, *1952:* July, **953–966**
EDTA in lead poisoning, *1952:* Nov., 1593
Effort syndrome, *1954:* Sept., 1536, Nov., 1789
wrongly attributed to heart, *1952:* March, 510
Ego, *1952:* Nov., 1544
Ehlers-Danlos syndrome, *1952:* July, 913
Eisenmenger complex, *1952:* Nov., 1670
roentgenology in, *1952:* Jan., 61
Elastic stockings in prevention of thromboembolism, *1952:* Sept., 1313
Eletrical stimulation to induce labor, *1952:* Sept., 1480
Electrocardiogram, aV limb leads, *1952:* Jan., 103
deflections (bipolar and unipolar leads), significance, *1954:* Nov., 1583
esophageal leads, *1954:* Nov., 1594
in arrhythmias, *1952:* Jan., 11, 94
in clinical diagnosis of congenital heart disease, *1952:* Nov., 1661
in conduction disturbances, *1952:* Jan., 94
in coronary artery disease, *1952:* Jan., 72, 96; *1953:* May, 674; *1954:* Nov., 1591
in digitalis therapy, *1952:* Jan., 97
in myocardial infarction, *1952:* Jan., 75; *1954:* Nov., 1591, 1595
in valvular deformities, *1952:* Jan., 96
in various electrical positions of heart, *1954:* Nov., 1586
patterns, *1952:* Jan., 95
Electrocardiogram, precordial leads, additional, use of, *1954:* Nov., 1592
tall R waves in, significance, *1954:* Nov., 1587
V chest leads, *1952:* Jan., 105
Electrocardiography, as office procedure, *1953:* Sept., 1542
high fidelity, *1954:* Nov., 1598
pitfalls in, *1953:* Sept., **1341–1350**
recent advances, *1952:* Jan., **93–108**; *1954:* Nov., **1583–1599**
Electroencephalogram, as hearing test in children, *1952:* Nov., 1792
in chronic subdural hematoma, *1953:* March, 445
in epilepsy, *1952:* Sept., 1390; *1953:* March, 319
in rickettsial diseases, *1953:* March, 404, 414
Electrolyte(s), balance, in nephrotic syndrome, *1952:* July, 929
disturbances, as cardiac emergencies, *1953:* July, 967
in congestive heart failure, *1953:* May, 654, July, 981
metabolism, physiologic considerations, *1952:* May, **829–846**
Electroshock therapy, amenorrhea and, *1953:* July, 1093
in acute psychotic episodes, *1953:* March, 591
massive gastric hemorrhage during, *1953:* Jan., 26
outpatient, in psychoses, *1954:* Sept., **1363–1378**
Elorine sulfate in gastrointestinal disease, *1954:* March, 467
Embolectomy, *1952:* Jan., 144
in pulmonary embolism, *1954:* Jan., 43
Embolism, air, cerebral, from air injection into maxillary antrum, *1954:* Jan., 178
treatment, *1953:* July, 961
arterial, *1952:* Jan., 142
in acute coronary thrombosis, treatment, *1953:* July, 957
cerebral, *1952:* Jan., 173; *1953:* March, 429
diagnosis, *1954:* May, 769
in cardiac arrhythmias, anticoagulant therapy, long-term, *1953:* May, 660
prevention, in acute cor pulmonale, *1954:* Nov., 1689
pulmonary, circulatory collapse due to, *1954:* Jan., 18
cor pulmonale due to, *1954:* Nov. 1686
physiologic aspects, *1954:* Nov., 1677
diagnosis, *1952:* Sept., 1317
massive, hypotension in, treatment, *1953:* Sept., 1321
prevention and emergency treatment, *1952:* Sept., 1313; *1954:* Jan., 41

Embolism, pulmonary, sites of origin, *1952:* Sept., 1309
treatment, *1953:* July, 961
thrombosis and, differentiation, *1954:* Jan., 36
Emergencies in general practice, symposium on, *1954:* Jan., **1–297**
Emesis, *1952:* March, 374
in poisonings, *1954:* Jan., 204
Emetine hydrochloride in amebiasis, *1953:* Nov., 1807
Emotional disorders, in differential diagnosis of deafness in children, *1952:* Nov., 1794
physical manifestations, *1952:* March, **457–470**
Emotional manifestations of structural disease, *1952:* March, **471–483**
Emotional reactions, role, in pain, *1952:* March, 494
Emotions, cardiac disturbances originating in, diagnosis, *1954:* Sept., **1535–1545**
diarrhea and, *1954:* May, 828
role, in ulcerative colitis, *1953:* July, 1158, Nov., 1781
Emphysema, *1952:* March, 354
in cardiac asthma, *1953:* Nov., 1634
in silicosis, *1953:* Nov., 1734
pulmonary, *1954:* July, **1051–1063**
bronchiectasis with, *1953:* Sept., 1356
in asthma, control of, *1954:* July, 979
treatment, *1954:* July, 1061
subcutaneous and mediastinal, in thoracic injury, *1954:* July, 1186
Encephalitis, associated with exanthems, mumps and vaccination procedures, *1952:* Nov., **1627–1635**
Encephalogram in hydrocephalus, *1952:* Nov., 1743
Encephalomalacia, *1952:* Jan., 165, 166, 169
Encephalomyelitides, virus, *1953:* March, **373–393**
Encephalomyelitis, vaccinal, *1953:* March, 383
Encephalopathy, hypertensive, diagnosis, *1954:* May, 770
in hepatitis, *1953:* Jan., 132
Endocarditis, bacterial, *1952:* Jan., 225
drug therapy, *1954:* March, **385–397**
problem cases, *1954:* May, 915
treatment, *1953:* July, 977
in aged, *1954:* Nov., 1780
Endochondromas, in differential diagnosis of bone cysts, *1952:* Nov., 1756
multiple, in children, *1952:* Nov., 1752
Endocrine disorders, leukorrhea due to, *1952:* Sept., 1464
menstrual disorders due to, *1952:* May, **705–720**
symposium on, *1952:* May, **601–895**
Endocrine function, tests, *1952:* May, **739–756**
Endocrine therapy, in abnormal uterine bleeding, *1952:* May, 713
in advanced cancer, *1954:* Sept., 1285
in alcoholism, *1953:* March, 601
in amenorrhea, *1952:* May, 709; *1953:* July, 1086
in carcinoma of breast, *1952:* May, **681–688**
in dysmenorrhea, *1954:* Sept., 1429
in functional disorders, *1953:* Nov., 1799
in leukemia and allied disorders, *1953:* Nov., 1761
in peptic ulcer, *1952:* Sept., 1330
in pregnancy with diabetes, *1953:* Sept., 1485
in undescended testicle, *1952:* Nov., 1783
Endometrium, biopsy of, *1952:* May, 750
Energy, kinetic, of blood, circulatory consequences, in kidney, *1952:* July, **967–980**
Enteritis, regional, chronic, extensive and nonresectable, course of, *1953:* Jan., **237–245**
Enterobiasis, treatment, *1953:* May, 909
Enterogastrone in peptic ulcer, *1952:* Sept., 1330
Enzymatic débridement in staphylococcal infections, *1953:* Sept., 1474
of indolent, infected cutaneous ulcers, *1954:* March, **359–361**
Eosinophil(s), response, to ACTH, in Addison's disease, *1952:* May, 724, 744
to epinephrine, in Addison's disease, *1952:* May, 724, 752
test in ACTH and cortisone therapy, *1952:* Jan., 235
Ephedrine in asthma, *1952:* Sept., 1270; *1953:* July, 1016; *1954:* July, 972
in children, *1954:* Sept., 1264, 1278
Epididymitis, *1952:* Sept., 1426
Epidural abscess, spinal, acute, *1954:* Jan., 167
Epiglottitis, acute, *1952:* Sept., 1279
Epilepsy, *1953:* March, **315–328**
drug therapy, *1952:* Sept., **1381–1392**; *1953:* March, 321; *1954:* March, **473–484**
control of side effects, *1954:* Sept., **1339–1350**
electroencephalogram in, *1952:* Sept., 1390
neurosyphilitic, *1952:* July, 1146
reflex, *1952:* March, 561
seizures with psychic symptoms, *1952:* March, 557
Epinephrine, effect on liver, *1953:* Jan., 115
emergency, in urticaria, *1953:* May, 794
in asthma, *1952:* Sept., 1271; *1953:* July, 1016; *1954:* July, 970
in children, *1954:* Sept., 1263

Epinephrine, in atrioventricular heart block, *1952:* Jan., 19
in cardiac standstill, *1952:* Jan., 19
oral, in massive gastric hemorrhage, *1953:* Jan., 18
response of eosinophils to, in Addison's disease, *1952:* May, 724, 752
Epiphysis, femoral, capital, slipped, *1953:* Sept., 1435
Epistaxis, treatment, *1954:* Jan., 241; Sept., 1310
Equipment for office laboratory, *1953:* Sept., 1529
Ergotamine tartrate in headache, *1953:* July, 1263
Ergotoxin derivatives in arterial hypertension, *1953:* Nov., 1651
Erythema annulare as manifestation of rheumatic fever, *1952:* Nov., 1653
Erythroblastosis fetalis, *1953:* March, **609–620**
in differential diagnosis of infectious hepatitis, *1952:* Nov., 1644
Erythrocyte(s), sedimentation rate, *1953:* Sept., 1539
Erythroleukemia, *1953:* Nov., 1750
Erythromelalgia, *1952:* Jan., 157
Erythromycin, in bacterial endocarditis, *1954:* March, 395
in infectious diseases, *1954:* March, **569–575**
in staphylococcal infections, *1953:* Sept., 1472
Eschatin in alcoholism, *1953:* March, 602
Esophagoscopy in carcinoma of stomach, *1953:* Jan., 77
Esophagus, diseases, x-ray diagnosis, *1954:* May, 808
foreign bodies in, *1954:* Sept., 1318
varices, massive bleeding from, *1954:* Jan., 139
Estinyl estradiol, in carcinoma of breast, *1952:* May, 682
in dysmenorrhea, *1954:* Sept., 1429
Estradiol, in amenorrhea, *1953:* July, 1087
in dysmenorrhea, *1954:* Sept., 1429
Estradiol dipropionate in carcinoma of breast, *1952:* May, 682
Estrogen(s), hepatic function and, *1953:* Jan., 114
therapy, in abnormal uterine bleeding, *1952:* May, 715
in amenorrhea, *1952:* May, 709; *1953:* July, 1086
in carcinoma, of breast, *1952:* May, 681
of prostate, *1952:* May, 695
in dysmenorrhea, *1954:* Sept., 1429
in hyperthyroidism, *1953:* May, 700
in leukorrhea, *1952:* Sept., 1465
in menopause, *1952:* March, 523
to induce labor, *1952:* Sept., 1480
Estrone sulfate in carcinoma of breast, *1952:* May, 682
Ether anesthesia in obstetrics, *1954:* Sept., 1442
Ethinyl estradiol in dysmenorrhea, *1954:* Sept., 1429
Ethyl carbamate. See *Urethane.*
Ethylenediamine tetra-acetic acid in chemical burns of eye, *1952:* Sept., 1220, 1222
in lead poisoning, *1952:* Nov., 1593
Eve's rocking method of artificial respiration, *1954:* Jan., 57
Ewing's tumor in infants and children, *1952:* Nov., 1760, 1803
treatment, *1952:* Nov., 1761
Examination, proctologic, *1953:* Jan., 262
Exanthems, encephalitis associated with, *1952:* Nov., **1627–1635**
Exchange resins. See under *Resins.*
Exercise(s), in flatfoot, *1953:* Sept., 1441
in functional disorders, *1953:* Nov., 1800
in orthopedic practice, *1953:* Sept., 1446
in postural low back, *1953:* Sept., 1455
in rheumatoid arthritis, *1953:* July, 1241
test in arrhythmias, *1952:* Jan., 10
in electrocardiographic diagnosis, *1952:* Jan., 95
Exertion, syncope following, *1953:* Sept., 1336
Exhaustion in emotional disorders. *1952:* March, 461
Exophthalmos, treatment, *1953:* July, 1071
Expectorants, in asthma, *1954:* July, 974
in children, *1954:* Sept., 1278
in cough, *1954:* July, 957, 958
Exposure treatment of burns, *1953:* July, 1124
Extrasystoles, *1953:* Nov., 1632
wrongly attributed to heart disease, *1952:* March, 509
Extremities, neurovascular lesions, *1952:* Jan., 155
vascular disease in, diagnostic tests, *1954:* May, **781–794**
Eye, burns, *1954:* Jan., 241
chemical, emergency treatment, *1952:* Sept., **1215–1222**
diseases, headache in, *1954:* May, 689
emergencies, *1954:* Jan., **225–240**
foreign bodies in, *1954:* Jan., 236
injuries, *1954:* Jan., 236
painful, *1954:* Jan., 232
red, *1954:* Jan., 226
Eyeground examination in hypertension, *1952:* Jan., 119
Eyelid, lacerations, *1954:* Jan., 238

Face, injuries, *1954:* Jan., 258
pain in, *1954:* Jan., 249
Facies in parkinsonism, *1953:* March, 524
Facioscapulohumeral muscular dystrophy, *1953:* March, 550
Fainting. See *Syncope.*

Fallot, tetralogy of. See *Tetralogy of Fallot.*
Family, relation to hospital, *1952:* Nov., **1551–1554**
Fat, in infant feeding, *1952:* Jan., 276
requirements in aged, *1954:* Sept., 1490
restriction in atherosclerosis, *1952:* Jan., 189, 193, **195–199**, May, 872
Fatigue, *1952:* March, **311–317**
and nervousness, clinical evaluation, *1953:* Nov., **1785–1802**
hysterical, *1952:* March, 315
psychogenic, *1952:* March, 313
wrongly attributed to heart, *1952:* March, 511
Fear, distorted symptoms resulting from, *1952:* March, 460, 465
in structural disease, *1952:* March, **471–483**
Feces, flora, normal, effect of antibiotics on, *1952:* July, 1083
Feeding, breast. See *Breast feeding.*
of infant. See *Infant feeding.*
Feeling tone and pain, *1952:* March, 493
Felty's syndrome, *1952:* July, 912
Femur, fractures, in auto crash, *1954:* Jan., 84
Fever, as manifestation of rheumatic fever, *1952:* Nov., 1650
differential diagnosis, *1954:* May, **891–904**
of unknown origin, present status of problem, *1954:* May, **891–904**
therapy in hypertension, *1952:* July, 1022
Fibrin and thrombin activation test, *1953:* Nov., 1846
Fibrinogen deficiency in postpartum hemorrhage, *1954:* Jan., 268, 274
Fibrinogenopenias, *1952:* July, 1065
Fibroids of uterus, bleeding in, *1953:* Sept., 1502, 1503
Fibroplasia, retrolental. See *Retrolental fibroplasia.*
Fibrosarcoma in infants and children, *1952:* Nov., 1760
Fibrosis, in cardiac asthma, *1953:* Nov., 1634
pulmonary, diagnosis and treatment, *1954:* July, **1009–1018**
functional tests in, *1954:* July, 1234
Fibrositis, back pain from, *1954:* May, 664
of shoulder, physical medicine in, *1952:* Sept., 1491
Filariasis, treatment, *1953:* May, 913
Fissure, anal. See under *Anus.*
Fistula, anal. office treatment, *1953:* Jan., 269
arteriovenous, *1952:* Jan., 145
pulmonary, *1954:* Nov., 1645
Fits. See also *Convulsions.*
hysterical, *1952:* March, 565
Flatfoot, *1953:* Sept., 1438
Flatulence, *1953:* Jan., 6
Fluid(s), administration, in burns, *1953:* July, 1120
in nephrotic syndrome, *1952:* July, 926
in renal failure, *1952:* Sept., 1410, 1416
requirements of premature infants, *1952:* Nov., 1574
Fluoroscopy in congenital heart disease, *1952:* Nov., 1660
value, *1952:* Jan., 56
Focal seizures, *1953:* March, 317, 322; *1954:* May, 697
Folic acid, antagonists, in leukemia, *1953:* May, 859, Nov., 1762
in infant nutrition, *1952:* Jan., 282
uses, in anemias, *1953:* July, 1199
Food(s), allergy, *1953:* Jan., 12
soft, for infants, *1952:* Nov., 1559
Foot, dermatosis, office test, *1953:* Sept., 1543
functional deformities, *1953:* Sept., 1430
pronated, *1953:* Sept., 1438
Foreign body, aspiration of, *1954:* Jan., 51
bronchiectasis due to, *1953:* Sept., 1358
in air passages, *1954:* Jan., 251
in bronchus, *1954:* July, 1040
in esophagus, *1954:* Sept., 1318
in eye, *1954:* Jan., 236
in tracheobronchial tree, *1954:* Sept., 1318
in vagina, leukorrhea due to, *1952.* Sept., 1468
vaginitis caused by, *1952:* Nov., 1732
Formula, selection of, for artificial feeding, *1952:* Nov., 1559
Fowler's solution, in leukemia, *1953:* May, 858; Nov., 1761
in lymphomas, *1953:* May, 858
Fractures, general, in auto crash, *1954:* Jan., 93
of mandible, *1954:* Jan., 259
of nose, *1954:* Jan., 262
of pelvis and femur, in auto crash, *1954:* Jan., 84
of skull, in auto crash, *1954:* Jan., 91
of spine, in auto crash, *1954:* Jan., 91, 92
of zygoma, *1954:* Jan., 260
Friction rub, pericardial, *1953:* Nov., 1640
Friedländer's pneumonia, *1953:* July, 1047; *1954:* May, 737, July, 974
Frostbite, *1952:* Jan., 156
Fuadin in schistosomiasis, *1953:* May, 912
Fumagillin, in amebiasis, *1953:* Nov., 1806
Function, disorders of, causing fatigue and nervousness, clinical evaluation, *1953:* Nov., 1785–1802
tests, pulmonary, clinical applications, *1954:* July, **1227–1238**

Fundus changes in hypertension, *1952:* Jan., 119
Fungus infections, of skin, treatment, *1954:* Sept., **1301–1308**
of vagina, treatment, *1952:* Sept., 1468
problem cases, *1954:* May, 917
Furunculosis, topical antibiotics in, *1953:* Sept., 1475

GAIT in parkinsonism, *1953:* March, 524
Galatest for sugar, *1953:* Sept., 1532
Gallbladder, carcinoma, *1953:* Jan., 166
diseases, diarrhea and bloody stools in, *1954:* May, 819
x-ray diagnosis, *1954:* May, 814
inflammation. See *Cholecystitis.*
Gallstones, *1953:* Jan., 151, 160. See also *Cholelithiasis.*
formation of, *1953:* Jan., 171
intestinal obstruction due to, *1954:* Jan., 129
silent, *1954:* Sept., 1407
Gamma globulin in prevention of poliomyelitis, *1954:* Sept., 1525
Ganglionic blocking agents, hypotension due to, *1953:* Sept., 1330
Gantrisin in meningitis, *1953:* March, 336
Gas bacillus infection, *1954:* Jan., 112
Gases, noxious, inhalation of, *1954:* Jan., 59
Gastric. See also *Stomach.*
analysis, in gastritis syndrome, *1953:* Nov., 1774
office, *1953:* Sept., 1541
Gastritis, antral, *1953:* Jan., 54
atrophic, *1953:* Jan., 43, Nov., 1772
cancer and, *1953:* Jan., 69
clinical significance, emphasizing tumor-simulating variety, *1954:* Jan., **41–61**
hypertrophic, *1953:* Jan., 44, Nov., 1770
superficial, *1953:* Jan., 42, Nov., 1769
treatment, *1952:* March, 384; *1953:* Jan., 58
tumor-simulating, *1953:* Jan., 45
Gastritis syndrome, clinical manifestations, *1953:* Nov., **1769–1776**
Gastrointestinal diseases, antibacterial agents in, *1952:* July, **1083–1097**
anticholinergic drugs in, *1954:* March, **459–471**
diarrhea and bloody stools in, *1954:* May, 817
symposium on, *1953:* Jan., **1–290**
tetany due to, *1952:* May, 890
x-ray diagnosis, *1954:* May, 808
Gastrointestinal hemorrhage, massive, *1954:* Jan., 137
Gastrojejunal ulcer, *1953:* Jan., 40
Gastroscopy, in carcinoma of stomach, *1953:* Jan., 76
in gastric ulcer not demonstrable by x-ray, *1952:* July, 1099
in gastritis, *1953:* Jan., 42, Nov., 1775
Gaucher's disease, liver and spleen in, *1953:* Jan., 101; *1954:* May, 862
splenectomy in, *1953:* Jan., 195
Gemonil, in epilepsy, *1954:* March, 482
Genetic syndromes, *1952:* July, 912
Genitalia, female, congenital anomalies, *1952:* Nov., 1732
trauma to, *1952:* Nov., 1732
Geriatric care, *1952:* March, **569–583**
German measles, immunization, *1952:* Nov., 1604; *1954;* Sept., 1529
Gerstmann's syndrome, *1952:* July, 911
Giardiasis, treatment, *1953:* May, 907
Gierke's disease, von, *1953:* Jan., 101
Gitalin in congestive heart failure, *1953:* May, 647
Glaucoma, narrow angle, acute, *1954:* Jan., 230
Gliomas of brain stem in childhood, *1952:* Nov., 1802
Globin insulin with zinc in diabetes, *1953:* May, 722
Glomerulonephritis, acute, *1953:* Nov., 1659
bedside management, *1953:* July, **1129–1133**
chronic, *1953:* Nov., 1661
therapeutic dilemmas, *1952:* March, **411–417**
Glucose, in diabetic acidosis and coma, *1952:* May, 778
tolerance tests, *1953:* July, 1099
oral, of pituitary function, *1952:* May, 752
Glucose-insulin tolerance test of pitiutary function, *1952:* May, 753
Glycogen storage disease, *1953:* Jan., 101
Glycosides, cardiac, in congestive heart failure, *1953:* May, 647
Glycosuria in insulin-treated diabetic patient, significance, *1953:* May, 728
Goiter, exophthalmic, antithyroid drugs in, *1952:* May, 606, 614
nodular, with tuberculous adenitis, jaundice and terminal coma, clinicopathologic conference, *1953:* Nov., 1675
toxic. See *Hyperthyroidism.*
Gold, colloidal, radioactive, intracavitary, in treatment of malignant pleural effusion, *1954:* July, **1133–1138**
hepatitis due to, *1953:* Sept., 1385
in rheumatoid arthritis, *1953:* May, 817, July, 1245
radioactive, in metastatic carcinoma, *1954:* Sept., 1285
Gonadotropins, in amenorrhea, *1952:* May, 710; *1953:* July, 1088, 1089
in uterine bleeding, abnormal, *1952:* May, 715
urinary, excretion, as test, *1952:* May, 748
of ovarian function, *1952:* May, 751

Gonadotropins, urinary, excretion, as test of testicular function, *1952:* May, 749
Gonads, functional tests, *1952:* May, 748
Gonorrhea, erythromycin in, *1954:* March, 572
Gout, Butazolidin in, *1954:* March, **611–624**
kidney of, as clinical entity, *1952:* July, **941–951**
Gradenigo's syndrome, *1952:* March, 323
Grand mal seizures, *1953:* March, 316, 322; *1954:* May, 695
Granuloma, eosinophilic, in infants and children, *1952:* Nov., 1762
of lung, lipoid, *1954:* July, **989–996**
Gratification and tension, *1952:* Nov., 1542
Graves' disease. See *Goiter, exophthalmic.*
Ground substance, *1953:* Nov., 1698
histologic alterations, *1953:* Nov., 1700
Growth, rapid, influence on normal posture development, *1952:* Nov., 1537
screening test, *1952:* Nov., 1518
G.T. 41 in leukemia, granulocytic, *1953:* Nov., 1760
Guillain-Barré syndrome, *1954:* Sept., 1327
Gynecologic examination in young girls, *1952:* Nov., 1729
Gynecologic problems in preadolescent and adolescent years, *1952:* Nov., **1729–1737**

HANDICAPPED, rehabilitation of, place of official agency in, *1953:* May, **933–941**
Hands, burns, dressings in, *1953:* July, 1124
Hanger's cephalin-cholesterol flocculation test, *1952:* March, 398
Hanging, *1954:* Jan., 58
Hay fever, drugs used in, evaluation, *1951:* Sept., 1547
in infants and children, *1954:* Sept., 1265, 1267
Head, carcinoma, detection and early diagnosis, *1954:* May, 649
circumference in first five years of life, *1952:* Nov., 1740
Headache, *1952:* March, **319–326**; *1954:* May, **673–692**
classification, *1953:* July, 1251
due to lesions of teeth, ears, eyes, nose or neck, *1952:* March, 323; *1954:* May, 688
due to sustained muscular contraction, *1953:* July, 1261, 1267; *1954:* May, 686
from nervous tension, *1952:* March, 325
in cervical disk syndromes, *1953:* March, 458
Hay fever, in diagnosis, *1953:* March, 299
migrainous, *1953:* July, 1254; *1954:* May, 682
post-traumatic, *1952:* March, 324
treatment, *1953:* July, **1251–1268**
varieties and their mechanism, *1954:* May, **673–692**
vascular, *1952:* March, 321; *1953:* July, 1254; *1954:* May, 682
Health examination, pediatric, *1952:* Nov., **1515–1523**
Hearing, normal development, *1952:* Nov., 1790
tests in children, *1952:* Nov., 1521, 1792
Heart, action, rapid, paroxysmal, treatment, *1953:* July, 962
adaptation, physiology, *1952:* Jan., 22
and great vessels, cardiac catheterization and contrast study in congenital cardiovascular defects, *1952:* Nov., **1673–1682**
congenital malformations of, *1952:* Nov., 1663, *1954:* Nov., **1635–1647**
transposition, roentgenology in, *1952:* Jan., 62
and lung apparatus, mechanical, improved, *1953:* Nov., **1603–1624**
anomalies, diagnosis, and treatment, *1952:* Jan., **37–61**; *1954:* Nov., **1635–1648**
roentgenology in, *1952:* Jan., **53–68**
arrhythmias. See *Arrhythmias.*
auscultation of, *1953:* Sept., 1552
beat, reflex inhibition of, syncope due to, *1954:* Jan., 22
block, atrioventricular, *1952:* Jan., 7, 19
complete, *1952:* Nov., 1666
catheterization, in study of normal and diseased heart, *1952:* July, **1035–1049**; *1954:* Nov., **1617–1634**
defibrillation, in ventricular fibrillation, *1952:* Jan., 19
disease, anesthesia in relation to, *1954:* Nov., **1733–1739**
anxiety and, *1954:* Nov., 1796
arteriosclerotic, disability in, causes, *1953:* May, 673
cardiac catheterization in, *1952:* July, **1035–1049**; *1954:* Nov., **1617–4634**
congenital, cardiac catheterization in, *1954:* Nov., 1621
diagnosis, clinical, *1952:* Nov., **1659–1671**
in reference to surgical intervention, *1952:* Jan., **37–51**
roentgenology in, *1952:* Jan., **53–68**
disability in, causes, *1953:* May, 680
physiologic research in, *1954:* Nov., 1566

Heart, disease, coronary. See *Coronary artery disease.*
electrocardiogram in, *1952:* Jan., **93–108**
emergencies in, *1953:* July, **955–970;** *1954:* Jan., **7–28**
functional, *1954:* Nov., 1789
high cardiac output, *1953:* July, 974
home care, rehabilitation and placement in injury in, *1954:* Nov., **1785–1788**
in aged persons, *1954:* Nov., **1767–1784**
neck and shoulder pain in, *1952:* Sept., 1304
pain of, differentiation from noncardiac chest pain, *1954:* May, **743–751**
physiology of lesser circulation as altered by, *July,* **1035–1049**
pre- and postoperative care in, *1953:* May, 750
pregnancy and, management, *1954:* Nov., **1741–1755**
psychosomatic, *1954:* Nov., **1789–1800**
pulmonary, *1954:* Nov., **1675–1692**
rheumatic, *1954:* Nov., **1705–1716**
development, *1953:* July, 1215
disability in, causes, *1953:* May, 668
roentgenologic aspects, *1954:* Nov., **1575–1581**
shock due to, *1954:* Jan., 16
symposiumon, *1954:* Nov., **1561–1800**
syncope in, management, *1954:* Jan., 22
syphilitic, treatment, *1953:* July, 977
traumatic, circulatory, collapse in, *1954:* Jan., 20
treatment, pitfalls in, *1952:* Jan., 109
valvular, rheumatic, cardiac catheterization in, *1954:* Nov., 1629
syncope and dizziness in, *1953:* Sept., 1318
work capacity of patient with, *1953:* May, **667–684**
disturbances, of emotional origin, diagnosis, *1954:* Sept., **1535–1545**
failure, acidosis in, *1952:* Jan., 112
congestive, *1952:* Jan., 30; *1953:* Nov., 1657; *1954:* Nov., **1649–1658**
cation exchange resins in, *1954:* March, **419–430**
chair treatment, *1953:* July, 966
clinical features, *1954:* Nov., 1651
diet in, *1953:* May, 648, 655
disability in, causes, *1953:* May, 680
diuresis in, *1953:* May, 649
dyspnea from, management, *1954:* Jan., 7
edema of, *1954:* May, 883
Heart, failure, congestive, electrolyte abnormalities in, *1953:* May, 654
in acute myocardial infarction, treatment, *1953:* Sept., 1298
in aged, management, *1954:* Nov., 1769
in chronic uremia, treatment, *1954:* Sept., 1457
magnesium levels in, *1952:* July, 1163
mercurial diuretics in, *1954:* March, **431–435**
pathogenesis, *1953:* May, 643
pathologic physiology, *1952:* Jan., **21–36**
physiologic research in, *1954:* Nov., 1568
resistant cases, treatment, *1953:* July, **971–989**
thromboembolic complications, *1953:* July, 986
treatment, *1952:* March, **419–434;** *1953:* May, **643–658,** July, **971–989;** *1954:* Nov., 1654
physiologic considerations, *1952:* Jan., 33
pulmonary hemodynamics in, *1952:* July, 1039
terminal, shock in, *1954:* Jan., 21
functional disturbances, diagnosis, *1954:* Sept., **1535–1545**
infarction, acute, and differentiation from acute nonspecific pericarditis, *1953:* Nov., 1639
inspection, *1953:* Sept., 1549
irritable, *1954:* Nov., 1789
massage, in auricular fibrillation, *1952:* Jan., 18
metabolism, new knowledge of, *1954:* Nov., 1570
murmurs, *1953:* Sept., 1558
heart disease and, *1952:* March, 511
in rheumatic fever, *1952:* Nov., 1651
myxoma, pedunculated, *1953:* Sept., 1319
pain from, management, *1954:* Jan., 11
of emotional origin, *1954:* Sept., 1542, Nov., 1789
pain wrongfully attributed to, *1952:* March, **501–513**
palpation, *1953:* Sept., 1549
percussion, *1953:* Sept., 1550
physical examination, *1953:* Sept., **1547–1564**
right, dynamics in hypertrophy, *1952:* July, 1037
senile, normal, *1954:* Nov., 1767
roentgenographic changes in silicosis, *1953:* Nov., 1732
sounds, *1953:* Sept., 1554
friction, *1953:* Sept., 1563
standstill, treatment, *1952:* Jan., 19
surgery, advances in, *1953:* July, 977
tamponade, treatment, *1953:* Sept., 1317; *1954:* Jan., 19

Heartburn, *1952:* Jan., 371; *1953:* Jan., 3
wrongly attributed to heart, *1952:* March, 507
Heart-lung apparatus, *1953:* Nov., 1605
operative technique, *1953:* Nov., 1610
preparation, *1953:* Nov., 1610
Heat, application, in rheumatoid arthritis, *1953:* July, 1242
Heel, Thomas, *1953:* Sept., 1438
Hemachromatosis, liver in, *1953:* Jan., 100
Hematocrit, in congenital heart disease, *1952:* Nov., 1662
office use, *1953:* Sept., 1537
Hematologic methods, routine, errors in, *1953:* July, 1192
Hematoma, intracerebral, headache and, *1954:* May, 678
subcortical, diagnosis, *1954:* May, 766
subdural, chronic, diagnostic considerations, *1953:* March, **437–449**
headache and, *1954:* May, 677
in differential diagnosis of hydrocephalus, *1952:* Nov., 1744
Hematuria, *1954:* Jan., 296
Hemiplegia, physical medicine in, *1952:* Sept., 1491
Hemocytopenic reactions to modern drugs, *1953:* Nov., **1811–1820**
Hemoglobin determination, *1952:* Nov., 1521
office, *1953:* Sept., 1536
Hemolytic syndrome, *1952:* July, 911
Hemophilia, *1952:* July, 1060, Nov., 1705
in children, management, *1952:* Nov., 1706
Hemophilia-like disease in women, *1952:* July, 1062
Hemopneumothorax, treatment, *1954:* Jan., 54
Hemoptysis, *1952:* March, **337–339**; *1954:* July, **945–948**
Hemorrhage, cerebral, *1952:* Jan., 163, 169; *1953:* March, 428
diagnosis, *1954:* May, 765
thrombosis and, differentiation, *1954:* Jan., 44; May, 771
classification of causes of, *1952:* Nov., 1694
clinical evaluation, tests for, *1953:* Nov., 1845
from anticoagulants, treatment, *1953:* July, 959
from peptic ulcer, treatment, *1953:* Jan., 36
gastric, massive, treatment, *1953:* Jan., **17–32**
gastrointestinal, massive, *1954:* Jan., 137
obstetric, *1954:* Jan., **265–277**
postpartum, *1954:* Jan., 265
pulmonary, treatment, *1954:* Jan., 47
subarachnoid, diagnosis, *1954:* May, 767
headache in, *1954:* May, 680
Hemorrhage, subarachnoid, spontaneous, primary, *1952:* Jan., 171, 173
uterine, course and management, *1953:* Sept., **1497–1509**
Hemorrhagic disease, classification, *1952:* July, 1052
diagnosis, *1952:* July, **1051–1068**
in children, *1952:* Nov., **1693–1710**
tests in, results, *1953:* Nov., 1848, 1849
treatment, *1952:* July, **1051–1068**; *1953:* Nov., 1850
Hemorrhoids, office management, *1953:* Jan., 266
treatment, *1952:* Sept., 1452
Hemosiderosis of liver, *1953:* Jan., 100; *1954:* May, 861
Hemothorax in thoracic injury, *1954:* July, 1187, 1188
Heparin, in acute arterial occlusions, *1952:* Jan., 143
in atherosclerosis, *1952:* Jan., 189, July, 1008
in cor pulmonale, acute, *1954:* Nov., 1690
in coronary heart disease, *1954:* March, 408, Nov., 1668
in deep vein thrombosis, *1954:* Jan., 307
in myocardial infarction, *1953:* Sept., 1290, 1295
in prevention of coronary thrombosis, *1952:* July, 998
in thromboembolism, *1952:* Sept., 1318
Hepatitis, *1953:* Jan., **125–143**, July, **1139–1156**
acute and subacute, *1954:* May, 865
amebic, *1953:* Sept., 1383; *1954:* May, 870
treatment, *1953:* May, 906
chronic, *1952:* Sept., **1341–1355**; *1954:* May, 866
splenectomy in, *1953:* Jan., 194
diagnosis, *1954:* May, 863, 864, 865, 866, 870
epidemic. See *Hepatitis, infectious.*
infectious, *1954:* May, 863
immunization, *1952:* Nov., 1604
in infancy and childhood, *1952:* Nov., **1637–1647**
leptospiral, *1953:* Sept., 1383
malarial, *1953:* Sept., 1384
serum, in differential diagnosis of infectious hepatitis, *1952:* Nov., 1664
subacute, *1952:* Sept., **1341–1355**
syphilitic, *1954:* May, 863, 870
toxic, *1953:* Sept., 1384; *1954:* May, 873
treatment, *1953:* Jan., 136, July, **1139–1156**, Sept., 1387
viral, *1953:* Sept., 1379; *1954:* May, 864
immunization, *1954:* Sept., 1523
with jaundice, in children, *1952:* Nov., 1638, 1639
Hepatolienography, *1954:* May, 805

Hepatomegaly, differential diagnosis, *1954:* May, **857–874**
Heredity in carcinoma of stomach, *1953:* Jan., 65
Hernia, hiatal, treatment, *1952:* March, 384
in infants and children, management of, *1952:* Nov., **1767–1777**
strangulated, intestinal obstruction due to, *1954:* Jan., 127
Herniation of intervertebral disks, cervical, *1953:* March, **451–478**
lumbar, *1953:* March, **479–502, 503–510**
Herpes zoster, neck and shoulder pain due to, *1952:* Sept., 1306
neuropathy in, *1954:* Sept., 1329
Hesperidin, effect on capillary permeability, *1952:* Jan., 211
Hetrazan, in ascariasis, *1954:* March, **591–597**
in filariasis, *1953:* May, 913
Hexamethonium, and 1-hydrazinophthalazine in hypertension, *1953:* July, **991–1008**
hypotension due to, treatment, *1953:* Sept., 1330, 1331
in arterial hypertension, *1953:* Nov., 1651
in hypertension, *1954:* March, 365, Nov., 1723
in peptic ulcer, *1952:* Sept., 1329
Hibicon in epilepsy. *1954:* March, 477
Hiccup in acute myocardial infarction, treatment, *1953:* Sept., 1299
Hip, dislocation, congenital, *1953:* Sept., 1429
osteoarthritis, treatment, *1954:* Sept., 1482
"toxic," *1953:* Sept., 1433
tuberculosis, *1953:* Sept., 1432
windblown, *1953:* Sept., 1427
Histamine, antagonists. See *Antihistaminic drugs.*
effect on capillary permeability, *1952:* Jan., 209
test, for pheochromocytoma, *1952:* Jan., 124
of adrenal medulla function, *1952:* May, 754
Histoplasmosis of lung, diagnosis, *1954:* May, 740
Hives, See *Urticaria.*
HN2. See *Nitrogen mustard.*
Hodgkin's disease, liver and spleen in, *1954:* May, 870
treatment, *1953:* May, **843–867**
triethylene melamine in, *1954:* March, 547
Holger-Nielsen method of artificial respiration, *1954:* Jan., 56
Home care in cardiovascular disease, *1954:* Nov., **1785–1788**
Homicidal psychotic patient, management, *1953:* March, 582
Hookworm, treatment, *1953:* May, 908
Hormone(s), deficiencies, pre- and postoperative management, *1953:* May, 762
hepatic function and, *1953:* Jan., 114
mechanism of onset of puberty, *1952:* Nov., 1711
sex, female. See *Estrogen.*
therapy. See *Endocrine therapy.*
thyrotropic, effect on function of thyroid cancer, *1952:* May, 656
Horner's syndrome, *1952:* July, 911
Hospital, liability, *1953:* Sept., 1569
relation of family to, *1952:* Nov., **1551–1554**
Hospitalization, of children, problems resulting from, *1952:* Nov., 1552
psychiatric, *1954:* Jan., 156
Human bite wounds, *1954:* Jan., 106
Humidity, relative, for premature infant, *1952:* Nov., 1572
Hürthle cell adenocarcinoma of thyroid gland, *1952:* May, 648
Hyaluronidase, effect on capillary permeability, *1952:* Jan., 210
Hydantoins in epilepsy, *1952:* Sept., 1385, 1388
Hydergine in hypertension, *1954:* Nov., 1726
Hydrazine poisoning, hypoglycemia in, *1953:* Jan., 283
Hydrazinophthalazine, and hexamethonium, in hypertension, *1953:* July, **991–1008,** Sept., 1304
hypotension due to, *1953:* Sept., 1332
in arterial hypertension, *1953:* Nov., 1651
in hypertension, *1954:* March, 367, 372, Nov., 1724
Hydrocephalus, diagnosis and treatment, *1952:* Nov., 1622, **1739–1750**
Hydrocortisone in rheumatoid arthritis, *1953:* July, 1248
intra-articular, in rheumatic disease, *1954:* March, **349–357**
ointment, in dermatological therapy, *1954:* March, **321–336**
oral, in rheumatoid arthritis, *1954:* March, **337–347**
Hydrohepatosis, *1954:* May, 860
Hydroma, subdural, *1952:* Nov., 1744
Hydrops tubae profluens, *1952:* Sept., 1470
Hygroma, subdural, in differential diagnosis of hydrocephalus, *1952:* Nov., 1744
Hymen, imperforate, *1952:* Nov., 1732
Hyoscine. See *Scopolamine.*
Hyoscyamine in motion sickness, *1952:* Sept., 1379
Hyperbilirubinemia, physiologic, *1954:* May, 854
Hypercalcemia in thyrotoxicosis, *1953:* Nov., **1715–1724**
Hypercholesteremia, and atherosclerosis, relationship, *1952:* Jan., 178
clinical significance and management, *1952:* May, **865–874**

Hyperchylomicronemia, alimentary, *1952:* Jan., 179
Hyperemia, venous, intermittent, *1952:* Jan., 149
Hyperglycemia, control, Underhill's studies, *1953:* Jan., 283
in insulin-treated diabetic patient, significance, *1953:* May, 728
Hypermetropia, test for, *1952:* Nov., 1520
Hyperostosis, cortical, infantile, *1952:* Nov., 1764
Hyperparathyroidism, complicating polycystic kidney, clinicopathologic conference, *1952:* March, **435–444**
urinary calculi in, *1954:* Sept., 1464
Hyperphosphatemia, tetany due to, *1952:* May, 890
Hypersomnia, *1952:* March, 545
Hypersplenism, *1953:* Jan., 185; *1954:* May, 872
Hypertension, anxiety and, *1954:* Nov., 1797
arterial, etiology, *1953:* Nov., 1647
headache and, *1954:* May, 687
management, *1953:* Nov., **1647–1655**
atherogenesis and, *1952:* Jan., 191
capillary fragility in, *1952:* Jan., 124
causes, differential diagnosis, *1954:* May, **753–764**
diagnosis and treatment, study plan for general practitioner, *1952:* Jan., **117–128**
Dibenzyline in, *1954:* Nov., 1726
diet in, *1952:* July, 1022
disability in, causes, *1953:* May, 671
drug therapy, *1952:* July, 1020; *1954:* March, **363–374**,, Nov., 1720
emotional manifestations, *1952:* March, 476
essential, *1952:* Jan., **129–139**; *1953:* Nov., 1637, 1662
diagnosis, *1954:* May, 755
treatment, *1952:* Jan., 134; *1953:* Sept., **1303–1312**
eyeground or fundus examination, *1952:* Jan., 119
headache in, *1952:* March, 322
hexamethonium in, *1954:* March, 365, Nov., 1723
Hydergine in, *1954:* Nov., 1726
hydrazinophthalazine in, *1954:* March, 367, 372, Nov., 1724
Hyphex therapy (hexamethonium and l-hydrazinophthalazine), *1953:* July, **991–1008**
Ilidar in, *1954:* Nov., 1727
in aged, treatment, *1954:* Nov., 1780
in kidney disease, *1952:* July, 1015; *1954:* May, 758
in pheochromocytoma, *1952:* July, 1016; *1954:* May, 760
intravenous pyelogram in, *1952:* Jan., 123
liver and, *1953:* Jan., 111
pentapyrrolidinium in, *1954:* March, **365, 372**
Hypertension, pituitary therapy, *1952:* Jan., 136
portal, in cirrhosis, mechanism, *1953:* Jan., 96
operative treatment, *1953:* July, 1149
psychotherapy in, *1952:* July, 1019; *1953:* July, 1003
pulmonary, primary, syncope in, treatment, *1953:* Sept., 1329
Rauwolfia in, *1953:* Sept., 1303; *1954:* March, 365, 370, 372, Nov., 1725
renin-antirenin therapy in, *1952:* Jan., 135
rice diet in, *1952:* Jan., 127, 135
salt restriction in, *1952:* Jan., 127, 136; *1953:* July, 1007; *1954:* March, 368, Nov., 1727
sympathectomy for, *1952:* Jan., 127, 137, July, 1023; *1953:* July, 1005; *1954:* March, 368
systolic, *1954:* May, 757
tests in, *1952:* Jan., 120, 121, 123, May, 754
thiocyanate therapy, *1954:* Nov., 1721
treatment, *1952:* Jan., 134, July, **1013–1024**; *1953:* Sept. **1303–1312**; *1954:* March, **363–374**; Nov., **1717–1731**
pitfalls in, *1952:* Jan., 110
vasoconstrictor blocking drugs in, *1952:* Jan., 135; *1954:* March, 364
venous, in congestive heart failure, *1952:* Jan., 30
veratrum alkaloids in, *1954:* March, 366, 371, Sept., 1725
Hyperthermia, liver damage from, *1953:* Sept., 1387
Hyperthyroidism, diagnosis, radioiodine in, *1952:* July, **981–989**
hypercalcemia in, *1953:* Nov., **1715–1724**
liver disease in, *1953:* Sept., 1387
pre- and postoperative care in, *1953:* May, 754, July, 1065
radioiodine in, *1954:* March, **555–559**
tests for, *1952:* May, 739
treatment, *1953:* May, **695–713**, July, **1059–1076**
Hyperventilation syndrome, *1952:* March, 357
Hypoglycemia, clinical and experimental, *1953:* Jan., **277–290**
in diabetes, *1954:* Jan., 190
in hydrazine poisoning, *1953:* Jan., 283
Hypogonadism, ovarian and pituitary, primary, *1952:* Nov., 1734
Hypomagnesemia, symptoms and signs, *1952:* July, 1166
treatment, *1952:* July, 1169
Hypometabolism, amenorrhea due to, *1952:* Nov., 1734
Hyponatremia in congestive heart failure, *1952:* March, 430
Hypoparathyroidism, *1952:* May, 887
Hypoproteinemia, pre- and postoperative management, *1953:* May, 755

Hypotension, orthostatic, chronic, *1953:* Sept., 1323
physiologic mechanisms and treatment, *1953:* Sept., **1313–1339**
postexertional, *1953:* Sept., 1336
postural, *1953:* Sept., 1323, 1336
Hypothrombinemia, *1952:* July, 1062
therapeutic, excessive, Mephyton in, *1954:* March, **413–417**
Hyposensitization, for asthma in children, *1954:* Sept., 1263
for eczema in children, *1954:* Sept., 1258
for hay fever in children, *1954:* Sept., 1268
for ivy poisoning, *1954:* Sept., 1272
Hypotensen in hypertension, *1954:* March, 373
Hypothyroidism, diagnosis, radioiodine in, *1952:* July, **981–989**
tests for, *1952:* May, 739
Hypoxemia, effect on capillary permeability, *1952:* Jan., 208
Hypoxia in poliomyelitis, *1953:* March, 371
Hysterectomy in postmaturity abnormal uterine bleeding, *1952:* May, 716

ICTERIC index in jaundice, *1952:* March, 400
Icterus. See *Jaundice.*
Id, as infant personality, *1952:* Nov., 1543
reaction, treatment, *1954: Sept.,* 1307
versus ego, *1952:* Nov., 1544
Ileostomy, medical, in ulcerative colitis, *1953:* July, 1171
Ilidar in hypertension, *1954:* Nov., 1727
Illness, affecting child's behavior, *1953:* March, 570
as cause of fatigue, *1952:* March, 312
in premature infants, *1952:* Nov., 1576
influence on normal posture development, *1952:* Nov., 1537
Immobilization, osteoporosis due to, *1952:* May, 860
urinary calculi due to, *1954:* Sept., 1464
Immunization, mandatory procedures for foreign travel, *1954:* Sept., 1509
pediatric aspects, *1954:* Sept., 1506
procedures in private practice, *1952:* Nov., **1599–1605**
status in 1954, *1954:* Sept., **1493–1534**
Impactions, fecal, treatment, *1952:* Sept., 1456
Inactivity, effects, in prolonged illness, and their prevention, *1953:* May, 917
Indigestion. See *Dyspepsia.*
Industrial placement of cardiovascular patients. *1954:* Nov., **1785–1788**
Infant(s), allergy in, *1954:* Sept., **1255–1279**
cry of, *1952:* Nov., 1560
examination of, *1952:* Nov., 1555
neurologic, *1952:* Sept., 1404
Infant(s), feeding, advances in, *1952:* Jan., **273–288**
artificial, *1952:* Nov., 1558
practical aspects, *1952:* Nov., **1555–1560**
first day of life, physician's responsibility, *1952:* Nov., **1561–1570**
hernias in, management of, *1952:* Nov., **1767–1777**
iron deficiency in, *1952:* Nov., **1683–1691**
immunization schedules, *1954:* Sept., 1506
infectious hepatitis in, *1954:* Nov., **1637–1647**
large, birth of, significance, *1952:* July, **1151–1155**
newborn, examination and immediate care of, *1952:* **1561–1570**
resuscitation of, *1954:* Jan., 60
noninfectious osseous lesions of, *1952:* Nov., **1751–1765**
personality, *1952:* Nov., 1542
id as, *1952:* Nov., 1543
posture development in, early, *1952:* Nov., 1533
premature, management of, *1952:* Nov., **1571–1578**
prenatal factors, *1952:* Nov., 1562
Infection(s), accessible, *1952:* Nov., 1607
accompanied or complicated by thrombocytopenias, *1952:* Nov., 1699
acute, as starting point of emotional disorder, *1952:* March, 468
antibiotics in, *1952:* Jan., 247
complicating diabetes, *1954:* Jan., 195
debilitating, hypotension after, *1953:* Sept., 1326
fulminating, acute, hypotension in, treatment, *1953:* Sept., 1333
in etiology of chronic nonspecific ulcerative colitis, *1953:* Nov., 1778
inaccessible, *1952:* Nov., 1607
problem cases, *1954:* May, **905–920**
protection of premature infant from, *1952:* Nov., 1572
role in iron deficiency anemia, *1952:* Nov., 1688
Infectious diseases, erythromycin in, *1954:* March, **569–575**
Influenza, immunization, *1954:* Sept., 1526
Injection treatment, of cervical root compression, *1953:* March, 463
of hemorrhoids, *1953:* Jan., 266
Injuries, automobile crash, care in, *1954:* Jan., **75–94**
eye, *1954:* Jan., 236
face, *1954:* Jan., 258
kidney, *1954:* Jan., 291
larynx, *1954:* Jan., 253
thoracic, alterations in respiratory physiology in, *1954:* July, **1183–1188**
treatment, *1954:* July, 1188

Injuries, testis, *1954:* Jan., 286
ureter, *1954:* Jan., 289
Insomnia, *1952:* March, 547
treatment, *1952:* March, 550
electroconvulsive, *1952:* March, 551
Insulin, allergy to, in diabetes, management, *1952:* May, **783–790**
hepatic function and, *1953:* Jan., 115
hypoglycemic reactions, *1954:* Jan., 190
in diabetes, *1953:* May, 720, July, 1104
in diabetic acidosis and coma, *1952:* May, 777
resistance to, in diabetes, management, *1952:* May, **783–790**
tolerance test of pituitary function, *1952:* May, 752
Intervertebral disk, cervical, syndrome of, neurologic and roentgenologic aspects, *1953:* March, **451–478**
degeneration and protrusion, neck and shoulder pain due to, *1952:* Sept., 1294
lesions, backache due to, *1954:* May, 666
lumbar, rupture of, *1953:* March, **479–502, 503–510**
Intestine(s), normal flora, effect of antibiotics on, *1952:* July, 1083
obstruction, acute, *1954:* Jan., 123
chronic, diarrhea and bloody stools in, *1954:* May, 827
medical management, *1952:* March, 383
small, diseases, diarrhea and bloody stools in, *1954:* May, 820
x-ray diagnosis, *1954:* May, 812
Iodides in asthma, *1952:* Sept., 1272; *1953:* July, 1017
Iodine, in hyperthyroidism, *1953:* May, 705
preparations in amebiasis, *1953:* Nov., 1806
protein-bound, in serum in thyroid disease, *1952:* May, 741; *1953:* July, 1064
radioactive, effect on function of thyroid cancer, *1952:* May, 652, 666
in congestive heart failure, *1954:* Nov., 1657
in coronary heart disease, *1954:* Nov., 1665
in hyperthyroidism, *1952:* May, **623–637**; *1953:* May, 702, 708, July, 1068; *1954:* March, **555–559**
in diagnosis, *1952:* July, **981–989**; *1953:* July, 1062
results, *1952:* May, **623–637**
in myocardial ischemia, *1953:* Sept., 1291
in test of thyroid function, *1952:* May, 741
in treatment of metastatic thyroid carcinoma, *1952:* May, **663–680**
medical centers engaged in therapy with, *1952:* May, **668, 669**
Iodized oil, granuloma of lung due to, *1954:* July, 991
Ion exchange resions. See under *Resins*.
Ipecac in asthma, *1953:* July, 1018
in supraventricular tachycardia, *1952:* Jan., 13
Iproniazid in pulmonary tuberculosis, *1954:* March, 437
Iridocyclitis, *1954:* Jan., 230
Iron, deficiency, anemia of. See under *Anemia*.
in infants and children, *1952:* Nov., **1683–1691**
metabolism, *1952:* Nov., 1683
therapy, supplemental, in iron deficiency, *1952:* Nov., 1689
uses, in anemia, *1953:* July, 1197
Irradiation. See *Radium* and *Roentgen*.
Irrigation of eye in chemical burns, *1952:* Sept., 1215
Isolation procedures in tuberculosis in children, *1952:* Nov., 1620
Isoniazid (isonicotinic acid hydrazide) in tuberculosis, *1952:* Sept., 1260; *1953:* May, **885–901**; *1954:* March, **437–448**, July, **1167–1176**
reactions, *1954:* July, 1172
Isuprel, in asthma, *1952:* Sept., 1271; *1953:* July, 1017
Itching in acute dermatitis, treatment, *1952:* Sept., 1440
Itrumil in hyperthyroidism, *1952:* May, 619, 620; *1953:* May, 706
Ivy poisoning in infants and children, *1954:* Sept., 1271

JACKSONIAN seizures, *1954:* May, 697
Jaundice, differential diagnosis, *1952:* March, **393–403**; *1954:* May, **847–855**
hemolytic, *1954:* May, 853
Jaundice, hepatogenous, *1953:* Jan., 127; *1954:* May, 851
attack rates in children of school age, *1952:* Nov., 1638
laboratory test, *1952:* March, 397
obstructive, *1953:* Jan., 174; *1954:* May, 847
after cholecystectomy, *1953:* Jan., 178
of biliary tract origin, *1954:* Sept., 1413
with thyrotoxic storm, clinicopathologic conference, *1953:* Nov., 1684
Joint, disease, degenerative, physical medicine in, *1952:* Sept., 1487
Jugular compression test in lumbar disk syndrome, *1953:* March, 487

KARTAGENER'S syndrome, *1952:* July, 917
Keratitis, *1954:* Jan., 229
Keratoconjunctivitis, epidemic, antibiotics in, *1952:* Sept., 1252
Kerion, treatment, *1954:* Sept., 1306
Ketosis, diabetic, and diabetic coma, treatment, *1952:* May, **767–782**

17-Ketosteroids, diagnostic significance, *1952:* May, **757–766**
excretion, as test of testicular function, *1952:* May, 748
in ACTH and cortisone therapy, *1952:* Jan., 235
in Addison's disease, *1952:* May, 723, 760
in adrenal cortex disease, *1952:* May, 743
in adrenogenital syndrome, *1952:* May, 762
in Cushing's syndrome, *1952:* May, 764
in malignancy, *1952:* May, 694
Kidney, artificial, *1952:* Sept., 1413; *1954:* Sept., 1459
calculus, *1954:* Jan., 283
medical management, *1954:* Sept., **1461–1474**
circulatory consequences of blood kinetic energy in, *1952:* July, **967–980**
disease, edema of, *1954:* May, 883
cardiovascular, *1953:* Nov., **1657–1668**
hypertension in, *1954:* May, 758
magnesium metabolism in, *1952:* July, 1159
pre- and postoperative care in, *1953:* May, 752
unilateral, *1953:* Nov., 1665
hypertension and, *1952:* July, 1015
end stage, and hypertension, *1952:* July, 1018
failure, acute, treatment, *1952:* Sept., 1409
chronic, treatment, *1952:* Sept., 1415
functional tests, in hypertension, *1952:* Jan., 121
injuries, *1954:* Jan., 291
insufficiency, acute, treatment, *1952:* Sept., 1409
advanced, medical management, *1954:* Sept., **1447–1460**
chronic, treatment, *1952:* Sept., 1415
of gout as clinical entity, *1952:* July, **941–951**
polycystic, with hyperparathyroidism and osteitis fibrosa cystica, clinicopathologic conference, *1952:* March, **435–444**
Kimmelstiel-Wilson syndrome, hypertension in, *1954:* May, 759
Kunkel's zinc sulfate turbidity reaction, *1952:* March, 399
Kutrol in peptic ulcer, *1952:* Sept., 1331
Kymography in pulmonary disease, *1954:* July, 199

LABOR, analgesia and anesthesia for, *1954:* Sept., **1437-1445**
induction of, *1952:* Sept., **1473–1484**
Laboratory, office, purposes, limitations, set-up, tests and administration, *1953:* Sept., **1525–1545**
Labyrinthine disturbance of virus origin, *1954:* Sept., 1322
Labyrinthitis, suppurative, *1954:* Sept., 1321
Lacerations, care of, *1954:* Jan., 103, 104
Laennec's cirrhosis. See under *Cirrhosis.*
Laminectomy in paraplegia, *1953:* May, 921
Laminography in diagnosis of pulmonary disease, *May,* 726; *1954:* July, 1197
Lanatoside C in myocardial infarction, *1954:* Nov., 1671
Landry's paralysis, *1954:* Sept., 1327
Language, significance of, *1952:* March, 449
Laryngitis, acute, treatment, *1954:* Sept., 1316
Laryngotomy, technique, *1954:* Jan., 256
Laryngotracheobronchitis, acute, *1952:* Sept., **1279–1288**
Laryngotracheitis, acute, in children, *1954:* Sept., 1317
Laryngotracheobronchitis, *1954:* Jan., 254
Larynx, carcinoma, *1954:* Sept., 1317
trauma to, *1954:* Jan., 253
Lasèque test in lumbar disk syndrome, *1953:* March, 487
Laurence-Moon-Bardet-Biedl syndrome, *1952:* July, 916
Lavage, gastric, in poisoning, *1954:* Jan., 205
Lead poisoning, in children, *1952:* Nov., **1587–1597**
polyneuropathy in, *1954:* Sept., 1329
Lederer type of hemolytic anemia, splenectomy for, *1953:* Jan., 191
Legg-Perthes disease, *1953:* Sept., 1433
Leprosy, sulfone therapy, *1954:* March **599–610**
Leptospirosis in differential diagnosis of infectious hepatitis, *1952:* Nov., 1645
Leukemia, and allied disorders, chemotherapy, *1953:* Nov., **1755–1767**
chronic, treatment, *1954:* March, **525–540**
diagnosis, *1953:* Nov., 1747
in children, *1952:* Nov., 1798
lymphatic, chronic, *1953:* Nov., 1751
management, recent advances, *1953:* May, **843–867**
meylogenous, acute, *1953:* Nov., 1748
aleukemic, acute, *1953:* Nov., 1749
chronic, *1953:* Nov., 1752
liver and spleen in, *1954:* May, 869
oddities in onset and course, *1953:* Nov., **1747–1753**
subacute, *1953:* Nov., 1750
treatment, *1953:* May, **843–867**

Leukemia, triethylene melamine in, *1954:* March, **541–554**
Leukorrhea in general practice, diagnosis and treatment, *1952:* Sept., **1459–1471**
Levophed. See *Norepinephrine.*
Lewisite burns of eye, *1925:* Sept., 1219
Leydig cell tumors, precocious pseudopuberty due to, *1952:* Nov., 1725
Lichen chronicus simplex disseminatus, *1952:* July, 1128
Lime burns of eye, treatment, *1952:* Sept., 1218, 1219
Liniments in dermatoses, *1953:* May, 801
Lip, carcinoma, detection and early diagnosis, *1954:* May, 649
Lipid(s), and atherosclerosis, relationship, *1952:* Jan., 179
plasma, function, *1952:* May, 865
pneumonia or granuloma of lung due to, *1954:* July, **989–996**
Lipiodol, granuloma of lung due to, *1954:* July, 991
Lipoidoses, liver in, *1953:* Jan., 101
Lipoproteins, cholesterol-bearing, of plasma, *1952:* Jan., 182
Lipotropic agents, in arterial occlusions, chronic, *1952:* Jan., 151
in atherosclerosis, *1952:* Jan., 193
in liver disease, *1953:* July, 1144, Sept., 1390
Lithiasis, urinary, medical management, *1954:* Sept., **1461–1474**
Liver, abscess, amebic, *1954:* May, 871
carcinoma, diagnosis, *1954:* May, 868
cirrhosis. See *Cirrhosis.*
disease, acute, causes and treatment, *1953:* Sept., **1379–1391**
diarrhea and bloody stools in, *1954:* May, 819
differential diagnosis, tests used in, *1953:* Jan., 128
treatment, *1953:* July, **1139–1156.**
enlarged, differential diagnosis, *1954:* May, **857–874**
extract, in liver disease, *1953:* July, 1145
uses, in anemias, *1953:* July, 1198
fibrosis, diffuse, *1953:* Jan., 89, 92
inflammation. See *Hepatitis.*
observation of phenomena in, *1953:* Nov., 1640
palpable, incidence in infectious hepatitis, *1952:* Nov., 1642
physiology and biochemistry, recent progress in, *1953:* Jan., **109–124**
tests, functional, *1953:* Jan., 119
follow-up on normal infants and children, *1952:* Nov., 1643
in determining course of hepatitis, *1953:* Jan., 135
office, *1953:* Sept., 1542
Lobotomy in mental disease, indications and results. *1954:* Sept., **1379–1391**
Lockjaw. See *Tetanus.*
Long-term illness, changing scene in *1953:* May, **631–642**
rehabilitation in, *1953:* May, **915–932**
symposium on, *1953:* May, **629–941**
Lotions in dermatoses, *1953:* May, 800
Lumbar puncture, headache after, *1952:* March, 324; *1954:* May, 681
in meningitis, *1953:* March, 340
in neurological evaluation, *1953:* March, 313
in rickettsial diseases, *1953:* March, 403, 410
Lumbar subarachnoid-peritoneal shunt in hydrocephalus, *1952:* Nov., 1748
Lung(s), abscesses, in silicosis, *1953:* Nov., 1734
putrid, diagnosis, *1954:* May, 736
treatment, *1954:* July, **1027–1037**
accessory, inferior, *1954:* July, 1081
and heart apparatus, mechanical, improved, *1953:* Nov., **1603–1604**
bleb formation in silicosis, *1953:* Nov., 1734
carcinoma, asthma and, *1952:* March, 359
detection and early diagnosis, *1954:* May, 650
diagnosis, *1954:* July, **1109–1122**
treatment, *1954:* July, **1123–1131**
cystic lesions, *1954:* July, **1075–1079**
diseases, chronic, differential diagnosis, *1954:* May, **721–742**
heart disease due to (cor pulmonale), *1953:* Nov., **1675–1692**
diagnosis, bacteriologic study in *1954:* July, **1219–1226**
exploratory thoracotomy in, *1954:* July, **1239–1241**
special roentgen techniques in, *1954:* July, **1193–1200**
in aged, *1952:* March, 580
pre- and postoperative care in, *1953:* May, 752
symposium on, *1954:* July, **943–1241**
emphysema, *1954:* July, **1051–1063**
fibrosis, diagnosis and treatment, *1954:* July, **1009–1018**
functional tests in, *1954:* July, 1234
functional tests, clinical applications, *1954:* July, **1227–1238**
granuloma, lipoid, *1954:* July, **989–996**
hemorrhage from, treatment, *1954:* Jan., 47
infections, diagnosis, *1954:* May, 734
nodules, circumscribed, solitary, diagnosis and treatment, *1954:* July, **1143–1151**
roentgenographic changes in silicosis, *1953:* Nov., 1733
sarcoidosis, diagnosis, *1954:* May, 740
and treatment, *1954:* July, **997–1008**
stone in, *1954:* July, 1043
surgically removed specimens, examination, *1954:* July, 1224
tuberculosis. See *Tuberculosis.*

Lung(s), tumors, alveolar cell, *1954:* July, **1139–1142**
diagnosis, *1954:* May, 729
Lupus erythematosus, disseminated, *1952:* July, **1111–1125**; *1953:* Nov., 1706
Lymph nodes, biopsy, in bronchogenic carcinoma, *1954:* July, 112
Lymphomas, management, recent advances, *1953:* May, **843–867**
triethylene melamine in, *1954:* March, **541–554**
Lymphosarcoma, treatment, *1953:* May, **843–867**
triethylene melamine in, *1954:* March, 549
Lysozome in etiology of chronic nonspecific ulcerative colitis, *1953:* Nov., 1780

MACLAGAN'S thymol turbidity test, *1952:* March, 398
Macrocephaly, true, in differential diagnosis of hydrocephalus, *1952:* Nov., 1744
Macrochylomicronemia, alimentary, *1952:* Jan., 179
Macrosomia adiposa congenita, *1952:* July, 916
Magnamycin in bacterial endocarditis, *1954:* March, 396
Magnesium, compounds in peptic ulcer, *1952:* Sept., 1326
deficiency, tetany due to, *1952:* May, 893
metabolism, clinical studies, *1952:* July, **1157–1171**
Magnesium sulfate in lead poisoning, *1952:* Nov., 1593
Maico psychometer, *1952:* Nov., 1792
Maladie de Roger, *1952:* Nov., 1665
Malaria, treatment, *1953:* May, 906
Malignancy in differential diagnosis of infectious hepatitis, *1952:* Nov., 1644
Malnutrition in etiology of chronic nonspecific ulcerative colitis, *1953:* Nov., 1780
Malpractice, civil, basic principles, with suggestions from preventing malpractice claims, *1953:* Sept., **1565–1575**
Malta fever. See *Brucellosis*.
Mandelamine in urinary tract infections, *1952:* Sept., 1433
Mandible, fractures, *1954:* Jan., 259
Manic-depressive psychosis, *1954:* Jan., 150
manic phase, *1953:* March, 589
Marfan's syndrome, *1952:* July, 914
Marsilid in tuberculosis, *1952:* Sept., 1260
Massage, cardiac, in ventricular fibrillation, *1952:* Jan., 18
prostatic, *1952:* Sept., 1425
Maxillary antrum, air injection into, air embolism from, *1954:* Jan., 178
Measles, diuresis due to, in nephrosis, *1952:* July, 934
German. See *German measles*.
immunization, *1952:* Nov., 1603; *1954:* Sept., 1522
Mebaral, in epilepsy, *1952:* Sept., 1386, 1389; *1953:* March, 324; *1954:* March, 477
side effects, *1954:* Sept., 1341, 1349
Mecholyl in supraventricular tachycardia, *1952:* Jan., 13
Meckel's diverticulum, *1953:* Jan., **227–235**
Mediastinum, tumor of, asthma and, *1952:* March, 360
Medical trends, thoughts on, *1953:* Nov., **1827–1832**
Medicine, ancient and modern, *1953:* Nov., 1821
clinical, symposium on, *1953:* Nov., **1595–1853**
physical, in office treatment, *1952:* Sept., **1485–1493**
psychologic aspects, symposium on, *1952:* March, **445–592**
recent advances in, symposium on, *1952:* July, **909–1185**
Medionecrosis of aorta in aged, *1954:* Nov., 1782
Medulloblastoma in childhood, *1952:* Nov., 1802
Meig's syndrome, *1952:* July, 912
Membranes, rupture, for inducing labor, *1952:* Sept., 1481
Menarche, *1952:* Nov., 1733
Menière's disease, *1954:* Sept., 1322
headache and, *1954:* May, 688
Meningitis, antibiotics in, *1952:* Jan., 249, 255; *1953:* March, 338
intrathecal, *1953:* Sept., **1363–1378**
headache in, *1954:* May, 678
problem cases, *1954:* May, 907
purulent, acute, *1953:* March, **329–344**
syphilitic, *1952:* July, 1142
tuberculous, in children, *1952:* Nov., **1619–1625**; *1953:* March, **345–362**; *1954:* July, 1169
Menometrorrhagia, due to hormonal abnormalities, *1952:* May, 712
in children, *1952:* Nov., 1735
Menopause, *1952:* March, **515–525**
endocrine manifestations, *1952:* March, 516
osteoporosis after, *1952:* May, 849
physical changes, *1952:* March, 519
psychologic manifestations, *1952:* March, 517
Menstruation, disorders of, due to hormonal abnormalities, diagnosis and treatment, *1952:* May, **705–720**
pain of, mechanisms, *1954:* Sept., 1421
Mental and nervous disease, symposium on, *1953:* March, **295–607**
Mental deficiency in differential diagnosis of deafness in children, *1952:* Nov., 1794

Mentality, apparent, evaluation as index of severity of hydrocephalus, *1952:* Nov., 1741
Mental, disease. See *Psychoses* and *Neuroses.*
Meperidine in myocardial infarction, *1954:* Nov., 1671
Mephyton, in coronary disease, preoperative, *1954:* Nov., 1672
in excessive therapeutic hypoprothrombinemia, *1953:* July, 959; *1954:* March, **413–417**
Meralgia paresthetica, *1954:* Sept., 1329
Mercaptomerin sodium as diuretic, *1952:* July, 954
Mercuhydrin in congestive heart failure, *1954:* Nov., 1656
Mercurial diuretics. See *Diuretics.*
Mercurital in congestive heart failure, *1954:* March, 433
Mercury bichloride poisoning, *1954:* Jan., 217
Mercury poisoning, subacute, *1954:* Jan., 219
Mesantoin, in epilepsy, *1952:* Sept., 1385, 1388; *1953:* March, 324; *1954:* March, 476
side effects, *1954:* Sept., 1341, 1343, 1344, 1347
Metabolism, basal, as test of thyroid function, *1952:* May, 739
in diagnosis of hyperthyroidism, *1953:* July, 1064
testing in office, *1953:* Sept., 1542
disorders, symposium on, *1952:* May **601–895**
faulty, liver disease due to, *1954:* May, 860
of iron, *1952:* Nov., 1683
Metal poisoning, BAL in, *1954:* Jan., 203; Sept., 1333
Methacholine. See *Mecholyl.*
Methylphenylethylhydantoin. See *Mesantoin.*
5-Methyl, 5-phenylhydantoin in epilepsy, *1953:* March, 326
Methyltestosterone, hepatitis due to, *1953:* Sept., 1386
in abnormal uterine bleeding, *1952:* May, 715
in amenorrhea, *1953:* July, 1087
in dysmenorrhea, *1954:* Sept., 1431
Methylthiouracil in hyperthyroidism, *1952:* May, 619, 620
Metrazol in poisonings, *1954:* Jan., 209
Migraine. See *Headache, migrainous.*
Milibis in amebiasis, *1953:* Nov., 1806
Milk, drinking, excessive, urinary stones due to, *1954:* Sept., 1464
sensitivity, extreme, in children, *1954:* Sept., 1273
substitutes, in milk sensitivity, *1954:* Sept., 1277
Milontin, in epilepsy, *1953:* March, 327; *1954:* March, 479
side effects, *1954:* Sept., 1342
Mineral oil, granuloma of lung due to, *1954:* July, 994
Mineral(s), deficits, effect on normal posture development, *1952:* Nov., 1538
in infant nutrition, *1952:* Jan., 283
replacement in chronic disease, pre- and postoperative, *1953:* May, 758
Miscarriage. See *Abortion.*
Mitral stenosis, evaluation of patients for commissurotomy in, by cardiac catheterization, *1952:* July, 1040
syncope and dizziness in, *1953:* Sept., 1318
uncomplicated, emotional manifestations, *1952:* March, 474
MK-02 in parkinsonism, *1953:* Sept., 1515; *1954:* March, 488, 490, 493, 494
Monilia infections of vagina, treatment, *1952:* Sept., 1468
Moniliasis, of lung, *1953:* Nov., 1737
and cryptococcal osteomyelitis in same patient, *1953:* Nov., **1737–1746**
diagnosis, *1954:* May, 740
of mouth, *1954:* Sept., 1314
Mononucleosis, infectious, *1953:* Sept., 1382
in differential diagnosis of infectious hepatitis, *1952:* Nov., 1644
Morphine, in congestive heart failure, *1952:* March, 424
in myocardial infarction, acute, *1953:* Sept., 1297
in obstetrics, *1954:* Sept., 1441
in rheumatic fever, *1952:* Nov., 1655
in supraventricular tachycardia, *1952:* Jan., 13
poisoning, nalorphine hydrochloride in, *1954:* Jan., 203, 220
Mosenthal test, modified, in hypertension, *1952:* Jan., 122
Mother, new, conference with, *1952:* Nov., 1556
problems in breast-feeding infant, *1952:* Nov., 1555, 1557, 1558
or mother figure, absence of, *1952:* Nov., 1545
psychopathology in, *1952:* Nov., 1546
sensitized, induction of labor in, *1952:* Sept., 1477
Mother-child relationship in first year, *1952:* Nov., **1541–1550**
Motion sickness, treatment, *1952:* Sept., **1373–1380**
Motor function, testing, in neurology, *1952:* Sept., 1399
Motor system, examination, *1953:* March, 305
testing in cervical root compression, *1953:* March, 458
in lumbar disk syndrome, *1953:* March, 489
Mouth, moniliasis, *1954:* Sept., 1314
tumors, *1954:* Sept., 1315
6-MP. See *Purinethol.*
Mucin in peptic ulcer, *1952:* Sept., 1327
Mumps, immunization, *1952:* Nov., 1604; *1954:* Sept., 1523

Mumps encephalitis, *1952:* Nov., 1627–1635
Murmurs, heart, *1953:* Sept., 1558
Muscle, blood supply, measurement, *1954:* May, 792
contraction headache, *1953:* July, 1261, 1267; *1954:* May, 686
relaxants in cervical root compression, *1953:* March, 463
strength and power, testing, *1953:* March, 305
tone, testing, *1953:* March, 306
weakness and atonia in early childhood, *1953:* March, 556
Muscular atrophy, peroneal, *1953:* March, 553
dystrophy, postmenopausal, *1953:* March, 558
progressive, childhood type, *1953:* March, 546
differential diagnosis, *1953:* March, 545–563
facioscapulohumeral type, *1953:* March, 550
Musculoskeletal disorders, physical medicine in, *1952:* Sept., 1485
Mushroom poisoning, liver damage in, *1953:* Sept., 1387
Mutations of genes, *1952:* July, 912
Myasthenia gravis, *1953:* March, 535–544
in children, *1953:* March, 557
Myasthenic crisis, *1953:* March, 541
Mycoses, cutaneous, treatment, *1954:* Sept., 1301–1308
Mycosis fungoides, treatment, *1953:* May, 844, 851
Mycotic diseases of lung, diagnosis, *1954:* May, 739
Myeleran in leukemia, granulocytic, *1953:* Nov., 1760
Myelography, in cervical root compression, *1953:* March, 473
in lumbar disk syndrome, *1953:* March, 494
Myeloma, plasma cell, treatment, *1953:* May, 844, 847, 851, 858, 862
Myocarditis, shock in, *1954:* Jan., 21
Myocardium, failure, *1952:* Jan., 25, 27
hypertrophy, *1952:* Jan., 24
infarction, acute, shock due to, treatment, *1954:* Jan., 11
diagnosis and treatment, *1952:* Jan., 73
electrocardiogram in, *1953:* Sept., 1346; *1954:* Nov., 1591, 1595
emotional problems of, *1954:* Nov., 1799
in aged, *1954:* Nov., 1776
in diabetes, *1954:* Jan., 196
treatment, *1953:* Sept., 1292; *1954:* Nov., 1666
injury, syncope in, treatment, *1953:* Sept., 1319
ischemia, general management, *1953:* Sept., 1284
Myopia, test for, *1952:* Nov., 1520
Myositis, multiple. See *Dermatomyositis.*
Myotonia dystrophica, *1953:* March, 551
Mysoline, in epilepsy, *1953:* March, 326; *1954:* March, 477
side effects, *1954:* Sept., 1340, 1341, 1349
Myxedema, heart disease in, *1953:* July, 977

NAILS, ringworm, treatment, *1954:* Sept., 1306
Nalorphine hydrochloride in opiate intoxication, *1954:* Jan., 203, 220
Narcolepsy, *1952:* March, 541, 545
Nasal allergy, *1954:* Sept., 1313
in infants and children, *1954:* Sept., 1265
Nausea, *1952:* March, 373; *1953:* Jan. 5
Neck, carcinoma, detection and early diagnosis, *1954:* May, 649
lesion, *1954:* Sept., 1317
pain in, *1952:* Sept., 1289–1307
Negligence in medical practice, *1953:* Sept., 1570, 1574
Neomycin, effect on normal fecal flora, *1952:* July, 1089
in bacterial endocarditis, *1954:* March, 396
in tuberculosis, *1952:* Sept., 1260
Neo-Penil in bronchiectasis, *1954:* July, 1024
Neostigmine in myasthenia gravis, *1953:* March, 538
Neosynephrine in myocardial infarction, *1954:* Nov., 1671
in pneumonia, *1953:* July, 1056
Nephritis, chronic, therapeutic dilemmas, *1952:* March, 411–417
glomercular, acute, bedside management, *1953:* July, 1129–1133
Nephrosis, lower nephron, *1954:* Jan., 294
upper and lower nephron, magnesium levels in, *1952:* July, 1159, 1160
Nephrotic syndrome, *1952:* July, 921–939
bedside management, *1953:* July, 1133–1137
in adults, differential diagnosis and treatment, *1953:* May, 685–694
Nephrotomography, *1954:* May, 803
Nerve(s), blocking agents, in peripheral neuropathies, *1954:* Sept., 1336
cranial, examination, *1952:* Sept., 1398; *1953:* March, 310
pathway pain, *1952:* March, 489
peripheral, affections of, diagnosis and treatment, *1954:* Sept., 1325–1338
Nervous system, central, diseases, hypertension in, *1954:* May, 759
tumors of, in children, *1952:* Nov., 1801
rickettsial involvement, *1953:* March, 395–422

Nervous tension, fatigue due to, *1952:* March, 313
headache from, *1952:* March, 325
Nervousness, and fatigue, clinical evaluation, *1953:* Nov., **1785–1802**
diagnosis and treatment, *1953:* Nov., **1785–1802**
Neuralgia, facial, atypical, headache and, *1954:* May, 683
head pain due to, *1952:* March, 325
occipital, *1954:* May, 685
trigeminal, *1954:* Jan., 251; May, 690
Neurectomy, presacral, in dysmenorrhea, *1954:* Sept., 1433
Neuritis, brachial, *1954:* Sept., 1330
diabetic, PMLE in, *1952:* Sept., 1366
multiple. See *Polyneuritis.*
peripheral, multiple, diagnosis and treatment, *1952:* Sept., **1357–1372**
serum, *1954:* Sept., 1330
Neuroblastomas in childhood, *1952:* Nov., 1798
Neurocirculatory asthenia, *1954:* Nov., 1789
Neurodermatitis, generalized, *1952:* July, 1127
Neurofibromatosis in infants and children, *1952:* Nov., 1754
Neurohypophysis, functional tests, *1952:* May, 753
Neurology, clinical method of, comments and suggestions, *1952:* Sept., **1393–1408**
disorders in, acute, uncommon, *1954:* Jan., **167–182**
examination, *1952:* Sept., 1396
signs and symptoms and their interpretation, *1953:* March, **297–313**
symposium on, *1953:* March, **295–607**
Neuromuscular disorders, physical medicine in, *1952:* Sept., 1491
pulmonary function tests in, value, *1954:* July, 1231
Neuropathy, peripheral, diagnosis and treatment, *1954:* Sept., **1325–1338**
Neurosis, cardiac, *1954:* Sept., 1536, Nov., 1789, 1791
management, in office practice, *1954:* Sept., **1351–1361**
nature of, modern psychiatric concepts, *1954:* Sept., 1351
Neurosyphilis, *1952:* July, **1141–1149**
treatment, *1952:* July, 1147
Neurotic adaptation, causes, *1952:* March, 307
Neurotic attacks, *1952:* March, 565
Neurotic patient, obvious, management in office practice, *1954:* Sept., **1351–1361**
Newborn. See *Infant(s), newborn.*
New York plan for physically handicapped child, *1953:* May, 935
Nieman-Pick disease, liver and spleen in, *1953:* Jan., 101; *1954:* May, 862
Nikethamide in poisonings, *1954:* Jan., 209
Nitrite test in hypertension, *1952:* Jan., 120
Nitrogen, deficit, effect on normal posture development, *1952:* Nov., 1538
Nitrogen mustard in Hodgkin's disease, *1953:* May, 854
in leukemia, *1953:* May, 854
and allied disorders, *1953:* Nov., 1755
in lymphomas, *1953:* May, 854
in lymphosarcoma, *1953:* May, 854
in metastatic carcinoma, *1954:* Sept., 1284
in mycosis fungoides, *1953:* May, 854
in nephrotic syndrome, *1952:* July, 933
Nitroglycerin in angina pectoris, *1953:* Sept., 1284, 1289; *1954:* Nov., 1663
Nitrous oxide in obstetrics, *1954:* Sept., 1441
Nodulation in silicosis, *1953:* Nov., 1733
Nodules of lung, solitary, circumscribed, diagnosis and treatment, *1954:* July, **1143–1151**
Norepinephrine, in acute myocardial infarction, *1954:* Jan., 17
in pneumonia, *1953:* July, 1055
in poisoning, *1954:* Jan., 210
in shock, *1954:* March, **499–514**
Nose, diseases, headache due to, *1954:* May, 688
fractures, *1954:* Jan., 262
injuries, *1954:* Sept., 1311
obstruction in, treatment, *1954:* Sept., 1313
Nosebleed, as manifestation of rheumatic fever, *1952:* Nov., 1650
treatment, Jan., 241; *1954:* Sept., 1310
NPH insulin in diabetes, *1953:* May, 725, July, 1105
Nucleus pulposus, *1953:* March, 480
Nursing care, skilled, for premature infant, *1952:* Nov., 1573
Nutrition, aged persons, *1954:* Sept., **1485–1492**
deficiency, high cardiac output failure in, *1953:* July, 975
inadequate, iron deficiency anemia of infancy due to, *1952:* Nov., 1686
infant, advances in, *1952:* Jan., **273–288**
proper, of premature infant, *1952:* Nov., 1573
Nydrazid in tuberculosis, *1952:* Sept., 1260

Oatmeal bath, *1953:* May, 800
Obesity, *1952:* March, **385–392**
at menopause, *1952:* March, 520
hereditary, *1952:* July, 916
management, performance index as tool in, *1953:* May, **733–746**
pre- and postoperative care in, *1953:* May, 749
psychologic factors in, *1952:* March, 387
Obstetric hemorrhage, *1954:* Jan., **265–277**

Obstetrics, analgesia and anesthesia in, *1954:* Sept., **1437–1445**
Oil clot retraction time in thromboplastin activation, *1953:* Nov., 1845
Oils, pneumonia or granuloma of lung due to, *1954:* July, **989–996**
Ointments, in dermatoses, *1953:* May, 802
in eczema in children, *1954:* Sept., 1276
Old age, cardiovascular disease, in, *1954:* Nov., **1767–1784**
care in, *1952:* March, **569–583**
nutritional aspects, *1954:* Sept., **1492**
Oliguria in poisoning, treatment, *1954:* Jan., 206
Ollier's disease in infants and children, *1952:* Nov., 1752
Omphalocele, *1952:* Nov., 1772
Operation in chronic disease, selection of, *1953:* May, 747
Opiate intoxication, *1954:* Jan., 219
nalorphine hydrochloride in, *1954:* Jan., 203, 220
Optic atrophy syphilitic, *1952:* July, 1144
Orchidopexy, age of election for, *1952:* Nov., 1783
Orchiectomy in carcinoma of prostate gland, *1952:* May, 696
Organic vs. functional disease, concept of, *1952:* March, **305–310**
Orthopedics, pediatric, *1953:* Sept., **1427–1448**
Oscillometry in peripheral vascular disease, *1954:* May, 785
Osgood-Schlatter's disease, *1953:* Sept., 1436
Osseous lesions, noninfectious, of infants and children, *1952:* Nov., **1751–1765**
Osteitis fibrosa cystica, *1952:* July, 917, Nov., 1713
generalized, complicating polycystic kidney, clinocopathologic conference, *1952:* March, **435–444**
Osteoarthritis, in aged, *1952:* March, 581
of spine, *1954:* May, 662; Sept., 1482
physical medicine in, *1952:* Sept., 1487
treatment, *1954:* Sept., **1475–1484**
Osteochondrosis, *1953:* Sept., 1436
coxae, *1953:* Sept., 1433
Osteoma, osteoid, in infants and children, *1952:* Nov., 1757
Osteomyelitis, cryptococcal, and pulmonary moniliasis in same patient, *1953:* Nov., **1737–1746**
of spine, *1954:* May, 659
cervical, nek, and shoulder pain due to, *1952:* Sept., 1296
Osteoporosis, *1952:* May, **847–863**
due to immobilization, *1952:* May, **860**
Osteoporosis, postmenopausal, *1952:* March, 519, May, 849, 852
spinal, *1954:* May, 658
Osteosarcoma in infants and children, *1952:* Nov., 1758
Otitis externa, treatment, *1954:* Sept., 1319
Otitis media, *1954:* Jan., 244
treatment, *1954:* Sept., 1320
Otolaryngology, modern, for general practitioner, *1954:* Sept., **1309–1323**
Otosclerosis, *1954:* Sept., 1321
Ovary, functional tests, *1952:* May, 749
tumors, causing precocious pseudopuberty, *1952:* Nov., 1721
uterine hemorrhage due to, *1953:* Sept., 1503
virilizing, *1952:* Nov., 1721
Oxalate tetany, *1952:* May, 892
Oxazolidine-2,4-diones in epilepsy, *1952:* Sept., 1385, 1388
Oximetry, value, in cardiopulmonary problems, *1954:* July, 1232
Oxygen, for premature infant, *1952:* Nov., 1572
saturation, arterial, peripheral, in congenital heart disease, *1952:* Nov., 1663
therapy, in acute pulmonary edema, *1953:* July, 959
in asthma, *1952:* Sept., 1273; *1954:* July, 972
in congestive heart failure, *1952:* March, 424
in aged, *1954:* Nov., 1774
in myocardial infarction, *1954:* Nov., 1667
in pneumonia, *1953:* July, 1055
in pulmonary fibrosis, *1954:* July, 1016
in rheumatic fever, *1952:* Nov., 1655
in rheumatic heart disease, *1954:* Nov., 1709
Oxytetracycline in amebiasis, *1953:* Nov., 1806
Oxyuriasis, treatment, *1953:* May, 909

PAGET's disease of spine, *1954:* May, 658
Pagitane in parkinsonism, *1954:* March, 489, 494
Pain, *1952:* March, **485–500**
abdominal, as manifestation of rheumatic fever, *1952:* Nov., 1650
cardiac, of emotional origin, *1954:* Sept., 1542
chest, cardiac vs. noncardiac, *1954:* May, **743–751**
craniofacial, *1954:* May, 690
cutaneous, *1952:* March, 486
deep, *1952:* March, 487
diagnosis, *1952:* March, 496
epigastric, *1952:* March, **386–371**
in acute pancreatitis, *1953:* Jan., 201
wrongly attributed to heart, *1952:* March, 507
facial, *1954:* Jan., 249
heart, management, *1954:* Jan., 11

Pain, in cancer, control of, *1953:* May, 875
in cervical disk syndrome, *1953:* March, 456, 460; *1954:* May, 669
in coronary heart disease, *1954:* Nov., 1662
in diagnosis, *1953:* March, 299
in lower backs, *1953:* Sept., **1449–1460**
in myocardial infarction, *1954:* Nov. 1667
in paraplegia, control of, *1953:* May, 927
in upper abdomen, differential diagnosis, *1954:* May, **835–846**
intractable, in cancer, control of, *1954:* Sept., 1296
lower level, higher level modifications of, *1952:* March, 492
lumbar, in intervertebral disk syndrome, *1953:* March, 484, 508
menstrual, mechanisms, *1954:* Sept., 1421
neck and shoulder, syndromes of, *1952:* Sept., **1289–1307**
nerve pathway, *1952:* March, 489
neuritic, mistaken for heart pain, *1952:* March, 504
phantom limb, *1952:* March, 491
radicular, *1953:* March, 299
referred, *1952:* March, 488
response, tests for, in lumbar disk syndrome, *1953:* March, 487
sciatic, in lumbar disk syndrome, *1953:* March, 485; *1954:* May, 667
symbolic, *1952:* March, 495
thoracic, *1952:* March, **339–341**
treatment, *1952:* March, 498
wrongfully attributed to heart, *1952:* March, **501–513**
Paint scrapings, lead determination in, *1952:* Nov., 1592, 1596
Palsy. See also *Paralysis*.
cerebral, *1953:* Sept., 1445
Pamine in gastrointestinal disease, *1954:* March, 467
Pancreas, atherogenesis and, *1952:* Jan., 191
diseases, diarrhea and bloody stools in, *1954:* May, 819
Pancreatitis, acute, *1954:* Jan., 134, Sept., 1393
importance of early diagnosis and conservative treatment, *1953:* Jan., 199
chronic relapsing, *1952:* March, 384; *1954:* Sept., 1398
medical aspects, *1954:* Sept., **1393–1402**
Panparnit in parkinsonism, *1953:* March, 530, Sept., 1514; *1954:* March, 487, 491
Papanicolaou smears, *1953:* Sept., 1543
in carcinoma of prostate, *1952:* May, 693
Papaverine in arterial occlusions, *1952:* Jan., 143, 149
Papillae, anal, hypertrophied, *1952:* Sept., **1455**; *1953:* Jan., **270**
Papilloma of trachea, *1954:* July, 1095
Para-aminobenzoic acid, in dermatomyositis, *1953:* Nov., 1710
in lupus erythematosus disseminatus, *1953:* Nov., 1710
in meningitis, tuberculous, in children, *1952:* Nov., 1622
in rickettsial infections, *1953:* March, 409
in tuberculosis, *1952:* Sept., 1257; *1954:* July, **1167–1176**
in children, *1952:* Nov., 1624
reactions, *1954:* July, 1172
Paracentesis, in congestive heart failure, *1952:* March, 430
pericardial, *1953:* Nov., 1642
Paradione in epilepsy, *1952:* Sept., 1385, 1388; *1953:* March, 326; *1954:* March, 478
side effects, *1954:* Sept., 1343
Paralysis, cerebral, *1953:* Sept., 1445
infantile. See *Poliomyelitis*.
Paralysis agitans, *1953:* March, **523–533**, Sept., **1511–1523**
Paranoia and paranoid states, *1954:* Jan., 154
Paraphimosis, *1954:* Jan., 284
Paraplegic, rehabilitation of, *1953:* May, 920
Parasitic diseases, commoner, treatment, *1953:* May, **903–913**
Parasympathomimetic drugs in supraventricular tachycardia, *1952:* Jan., 13
Parathyroids, functional tests, *1952:* May, 755
Paratyphoid fever, immunization, *1954:* Sept., 1497
Paredrine in myocardial infarction, *1954:* Nov., 1671
Parent-child relationships, *1953:* March, 566
Paresis, general, *1952:* July, 1142
Parkinson's syndrome, *1953:* March, **523–533**, Sept., **1511–1523**
Parkinson's syndrome, drug therapy, *1953:* Sept., 1513; *1954:* March, **485–498**
side reactions, management, *1953:* Sept., 1520
physical medicine in, *1952:* Sept., 1493
treatment, *1953:* March, 528, Sept., **1511–1523**
Parsidol in parkinsonism, *1953:* Sept., 1514
Pastes in dermatoses, *1953:* May, 802
Patch test, Vollmer, *1952:* Nov., 1522
Patient, as total organism, *1952:* March, 305
his conception of his disease, *1952:* March, 472
postoperative, magnesium levels in, *1952:* July, 1163
the physician and disease, *1953:* Nov., **1833–1841**

Patient-doctor relationship, *1952:* Jan., **289–296,** March, 308, 469, **585–592**
Pediacoumeter, *1952:* Nov., 1792
Pediatric health examination, *1952:* Nov., **1515–1523**
Pediatric orthopedics, *1953:* Sept., **1427–1448**
Pediatrician, role in mother-child relationship, *1952:* Nov., 1548, 1549
Pediatrics, symposium on, *1952:* Nov., **1513–1806**
Peep show method of hearing tests, *1952:* Nov., 1792
Peliosis rheumatica, *1952:* Nov., 1707
Pelvis, fractures, in auto crash, *1954:* Jan., 84
Penicillin, administration, *1952:* Jan., 258, 259
dosages, *1952:* Jan., 258, 259
effect on normal fecal flora, *1952:* July, 1086
in asthma, aerosol, *1953:* July, 1018
in bronchiectasis, aerosol, *1954:* July, 1024
prophylactic, *1953:* Sept., 1354
supraglottic, *1954:* July, 1024
in cardiovascular syphilis, *1954:* Nov., **1757–1765**
in congestive heart failure, *1952:* March, 430
in endocarditis, bacterial, *1954:* March, 387
in gonorrheal vaginitis, acute, *1952:* Nov., 1731
in meningitis, *1953:* March, 338
intrathecal, *1953:* Sept., **1363–1378**
in neurosyphilis, *1952:* July, 1147
in pediatric practice, *1952:* Nov., 1608
in pneumonia, *1953:* July, 1055; *1954:* July, 982
in rheumatic fever, *1952:* Nov., 1655
prophylactic, *1952:* Jan., 218, 219; *1954:* Nov., 1713
in staphylococcal infections, *1953:* Sept., 1468
in typhoid fever, *1954:* March, 578
in urinary tract infections, *1952:* Sept., 1432, 1433
resistance of staphlococci to, *1953:* Sept., 1463
in pediatric practice, *1952:* Nov., 1609
Pentapyrrolidinum in hypertension, *1954:* March, 365, 372
Pepper, O. H. Perry, symposium in honor of, *1953:* Nov. **1595–1853**
Peptic ulcer, *1952:* Sept., 1339
alkalosis in, *1953:* Jan., 40
anticholinergic drugs in, *1954:* March, 459
antisecretory drugs in, *1952:* Sept., 1328
cancer and, *1953:* Jan., 67
complications, management, *1952:* Sept., 1337; *1953:* Jan., 35
Peptic ulcer, diet in, *1952:* Sept., 1332
emotional factors, treatment, *1952:* Sept., 1334
epigastric pain in, *1952:* March, 370
hemorrhage from, massive, *1953:* Jan., 20; *1954:* Jan., 137
treatment, *1953:* Jan., 36
intractable, *1952:* Sept., 1337
large, not demonstrable by x-ray, *1952:* July, **1099–1110**
management, *1952:* March, 379, Sept., **1323–1340;** *1953:* Jan., **33–40**
of Meckel's diverticulum, *1953:* Jan., 229
perforated, *1953:* Jan., 39; *1954:* Jan., 120
pyloric obstruction in, *1952:* Sept., 1338
treatment, *1953:* Jan., 35
Perazil in parkinsonism, *1954:* March, 489, 491
Percussion test in lumbar disk syndrome, *1953:* March, 487
Performance index as therapeutic tool in obesity, *1953:* May, **733–746**
Periarteritis nodosa, *1953:* May, 778, Nov., 1629
Periarticular conditions, physical medicine in, *1952:* Sept., 1490
Pericardial tap in rheumatic fever, *1952:* Nov., 1656
Pericarditis, constrictive, cardiac catheterization in, *1954:* Nov., 1629
nonspecific, acute, and differentiation from acute cardiac infarction, *1953:* Nov., 1639
treatment, *1954:* Jan., 15
tuberculous, surgery in, *1953:* Nov., 1645
with effusion, *1953:* Nov., 1642
Pericardium, disease of, observations on, *1953:* Nov., **1639–1646**
scar, diagnostic features, *1953:* Nov., 1643
surgical features, *1953:* Nov., 1644
Perinephric abscess, *1954:* Jan., 293
Periosteal reaction in differential diagnosis of infantile cortical hyperostosis, *1952:* Nov., 1765
Peripheral vascular disease, diagnosis and management, *1952:* Jan., **141–158**
diagnostic tests, *1954:* May, **781–794**
Perirenal infections, *1952:* Sept., 1429
insufflation in adrenal cortex disease, *1952:* May, 747
Peritonsillar abscess, *1954:* Jan., 247; Sept., 1316
Peroneal muscular atrophy, *1953:* March, 553
Personality changes after lobotomy, *1954:* Sept., 1387
Pertussis. See *Whooping cough.*
Pes adductus, *1953:* Sept., 1436
Pes planus, *1953:* Sept., 1438

Petit mal seizures, *1953:* March, 316, 325; *1954:* May, 696
Phantom limb pain, *1952:* March, 491
Pharynx, lymphoid tissue, acute infections, *1954:* Sept., 1315
Phenacemide. See *Phenurone.*
Phenacetin in rheumatoid arthritis, *1953:* July, 1238
Phenobarbital, in angina pectoris, *1954:* Nov., 1664
in asthma, *1954:* July, 975
in epilepsy. *1952:* Sept., 1386, 1389; *1953:* March, 322; *1954:* March, 475
in hypertension, *1952:* July, 1020
in rheumatic fever, *1952:* Nov., 1654
side effects, *1954:* Sept., 1340
Phenol poisoning, treatment, *1954:* Jan., 202
Phenolsulfonphthalein test in hypertension, *1952:* Jan., 122
Phenurone, in epilepsy, *1952:* Sept., 1386, 1389; *1953:* March, 324; *1954:* March, 479
liver damage from, *1953:* Sept., 1386
side effects, *1954:* Sept., 1343, 1344, 1349
Phenylbutazone, in gout, *1954:* March, **611–624**
in rheumatoid arthritis, *1953:* May, 819
Phenylindanedione, excessive hypoprothrombinemia due to, Mephyton in, *1954:* March, **413–417**
in coronary heart disease, *1954:* March, 411
Pheochromocytoma, diagnosis, Regitine and Benodaine in, *1954:* March, **375–384**
hypertension in, *1954:* May, 760
tests for, *1952:* Jan., 123, May, 754
Phlebothrombosis, *1953:* July, **1113–1118**; *1954:* Jan., 39
Phlebotomy in congestive heart failure, *1952:* March, 432
Phyletenule, *1954:* Jan., 226
Phoria, test for, *1952:* Nov., 1520
Phosphatase, acid, in carcinoma of prostate, *1952:* May, 694
alkaline, in parthyroid disease, *1952:* May, 755
serum, in liver disease, *1953:* Jan., 119
Phosphorus, liver damage from, *1953:* Sept., 1387
poisoning, treatment, *1954:* Jan., 202
radioactive, in leukemia, *1953:* May, 852; *1954:* March, **525–540**
in lymphomas, *1953:* May, 852
serum, in parathyroid disease, *1952:* May, 755
Physical activity, restriction of, in treatment of tuberculosis in children, *1952:* Nov., 1620
Physical examination, in congenital heart disease, *1952:* Nov., 1660
of newborn infant, *1952:* Nov., 1564
Physician, and his patient, *1952:* Jan., **289–296**, March, 308, 469, **585–592**
deportment assumed by, *1952:* March, 586
importance, *1953:* Nov., 1822
obligations, on assuming professional care, *1953:* Sept., 1566
placebo and, *1953:* Nov., **1821–1826**
psychologic effect of patients on, *1952:* March, **585–592**
qualities in, affecting acceptance by patient, *1952:* March, 587
responsibility for acts of others, *1953:* Sept., 1569
the patient, and disease, *1953:* Nov., **1833–1841**
Physician-patient relationship, establishment and termination, *1953:* Sept., 1567
Physiology, of psychotherapy, *1952:* March, **447–456**
research in, contributions to clinical cardiology, *1954:* Nov., **1565–1573**
Physiotherapy, in cerebral hemorrhage and thombosis, *1952:* Jan., 170
in chronic vascular occlusions, *1952:* Jan., 148
in functional disorders, *1953:* Nov., 1800
in osteoarthritis, *1954:* Sept., 1480
in parkinsonism, *1953:* Sept., 1517
Picrotoxin in poisoning, *1954:* Jan., 211
Piromen in allergy, *1954:* March, **561–568**
Pitocin, intravenous, to induce labor, *1952:* Sept., 1481
Pituitary function, tests, *1952:* May, 751, 753
therapy in hypertension, *1952:* Jan., 136
Placebo(s), and the physician, *1953:* Nov., **1821–1826**
in treatment of functional disorders, *1953:* Nov., 1799
pharmacologic action, *1953:* Nov., 1825
therapy, *1953:* Nov., 1823
Placenta accreta, *1954:* Jan., 267
previa, *1954:* Jan., 275
induction of labor in, *1952:* Sept., 1473
Plague, immunization, *1954:* Sept., 1516
Plasma, in Ac globulin deficiency, *1953:* Nov., 1851
intravenous, in nephrotic syndrome, *1952:* July, 932
Plasma acetone, test, *1953:* Sept., 1540
Plasma cell myeloma, treatment, *1953:* May, 844, 847, 851, 858, 862
Plasma C/P ratios, *1952:* Jan., 180
Plasma hypervolemia in congestive heart failure, *1952:* Jan., 31
Platelet count, adhesive, *1953:* Nov., 1847
in thromboplastin activation, *1953:* Nov., 1845
Pleiotropism of genes, *1952:* July, 912

Plethysmography in peripheral vascular disease, *1954:* May, 787
Pleura, lesions, in silicosis, *1953:* Nov., 1734
Pleural effusion, malignant, treatment, intracavitary radioactive colloidal gold in, *1954:* July, **1133–1138**
Pleural fluid, cytology, in diagnosis of pulmonary disease, May, 725; *1954:* July, 1118, 1223
Plummer-Vinson syndrome, *1952:* July, 912
PMLE (pregnant mammalian liver extract) in diabetic neuritides, *1952:* Sept., 1366
Pneumococcal infections, antibiotics in, *1952:* Jan., 248, 250
Pneumoconiosis, *1953:* Nov., 1725
in industry, *1953:* Nov., 1735
Pneumonia, atypical, primary, *1954:* May, 738; July, 986
bacterial, problem cases, *1954:* May, 906
diagnosis, *1953:* July, 1052
Friedländer's, *1953:* July, 1047; *1954:* May, 737; July, 983
influenzal, *1953:* July, 1045; *1954:* July, 985
lipoid, *1954:* July, **989–996**
management, current problems, *1953:* July, **1035–1057**
pneumococcal, *1954:* July, 983
recurrent, *1953:* July, 1044
staphylococcal, *1954:* July, 984
streptococcal, *1953:* July, 1043; *1954:* July, 985
treatment, *1954:* July, **981–987**
tuberculous, *1953:* July, 1049, 1051
viral (psittacosis, ornithosis), *1954:* July, 986
Pneumonolysis, extrapleural, in tuberculosis, *1952:* Sept., 1264
Pneumoperitoneum, diagnostic, value of, *1954:* July, **1201–1205**
in pulmonary hemorrhage, *1954:* Jan., 50
in tuberculosis, *1952:* Sept., 1261
Pneumothorax, artificial, in tuberculosis, *1952:* Sept., 1260
in thoracic injury, *1954:* July, 1183, 1189
spontaneous, *1954:* July, **1065–1074**
treatment, Jan., 52; July, 1069
Poisonings, *1954:* Jan., **199–223**
antidotes in, *1954:* Jan., 201
stimulants in, *1954:* Jan., 209
Poliomyelitis, *1953:* March, **363–372**
bulbar, *1953:* March, 368
circulatory center involvement, *1953:* March, 370
encephalitic form, *1953:* March, 371
immunization, *1954:* Sept., 1524
paralytic, following injection of vaccines and toxoids, *1952:* Nov., 1604
respiratory center involvement, *1953:* March, 370
Poliomyelitis, spinal type, *1953:* March, 365
spinobulbar type, *1953:* March, 370
Polyarteritis nodosa, polyneuropathy with, *1954:* Sept., 1328
Polycythemia, pulmonary function tests in, *1954:* July, 1235
Polycythemia vera, treatment, *1953:* May, 844, 851, 852, 854
triethylene melamine in, *1954:* March, 550
Polycystic disease, congenital, *1952:* July, 915
Polymyxin, dosage, *1952:* Jan., 259
effect on normal fecal flora, *1952:* July, 1089
in bacterial endocarditis, *1954:* March, 396
in shigellosis, *1952:* July, 1097
Polyneuritic syndromes, diagnosis and treatment, *1952:* Sept., **1357–1372**
Polyneuritis, idiopathic acute, *1954:* Sept., 1327, 1334, 1336
infections, *1954:* Sept., 1327, 1334, 1336
Polyneuropathies, diagnosis and treatment, *1954:* Sept., **1325–1338**
Polyostotic fibrous dysplasia with precocious puberty, *1952:* Nov., 1713
Polyposis, complicating ulcerative colitis, *1953:* July, 1164
intestinal, hereditary, with oral pigmentation, *1952:* July, 913
Polyps, gastric, cancer and, *1953:* Jan., 67
of anus, fibrous, excision of, *1952:* Sept., 1455
of rectum, benign, removal of, *1952:* Sept., 1436
office treatment, *1953:* Jan., 270
in children, *1953:* Jan., 275
Polyradiculoneuritis, *1954:* Sept., 1327
Porphyria, acute, *1954:* Sept., 1331, 1335, 1336
autonomic blocking agents in, *1952:* Sept., 1367
Postcholecystectomy syndrome, *1953:* Jan., **169–179**; *1954:* Sept., 1409
Postmaturity, induction of labor in, *1952:* Sept., 1478
Postoperative care in chronic illness, *1953:* May, **747–765**
Postpartum hemorrhage, *1954:* Jan., 265
Postpartum psychosis, *1954:* Jan., 155
Post-thrombophlebitic edema, treatment, *1954:* Jan., 311
Posture, backache and, *1954:* May, 665
changes in growing child, *1952:* Nov., **1533–1540**
correction, *1952:* Nov., 1539
defects, physical medicine in, *1952:* Sept., 1485
development, pattern of, *1952:* Nov., 1533
mechanics of, *1952:* Nov., 1534

Posture, normal, factors influencing, *1952:* Nov., 1537
prevention of deformities, *1952:* Nov., 1539
Postural drainage in bronchiectasis, *1953:* Sept., 1354
Potassium, deficit, in nephrotic syndrome, *1952:* July, 930
in uremia, *1954:* Sept., 1453
in congestive heart failure, *1953:* July, 983
in diabetic acidosis and coma, *1952:* May, 780
replacement, *1953:* May, 759
Potassium chloride in premature contractions, *1952:* Jan., 11
Potassium iodide in asthma, *1954:* July, 974
permanganate bath, *1953:* May, 800
thiocyanate in hypertension, *1952:* July, 1021
Prantal in gastrointestinal disease, *1954:* March, 466
Preanesthetic drugs, approximate dosages in children, *1952:* Nov., 1770
Precocity, developmental, *1952:* Nov., 1715
incomplete (partial), *1952:* Nov., 1726
Pre-eclampsia, induction of labor in, *1952:* Sept., 1476
Pregnancy, diabetes and, *1953:* July, 1110
induction of labor in, *1952:* Sept., 1477
management, *1953:* Sept., **1481–1496**
heart disease and, management, *1954:* Nov., **1741–1755**
hypertension in, *1954:* May, 763
hyperthyroidism in, *1953:* July, 1065
antithyroid drugs in, *1952:* May, 608
radioidine in, *1952:* May, 635
pulmonary edema in, acute, treatment, *1954:* Nov., 1750
syncope due to decubitus position in, *1953:* Sept., 1323
Premarin, in amenorrhea, *1953:* July, 1087
in dysmenorrhea, *1954:* Sept., 1429
in menometrorrhagia, *1952:* Nov., 1735
Premature infant. See under *Infant(s)*.
Premenstrual tension, *1952:* May, 719
Prenderol in epilepsy, *1954:* March, 478
Preoperative care in chronic illness, *1953:* May, **747–765**
Pressure paralysis, *1954:* Sept., 1329
Pressure sores in paraplegia, *1953:* May, 925
Prevention of chronic illness, *1953:* May, 636
Priscoline, hypotension due to, *1953:* Sept., 1332
Pro-Banthine in gastrointestinal disease, *1954:* March, 463
Procaine amide, in myocardial infarction, *1954:* Nov., 1672
in paroxysmal ventricular tachycardia, *1952:* Jan., 17; *1953:* July, 962
in premature contractions, *1952:* Jan., 13
in ventricular tachycardia, *1952:* Jan., 18; *1954:* Jan., 25
Proctology, diagnosis and office procedures, *1952:* Sept., **1445–1457**
examination, *1952:* Sept., 1447; *1953:* Jan., 262
office, *1953:* Jan., **261–275**
pediatric, *1953:* Jan., 274
Proctoscopy, *1953:* Jan., 264
Proctosigmoidoscopy, office, *1954:* May, 647
Progesterone, in abnormal uterine bleeding, *1952:* May, 714, 715
in amenorrhea, *1952:* May, 709; *1953:* July, 1087
in dysmenorrhea, *1954:* Sept., 1431
in pregnancy with diabetes, *1953:* Sept., 1485
Prolonged illness, symposium on, *1953:* May, **629–941**
Promacetin in leprosy, *1954:* March, 600, 602
Promin in leprosy, *1954:* March, 599, 602
Promizole, in pulmonary tuberculosis in children, *1952:* Nov., 1624
in tuberculous meningitis, *1953:* March, 351
in children, *1952:* Nov., 1612
Pronestyl. See *Procaine amide*.
Propylthiouracil, in hypertension, *1952:* July, 1021
in hyperthyroidism, *1952:* May, 619, 620
in myocardial ischemia, *1953:* Sept., 1291
Prostate, abscess, *1954:* Jan., 293
carcinoma, *1952:* May, **689–704**
adrenalectomy in, *1952:* May, 699
early, Jan., 295; *1954:* May, 648
estrogen therapy, *1952:* May, 695
orchiectomy in, *1952:* May, 696
prostatectomy in, *1952:* May, 697, 698
hormonal therapy after, *1952:* May, 698
radiotherapy in, *1952:* May, 699
disease of, in aged, *1952:* March, 581
pre- and postoperative care in, *1953:* May, 753
massage, *1952:* Sept., 1425
Prostatectomy in carcinoma of prostate, *1952:* May, 697, 698
Prostatitis, *1952:* Sept., 1423, 1424
Prostatovesiculitis, acute, *1952:* Sept., 1424
Prostigmin in paroxysmal auricular tachycardia, *1953:* July, 965
Protamine sulfate in hyperheparinemia, *1953:* Nov., 1851
zinc insulin in diabetes, *1953:* May, 721, 723, July, 1105

Protein, in infant feeding, *1952:* Jan., 275
requirements in aged, *1954:* Sept., 1489
substitutes, in nephrotic syndrome, *1952:* July, 932
therapy, in hepatitis, *1953:* Jan., 139
pre- and postoperative, *1953:* May, 755
Protein hydrolysates in peptic ulcer, *1952:* Sept., 1326
Prothrombin, consumption, in thromboplastin activation, *1953:* Nov., 1845
conversion factors, deficiency of, bleeding due to, *1952:* July, 1064
level, maintenance in anticoagulant therapy, *1952:* Jan., 113
test, one-stage, *1953:* Nov., 1846
time in jaundice, *1952:* March, 399
Pruritus, anogenital *1953:* May, 789
office treatment, *1953:* Jan., 272
chronic, generalized, *1953:* May, 785, 787
in aged, *1952:* March, 579
in atopic dermatitis, treatment, *1952:* July, 1135
Pseudo-appendicitis, *1953:* Jan., 14
Pseudoglioma in differential diagnosis of retrolental fibroplasia, *1952:* Nov., 1581
Pseudohemophilia, *1952:* July, 1054
Pseudohermaphroditism, female, *1952:* Nov., 1717
Pseudohypoparathyroidism, *1952:* May, 889
Pseudopuberty, and precocious puberty, *1952:* Nov., **1711–1728**
Pseudo-ulcer, *1953:* Jan., 14
Psyche and soma, interaction of, *1952:* Nov., 1544
Psychiatric emergencies, recognition and management, *1954:* Jan., **143–166**
Psychiatric patient, neurological examination of, *1952:* Sept., 1401
Psychiatric referral of office patient, *1954:* Sept., 1360
Psychiatry and neurology, symposium on, *1953:* March, **295–607**
Psychic equivalents, *1953:* March, 316, 322
Psychogalvanometer in hearing tests, *1952:* Nov., 1792
Psychologic effect of patient on doctor, *1952:* March, **585–592**
Psychometer, Maico, *1952:* Nov., 1792
Psychomotor attacks, *1954:* May, 697
Psychopathology in mother, *1952:* Nov., 1546
Psychoses, acute episodes, management, *1954:* Jan., 144
common, characteristic symptoms, *1953:* March, 584
electroshock therapy, outpatient, *1954:* Sept., **1363–1378**
functional, *1953:* March, 584, 585, 588
hospitalization in, *1954:* Jan., 156
Psychosis, lobotomy in, indications and results, *1954:* Sept., 1379–1391
manic-depressive, *1954:* Jan., 144
manic phase, *1953:* March, 589
neurosis and, differentiation, *1954:* Jan., 149
organic, *1953:* March, 584, 585, 586; *1954:* Jan., 145
postpartum, *1954:* Jan., 155
schizophrenic, *1954:* Jan., 152
toxic, acute, *1953:* March, 583, 584, 585
Psychosomatic heart disease, *1954:* Nov., **1789–1800**
Psychotherapy, in alcoholism, *1953:* March, 599
in cardiac neurosis, *1954:* Sept., 1543; Nov., 1794
in colitis, ulcerative, *1953:* July, 1169
in dermatitis, *1953:* July, 1184
atopic, *1952:* July, 1136
in hypertension, *1952:* July, 1019; *1953:* July, 1003
in hyperthyroidism, *1953:* May, 696
in insomnia, *1952:* March, 550
in office neurotic patient, *1954:* Sept., 1357
in painful states, *1952:* March, 499
in parkinsonism, *1953:* Sept., 1518
in peptic ulcer, *1953:* Jan., 33
in psychoses after electroshock therapy, *1954:* Sept., 1376
in psychotic episodes, acute, *1953:* March, 591
physiology of, *1952:* March, **447–456**
Psychotic episodes, acute, diagnosis and treatment, *1953:* March, **579–593**
Pteroylglutamic acid. See *Folic acid.*
Puberty, precocious, and pseudopuberty, *1952:* Nov., **1711–1728**
17-ketosteroids in, *1952:* May, 762
uterine bleeding at, *1953:* Sept., 1499
Pudendal nerve block in obstetrics, *1954:* Sept., 1445
Pulmonary. See also *Lung.*
arteriovenous fistula, *1954:* Nov., 1645
artery, idiopathic hypertrophy, *1952:* Nov., 1667
circulation, cardiac catheterization in study of, *1952:* July, 1035
new knowledge of, *1954:* Nov., 1570
diseases, pre- and postoperative care in, *1953:* May, 752
embolism, circulatory collapse due to, *1954:* Jan., 18
prevention and treatment, *1954:* Jan., 41
insufficiency, severe dyspnea due to, *1954:* Jan., 10
stenosis, cardiac catheterization in, *1952:* July, 1045; *1954:* Nov., 1626
congenital, with intact ventricular septum, *1952:* Jan., 49
diagnosis and treatment, *1954:* Nov., 1640
roentgenology in, *1952:* Jan., 66

Pulmonary, tuberculosis. See *Tuberculosis.*
veins, anomalous, *1954:* Nov., 1640
Pulmonic stenosis, pure, *1952:* Nov., 1669
Pulsus paradoxus, *1953:* Nov., 1641
Punch biopsy. See under *Biopsy.*
Puncture wounds, care of, *1954:* Jan., 104
Purinethol in leukemia, *1953:* Nov., 1764
Purpura, allergic, *1952:* Nov., 1707
anaphylactoid, *1952:* Nov., 1707
senile, *1952:* July, 1053
thrombocytopenic, *1952:* Nov., 1698
idiopathic, *1952:* July, 1056, Nov., 1701
pathogenesis and treatment, *1953:* Sept., **1395–1407**
secondary or symptomatic, *1952:* July, 1057
splenectomy for, *1953:* Jan., 191
thrombotic, *1952:* July, 1058
Pyelogram, intravenous, in hypertension, *1952:* Jan., 123
Pyelonephritis, *1952:* Sept., 1413, 1415, 1425
Pylorus, obstruction, in peptic ulcer, *1952:* Sept., 1338
treatment, *1953:* Jan., 35
Pyrazinamide in tuberculosis, *1952:* Sept., 1260
Pyrogen(s), hypotension due to, *1953:* Sept., 1333
Pyrosis, *1952:* March, 371
wrongly attributed to heart, *1952:* March, 507

Q FEVER, nervous system involvement, *1953:* March, **395–422**
Quick's prothrombin test, *1953:* Nov., 1846
Quinacrin in amebiasis, *1953:* Nov., 1807
Quinidine, administration, for reversion, *1952:* July, 1027
in atrioventricular heart block, *1952:* Jan., 19
in auricular fibrillation, *1952:* Jan., 16, July, 1026; *1953:* July, 978
in auricular flutter, *1952:* Jan., 15, July, 1027
in myocardial infarction, *1954:* Nov., 1671
in paroxysmal supraventricular tachycardia, *1952:* Jan., 13, July, 1027
in paroxysmal ventricular tachycardia, *1952:* Jan., 17, July, 1027; *1953:* July, 962
in premature contractions, *1952:* Jan., 11, July, 1027
in ventricular fibrillation, *1952:* Jan., 19, July, 1027
therapeutic use, *1952:* July, **1025–1034**

R-46 in leukemia and allied disorders, *1953:* Nov., 1760
Rabellon in parkinsonism, *1953:* Sept., 1514; *1954:* March, 490, 492, 494
Rabies, *1953:* March, 375, 380, 385
prevention, *1954:* Jan., 107, Sept., 1518
treatment, *1953:* March, 390
vaccine, indications, *1954:* Jan., 109
Radiation syndrome, *1952:* Jan., 264
Radiogold, intracavitary, in treatment of malignant pleural effusion, *1954:* July, **1133–1138**
Radioiodine. See *Iodine, radioactive.*
Radiomimetic agents in luekemia and allied disorders, *1953:* Nov., 1755
Radiophosphorus. See *Phosphorus, radioactive.*
Radiotherapy in carcinoma of prostate, *1952:* May, 699
Radium, in postmaturity abnormal uterine bleeding, *1952:* May, 716
Rauwolfia in hypertension, *1953:* Sept., 1303; *1954:* March, 365, 370, 372; Nov., 1725
Raynaud's syndrome, *1952:* Jan., 156
Reaction, inflammatory, delayed, *1953:* Nov., 1626
whealing, immediate, *1953:* Nov., 1626
Reagents for office laboratory, *1953:* Sept., 1530
Rectum, abscesses, incision of, *1952:* Sept., 1455
carcinoma, detection and early diagnosis, *1954:* May, 647
examination, *1952:* Sept., 1447; *1954:* May, 829
impactions, treatment, *1952:* Sept., 1456
polyps, benign, removal of, *1952:* Sept., 1456
office treatment, *1953:* Jan., 270
in children, *1953:* Jan., 275
prolapse, in children, *1953:* Jan., 274
Reflex(es), in cervical root compression, *1953:* March, 459
in lumbar disk syndrome, *1953:* March, 491
testing, *1953:* March, 309
in neurology, *1952:* Sept., 1399
Reflex therapy, conditioned, in alcoholism, *1953:* March, 600
Regitine in diagnosis of pheochromocytoma, *1952:* May, 754, *1954:* March, **375–384**
Regurgitation, *1952:* March, 375; *1953:* Jan., 4
Rehabititation, in cardiovascular disease, *1954:* Nov., **1785–1788**
in chronic disease, *1953:* May, 638, **915–932**
in rheumatoid arthritis, *1953:* May, 815
of handicapped, place of official agency in, *1953:* May, **933–941**
of paraplegic, *1953:* May, 920
Renal. See *Kidney.*
Renin-antirenin therapy in hypertension, *1952:* Jan., 135

Research, avenues of, in chronic disease, *1953:* May, 640
Resection surgery in tuberculosis, *1952:* Sept., 1264
Resins, cation exchange, in congestive heart failure, *1952:* March, 432; *1953:* May, 651; *1954:* March, **419–430**
in edema, *1952:* July, 958
in liver disease, *1953:* July, 1148
in peptic ulcer, *1952:* Sept., 1327
use, magnesium levels following, *1952:* July, 1165
Respiration, artificial, methods, *1954:* Jan., 56
extrauterine, in newborn infant, *1952:* Nov., 1563
maintaining, in poisoning, *1954:* Jan., 207
physiologic alterations in thoracic injuries, *1954:* July, **1183–1188**
Respirator in poliomyelitis, *1953:* March, 366
Respiratory tract, diseases, chronic, heart disease due to (cor pulmonale), *1954:* **1675–1692**
emergencies, *1954:* Jan., **47–62**
infection, hemolytic streptococcal, prevention, *1952:* Jan., 217
secretional obstruction, *1954:* Jan., 255
Rest, in arthritis, rheumatoid, *1953:* July, 1240, 1241
in dermatitis, acute, *1952:* Sept., 1440
in heart disease, rheumatic, *1954:* Nov., 1709
in heart failure, congestive, *1952:* March, 422; *1954:* Nov., 1654
in aged, *1954:* Nov., 1773
in hypertension, arterial, *1953:* Nov., 1650
in hepatitis, viral, *1953:* Sept., 1388
in hyperthyroidism, *1953:* May, 698
in liver disease, *1953:* July, 1150
in myocardial infarction, *1954:* Nov., 1666
in rheumatic fever, *1952:* Nov., 1653; *1954:* Nov., 1709
in tuberculosis, *1952:* Sept., 1256
prolonged, hypotension after, *1953:* Sept., 1326
Restraints in acute psychoses, *1953:* March, 581
Resuscitation, cardiac, *1953:* July, 968
of newborn, *1954:* Jan., 60
Reticulocyte count, *1953:* Sept., 1538
Reticuloendothelial diseases, liver in, *1953:* Jan., 101
Reticuloendotheliosis in differential diagnosis of bone cysts, *1952:* Nov., 1756
Retinal dysplasia in differential diagnosis of retrolental fibroplasia, *1952:* Nov., 1581
Retinoblastoma, in childhood, *1952:* Nov., 1802
in differential diagnosis of retrolental fibroplasia, *1952:* Nov., 1581
Retinopathy of prematurity, *1952:* Nov., 1579
Retrolental fibroplasia, *1952:* Nov., **1579–1585**
Retropharyngeal abscess, *1954:* Jan., 248
Retropneumoperitoneum, *1954:* May, 806
Rheumatic disease, hydrocortisone in, oral, *1954:* March, **337–347**
intra-articular, *1954:* March, **349–357**
Rheumatic fever, convalescent care, *1952:* Nov., 1657
course, *1952:* Nov., 1653
diagnosis, *1952:* Nov., 1649; *1954:* Nov., 1705
diet in, *1952:* Jan., 225
etiologic factors in, *1954:* Nov., **1693–1704**
heart disease and, *1954:* Nov., **1705–1716**
manifestations, *1952:* Nov., 1649
nature of, *1953:* July, 1215
prophylaxis, *1952:* Jan., 217, 218, Nov., 1657; *1954:* Nov., 1712
rebound reactions, *1953:* July, 1232
subclinical, *1952:* Jan., 224
treatment, *1952:* Jan., 219, Nov., **1649–1658**; *1953:* July, **1215–1234**; *1954:* Nov., 1709
Rheumatic heart disease, *1954:* Nov., **1705–1716**
development, *1953:* July, 1215
disability in, causes, *1953:* May, 668
Rheumatic subject, care of, *1952:* Jan., **217–228**
Rheumatism, psychogenic, *1954:* May, 665
Rheumatoid arthritis. See *Arthritis, rheumatoid.*
Rheumatoid spondylitis, *1954:* May, 660
Rhinitis, allergic, perennial, *1953:* May, 770
vasomotor, *1953:* May, 770; *1954:* Sept., 1314
in infants and children, *1954:* Sept., 1265
Rhizotomy for angina pectoris, *1954:* Nov., 1665
Riboflavin in infant nutrition, *1952:* Jan., 280
Rice diet in hypertension, *1952:* Jan., 127, 135
Rickets, refractory, in infants and children, *1952:* Nov., 1761
Rickettsial infections, antibiotics in, *1952:* Jan., 254; *1953:* March, 407
diagnosis, *1953:* March, 401
prevention, *1953:* March, 419
problem cases, *1954:* May, 917
treatment, *1953:* March, 406
Rickettsialpox, nervous system involvement, *1953:* March, **395–422**
Rimifon in tuberculosis, *1952:* Sept., 1260
Rings, vascular, *1952:* Nov., 1665

Ringworm, of nails, treatment, *1954:* Sept., 1306
of scalp, treatment, *1954:* Sept., 1305
Robinson-Power-Kepler test in Addison's disease, *1952:* May, 723, 745
Rocky Mountain spotted fever, *1954:* Sept., 1522
nervous system involvement, *1953:* March, **395–427**
Roentgen diagnosis, of Addison's disease, *1952:* May, 722, 747
of bronchiectasis, *1953:* July, 1027
of bronchogenic carcinoma, *1954:* July, 1114
of carcinoma of stomach, *1953:* Jan., 74
of cervical root compression, *1953:* March, 470
of chronic subdural hematoma, *1953:* March, 447
of congenital malformations of heart, *1952:* Jan., 53
of hypothyroidism, *1952:* May, 743
of large gastric ulcers, failures in, *1952:* July, **1099–1110**
of lumbar disk syndrome, *1953:* March, 492
of medical diseases, *1954:* May, **795–816**
of parathyroid disease, *1952:* May, 755
of pulmonary disease, value of special techniques, *1954:* July, **1193–1200**
of pulmonary tuberculosis, *1954:* July, 1155
of silicosis, *1953:* Nov., **1725–1736**
Roentgen examination, in backache, *1953:* July, 1209
in diarrhea and bloody stools, *1954:* May, 832
Roentgen findings after isoniazid in pulmonary tuberculosis, *1953:* May, 888
Roentgen studies in heart disease, *1954:* Nov., **1575–1581**
Roentgen treatment, of amenorrhea, *1952:* May, 711; *1953:* July, 1092
of bronchogenic carcinoma, *1954:* July, 1129
of cervical root compression, *1943:* March, 468
of Hodgkin's disease, *1953:* May, 844
of leukemia, *1953:* May, 844
of lymphosarcoma, *1953:* May, 844
of malignant lymphomas, *1953:* May, 844
of metastatic carcinoma, *1954:* Sept., 1283
of rheumatoid arthritis, *1953:* May, 817
of skin diseases, *1953:* July, 1181
Roentgenography, in diagnosis of congenital heart disease, *1952:* Nov., 1660
of newborn infant, *1952:* Nov., 1568
Roentgenography, of skull in hydrocephalus, *1952:* Nov., 1742
Roentgenoscopy in pulmonary disease, *1954:* July, 1199
Roniacol in chronic arterial occlusions, *1952:* Jan., 150
Root syndromes, cervical. See *Cervical root compression.*
Rubella, immunization, *1952:* Nov., 1604; *1954:* Sept., 1529
Rubeola. See *Measles.*
Rupture, of bladder, *1954:* Jan., 287
of membranes for inducing labor, *1952:* Sept., 1481
of urethra, *1954:* Jan., 287
Rutin, effect on capillary permeability, *1952:* Jan., 211

SALAZOPYRIN in ulcerative colitis, *1953:* July, 1170
Salicylates, in liver disease, *1953:* July, 1144
in rheumatic fever, *1952:* Jan., 218, 223, Nov., 1654; *1953:* July, 1218; *1954:* Nov., 1710
in rhumatoid arthritis, *1953:* July, 1237
toxicity, *1953:* July, 1221
Salivary glands, tumors, *1954:* Sept., 1318
Salk's vaccine in prevention of polio, *1954:* Sept., 1526
Salmonella infections, antibiotics in, *1952:* Jan., 250, 251, July, 1092
Salt(s), alkaline, in nephrotic syndrome, *1953:* July, 1137
depletion, in heart disease therapy, *1952:* Jan., 111, March, 430
syndrome, *1952:* July, 962; *1953:* July, 983
hormone deficiency, androgen-producing adrenocortical hyperplasia associated with, *1952:* Nov., 1725
restriction, in Addison's disease, diagnostic, *1952:* May, 722, 746
in heart failure, *1953:* May, 648
in aged, *1954:* Nov., 1774
in heart disease in pregnancy, *1954:* Nov., 1748
in hypertension, *1952:* Jan., 127, 136; *1953:* July, 1007; *1954:* March, 368, Nov., 1727
handicaps of, *1953:* May, 671
in liver disease, *1953:* Jan., 137, July, 1147
in nephrotic syndrome, *1952:* July, 929
in premenstrual tension, *1952:* May, 719
tolerance test in Addison's disease, *1952:* May, 746
Sarcoidosis, *1953:* May, **829–841**
of lung, diagnosis, *1954:* May, 740
and treatment, *1954:* July, **997–1008**

Sarcoma, osteogenic, in childhood, *1952:* Nov., 1803
reticulum cell, triethylene melamine in, *1954:* March, 549
Scalenus anticus syndrome, *1952:* Sept., 1298
Scalp, examination, *1952:* Nov., 1522
ringworm, treatment, *1954:* Sept., 1305
Scarlet fever, immunization, *1954:* Sept., 1530
Schistosomiasis, of liver, *1953:* Jan., 103
treatment, *1953:* May, 911
Schizophrenia, *1953:* March, 584, 589; *1954:* Jan., 152
Schonlein-Henoch's syndrome, *1952:* Nov., 1707
School, effect on normal posture development, *1952:* Nov., 1538
problems in children, *1953:* March, 568
Schüller-Christian disease, *1952:* Nov., 1756
liver and spleen in, *1954:* May, 862
Sciatica, neurological aspects, *1953:* March, **479–502, 503–510**
Scintigrams, *1952:* July, 987
Scleroderma, *1953:* Nov., 1701
Sclerosis, emotional manifestations, *1952:* March, 479
endocardial, *1952:* Nov., 1666
multiple, onset and duration, *1953:* March, **511–521**
physical medicine in, *1952:* Sept., 1492
Scoliosis, *1953:* Sept., 1443
Scopolamine, in motion sickness, *1952:* Sept., 1378, 1379
in obstetrics, *1954:* Sept., 1440
in parkinsonism, *1953:* Sept., 1512
Screening, in detection of chronic disease, *1953:* May, 637
tests, *1952:* Nov., 1518
Scrub typhus, nervous system involvement, *1953:* March, **395–422**
Scurvy, *1952:* July, 1055
in differential diagnosis of infantile cortical hyperostosis, *1952:* Nov., 1765
Seasickness, treatment, *1952:* Sept., **1373–1380**
Secretions, respiratory obstruction due to, *1954:* Jan., 255
Sedatives, in asthma, *1953:* July, 1017; *1954:* July, 975
in heart disease, rheumatic, *1954:* Nov., 1710
in heart failure, congestive, in aged, *1954:* Nov., 1773
in hyperthyroidism, *1953:* May, 698
in insomnia, *1952:* March, 551
in peptic ulcer, *1952:* Sept., 1336
in psychosis, acute, *1953:* March, 581
in rheumatic fever, *1952:* Nov., 1654; *1954:* Nov., 1710
testing pain with, *1952:* March, 497
Sedimentation rate, in ACTH and cortisone therapy, *1952:* Jan., 235
in congenital heart disease, *1952:* Nov., 1662
in rheumatic fever, *1952:* Nov., 1650
Sensation, disturbances of, *1953:* March, 299
Sensitivity testing, use and abuse, *1953:* Sept., 1465
Sensory testing, *1952:* Sept., 1400; *1953:* March, 301
in cervical root compression, *1953:* March, 459
in lumbar disk syndrome, *1953:* March, 490
Septal defects, diagnosis and treatment, *1954:* Nov., 1639, 1640
roentgenology in, *1952:* Jan., 66
Sequestration, bronchopulmonary, intralobar, *1954:* July, **1081–1090**
Serum, albumin. See under *Albumin.*
alkaline phosphatase in liver disease, *1953:* Jan., 119
carbon dioxide concentration. See under *Carbon Dioxide.*
chloride concentration. See under *Chloride(s).*
choline esterase in liver disease, *1953:* Jan., 120
neuritis, *1954:* Sept., 1330
placental, in treatment of rheumatoid arthritis, *1953:* May, **805–814**
method of obtaining, *1953:* May, 806
potassium concentration in Addison's disease, *1952:* May, 722
sickness, in infants and children, *1954:* Sept., 1270
sodium concentration in Addison's disease, *1952:* May, 722
Sex hormones in pregnancy with diabetes, *1953:* Sept., 1485
Shigella infections, antibiotics in, *1952:* Jan., 250, 251, July, 1095
Shock, cardiogenic, treatment, *1953:* Sept., 1320; *1954:* Jan., 16
in acute coronary thrombosis, treatment, *1953:* July, 955, Sept., 1298
in burns, treatment, *1954:* Jan., 98
in crash injuries, *1954:* Jan., 81
in myocardial infarction, treatment, *1954:* Nov., 1670
in poisoning, treatment, *1954:* Jan., 208
norepinephrine in, *1954:* March, **499–514**
surgical, liver in, *1953:* Jan., 110
traumatic or hemorrhagic, hypotension in, *1953:* Sept., 1335
Shoulder, frozen, physical medicine in, *1952:* Sept., 1490
pain syndromes, *1952:* Sept., **1289–1307**
Sialadenitis, *1954:* Sept., 1317
Sighing wrongly attributed to heart, *1952:* March, 510

Sigmoidoscopy, *1952:* Sept., 1449; *1953:* Jan., 264; *1954:* May, 829
Silicosis, roentgen diagnosis, *1953:* Nov., **1725–1736**
Silvester method of artificial respiration, *1954:* Jan., 56
Sinus disease, chronic, complicating asthma, *1953:* May, 780
headache in, *1954:* May, 688
Sinusitis, frontal, acute, *1954:* Jan., 249
treatment, *1954:* Sept., 1312
Sippy powders in peptic ulcer, *1952:* Sept., 1326
SKF-1637 in parkinsonism, *1953:* Sept., 1515
Skin, carcinoma, detection and early diagnosis, *1954:* May, 649
disease, hydrocortisone ointment in, *1954:* March, **321–336**
in aged, *1952:* March, 578
treatment, *1953:* July, **1175–1190**
fungus diseases, treatment, *1954:* Sept., **1301–1308**
grafts in burns, *1953:* July, 1126
lesions, in rheumatic fever, *1954:* Nov., 1705
resistance technique, galvanic, *1952:* Nov., 1792
tags, anal, excision of, *1952:* Sept., 1451
temperature studies in peripheral vascular disease, *1954:* May, 788
tests, in drug allergy, *1953:* Sept., 1413
in nasal allergy in children, *1954:* Sept., 1267
tuberculin, *1952:* Nov., 1522
ulcers, indolent, infected, Tryptar in, *1954:* March, **359–361**
Skull, fractures, in auto crash, *1954:* Jan., 91
roentgenogram, in hydrocephalus, *1952:* Nov., 1742
Sleep, disturbances, *1952:* March, **539–555**
"Small laboratory disease," *1953:* Jan., 15
Smallpox, immunization, *1952:* Nov., 1603; *1954:* Sept., 1494
Smear, blood, *1953:* Sept., 1538
Papanicolaou, *1953:* Sept., 1543
vaginal, *1952:* May, 750
Snake bite, *1954:* Jan., 108
Social factors in prolongation of illness, *1952:* March, 306
Social measures in painful states, *1952:* March, 500
Sodium. See also *Salt.*
carboxymethylcellulose in peptic ulcer, *1952:* Sept., 1327
chloride, in Addison's disease, *1952:* May, 726
in urine, office test, *1953:* Sept., 1534
citrate in lead poisoning, *1952:* Nov., 1592, 1593
deficiency in uremia, *1954:* Sept., 1451
Sodium, nitrite, hypotension due to, *1953:* Sept., 1332
penicillin. See under *Penicillin.*
salicylate in rheumatic fever, *1953:* July, 1221
Solution M for dissolution of calculi, *1954:* Sept., 1469
Soma and psyche, interaction of, *1952:* Nov., 1544
Southey's tubes, use, in edema of nephrotic syndrome, *1952:* July, 931
Spasm, anal, *1953:* Jan., 270
cerebral, *1952:* Jan., 162
Specimens, collection, preservation and transportation, *1953:* Sept., 1543
Speech, development, normal, *1952:* Nov., 1790
screening test, *1952:* Nov., 1521
Sperm count, *1952:* May, 748
Spermatic cord, torsion of, *1954:* Jan., 286
Spinal abscess, epidural, acute, *1954:* Jan., 167
Spinal anesthesia in obstetrics, *1954:* Sept., 1443
Spinal canal, tumors of, neck and shoulder pain due to, *1952:* Sept., 1294
Spinal fluid examination in neurosyphilis, *1952:* July, 1146
Spinal puncture. See *Lumbar puncture.*
Spine, bones of, lesions, pain arising from, differential diagnosis, *1954:* May, 657
cervical, neck and shoulder pain in, *1952:* Sept., 1296
examination, in low back pain, *1953:* Sept., 1451
fractures, in auto crash, *1954:* Jan., 91, 92
joints of, lesions, pain arising from, *1954:* May, 660
lesions, pain from, mistaken for heart pain, *1952:* March, 504
osteoarthritis, treatment, *1954:* Sept., 1482
Splanchnicectomy, surgical, hypotension after, *1953:* Sept., 1325
Spleen, anatomy and physiology, *1953:* Jan., 181, 182
diseases, *1953:* Jan., **181–198**
splenectomy in, indications and contraindications, *1953:* Jan., 187
infarction, *1954:* May, 859
Splenectomy, hematologic indications, *1953:* July, 1201
in thrombocytopenic purpura, *1953:* Sept., 1404
indications and contraindications, *1953:* Jan., 187, 189, 191
physiologic basis, *1953:* Jan., 185
Splenomegaly, congestive, *1953:* Jan., 186
hemorrhagic tendency, *1952:* Nov., 1709
differential diagnosis, *1954:* May, **857–874**

Splenoportography, *1954:* May, 805
Splint, Denis-Browne, *1953:* Sept., 1428
Spondylitis, rheumatoid, *1954:* May, 660
Spondylolisthesis, *1954:* May, 657
Spotted fever, rickettsial, nervous system involvement, *1953:* March, **395–422**
Sprue, nontropical, complicated by generalized amyloidosis, *1952:* July, **1173–1185**
Sputum, blood in, *1952:* March, 337
cytology, in diagnosis of pulmonary disease, *1954:* May, 725, July, 1220
in bronchogenic carcinoma, *1954:* July, 1118
Staphylococcal infections, antibiotics in, *1952:* Jan., 249, 250; *1953:* Sept., 1467, 1475
erythromycin in, *1954:* March, 571
treatment, *1953:* Sept., **1461–1479**
Staphylococci, penicillin-resistant, *1953:* Sept., 1463
Starch bath, *1953:* May, 800
Starling law, *1954:* May, 879
Status asthmaticus, treatment, *1952:* Sept., 1273; *1953:* July, 1014; *1954:* Jan., 63, July, **969–979**
Status degenerativus, *1952:* July, 918
Steam inhalations in asthma, *1953:* July, 1017
Steatorrhea, amyloid disease associated with, *1952:* July, 1173
Stellate ganglion block in cerebrovascular accidents, *1952:* Jan., 169; *1953:* March, 432; *1954:* Jan., 32, 176
Stenosis, pulmonary, See *Pulmonary stenosis*.
Stereovectorcardiography, *1952:* Jan., 106
Sterility. See *Infertility*.
Stilbestrol. See *Diethylstilbestrol*.
Stimulants in poisonings, *1954:* Jan., 209
Stockings, elastic, in prevention of thromboembolism, *1952:* Sept., 1313
Stokes-Adams syndrome, *1952:* July, 912
Stoke's syndrome in Hodgkin's disease, treatment, *1953:* May, 847
Stomach, aspirated material from, study in pulmonary disease, *1954:* July, 1223
carcinoma, detection and early diagnosis, *1954:* May, 651
diagnosis, failure of x-ray and gastroscopy in, *1952:* July, 1106
diagnostic and therapeutic considerations, *1953:* Jan., **63–85**
dilatation, gastric hemorrhage initiated by, *1953:* Jan., 25
diseases, x-ray diagnosis, *1954:* May, 811
functional diseases, *1953:* Jan., **3–16**
hemorrhage from, massive, diagnosis, *1953:* Jan., **28**
treatment, *1953:* Jan., **17–32**
Stomach, secretion, effects of ACTH and cortisone on, *1952:* July, 1079
tumors, miscellaneous, *1953:* Jan., 81
ulcer. See *Peptic ulcer*.
Stomatitis, ulcerative, *1954:* Sept., 1315
Stones. See *Calculi*.
Stools, bloody, differential diagnosis, *1954:* May, **817–833**
examination, *1952:* Nov., 1522; *1954:* May, 831
office procedures, *1953:* Sept., 1541
Strabismus, test for, *1952:* Nov., 1520
Strain, back, *1954:* May, 670
low, *1953:* Sept., **1449–1460**
Stramonium in parkinsonism, *1953:* March, 529, Sept., 1512
Strangulation, *1954:* Jan., 58
Streptococcal infections, diagnosis and treatment, *1954:* Nov., 1713
erythromycin in, *1954:* March, 572
respiratory, prevention, *1952:* Jan., 217
Streptococcus, hemolytic, in etiology of rheumatic fever, *1954:* Nov., 1693, 1699
Streptokinase and streptodornase, in bronchiectasis, *1954:* July, 1022
in staphylococcal infections, *1953:* Sept., 1474
Streptomycin, administration and dose, *1952:* Jan., 259, 260
effect on normal fecal flora, *1952:* July, 1086
hazard to handlers, *1954:* July, 1175
in bacterial endocarditis, *1954:* March, 393
in bronchiectasis, *1954:* July, 1025
in meningitis, influenzal, *1953:* March, 339
intrathecal, *1953:* Sept., **1363–1378**
tuberculous, *1953:* March, 351
in children, *1952:* Nov., 1621
in pediatric practice, *1952:* Nov., 1612
in pneumonia, *1954:* July, 982
in salmonellosis, *1952:* July, 1094
in shigellosis, *1952:* July, 1096
in staphyloccal infections, *1953:* Sept., 1469
in tuberculosis, *1952:* Sept., 1257; *1954:* July, **1167–1176**
in children, *1952:* Nov., 1623, 1624
in urinary tract infections, *1952:* Sept., 1432, 1433
reactions, *1954:* July, 1171
Stricture, bronchial, *1954:* July, 1044
urethral, *1954:* Jan., 281
"Stroke," *1952:* Jan., **159–175**
diagnosis, *1954:* May, 766
emergency treatment, *1953:* July, 968
little, unrecognized, abdominal distress due to, *1953:* Jan., 16
Strongyloidiasis, treatment, *1953:* May, 911
Subaortic stenosis, *1952:* Nov., 1665
Suffering, *1952:* March, **485–500**

Sugar, consumption, increase in, *1953:* Jan., 278
in blood. See *Blood, sugar.*
in urine, tests, *1953:* July, 1098, Sept., 1532
Suicidal patients, management, *1953:* March, 582; *1954:* Jan., 161
Sulfadiazine, in hemolytic streptococcal respiratory infection, prophylactic, *1952:* Jan., 218
in meningitis, *1953:* March, 336
in shigellosis, *1952:* July, 1096
in urinary tract infections, *1952:* Sept., 1433
Sulfamerazine, in meningitis, *1953:* March, 336
in prevention of recurrence of rheumatic fever, *1952:* Nov., 1658
Sulfate, protamine, in hyperheparinemia, *1953:* Nov., 1851
Sulfathiazole in meningitis, *1953:* March, 336
Sulfonamides. See also the individual drugs.
effect on normal fecal flora, *1952:* July, 1085
in appendicitis, *1953:* Jan., 224
in bronchiectasis, prophylactic, *1953:* Sept., 1354
in colitis, ulcerative, chronic, *1953:* Jan., 252, July, 1170
in conjunctivitis, inclusion, *1952:* Sept., 1243
in lymphogranuloma venereum, *1952:* Sept., 1242
in meningitis, *1953:* March, 336
in poliomyelitis, *1952:* Sept., 1251
in psittacosis, *1952:* Sept., 1244
in rheumatic fever, prophylactic, *1954:* Nov., 1713
in trachoma, *1952:* Sept., 1243
in viral diseases, *1952:* Sept., **1239–1252**
liver damage from, *1953:* Sept., 1386
Sulfone therapy of leprosy, *1954:* March, **599–610**
Sulkowitch reagent, *1952:* May, 755
Sulphetrone in leprosy, *1954:* March,, 599, 603
Suppositories, vaginal, in leukorrhea, *1952:* Sept., 1463
Supraspinatus tendinitis with and without rupture or calcification, *1952:* Sept., 1300
Surgery, arrhythmia during, *1952:* Jan., 4
in aged, *1952:* March, 582
Sympathectomy, for angina pectoris, *1952:* Jan., 88; *1954:* Nov., 1666
for arterial occlusions, acute, *1952:* Jan., 143; *1954:* Jan., 32
chronic, *1952:* Jan., 151
for hypertension, *1952:* Jan., 127, 137, July, 1023; *1953:* July, 1005; *1954:* March, 368
arterial, *1953:* Nov., 1652
for thrombophlebitis, *1952:* Sept., 1319
Sympathetic block, in acute arterial occlusion, *1954:* Jan., 32
in peripheral neuropathies, *1954:* Sept., 1336
Symptoms, basis of, *1952:* March, 451
symposium on, *1952:* March, **303–444**
Syncope, *1952:* March, **326–330**
causes and treatment, *1953:* July, 967, Sept., **1313–1339**
in heart disease, management, *1954:* Jan., 22
post-tussive, *1953:* Sept., 1321
reflex, *1952:* March, 326, 563
tussive, *1952:* March, 328
vasodepressor, *1953:* Sept., 1327
Syndromes, clinical, nature of, *1952:* July, **911–920**
Synergism and antagonism, antibiotics, *1952:* Nov., 1613
Synovitis, toxic, of hip, *1953:* Sept., 1433
Syphilis, cardiovascular, penicillin in, *1954:* Nov., **1757–1765**
in differential diagnosis, of infantile cortical hyperostosis, *1952:* Nov., 1765
of infectious hepatitis, *1952:* Nov., 1645
of aorta in aged, *1954:* Nov., 1782
of nervous system, *1952:* July, **1141–1149**

TABES dorsalis, *1952:* July, 1144
Tachycardia, auricular, paroxysmal, *1953:* Nov., 1630
treatment, *1953:* July, 964
of emotional origin, *1954:* Sept., 1542
paroxysmal, congestive failure in, *1953:* July, 978
hypotension in, treatment, *1953:* Sept., 1315
supraventricular, treatment, *1952:* Jan., 12; *1954:* Jan., 24
ventricular, *1952:* Jan., 9, 17
treatment, *1953:* July, 962; *1954:* Jan., 25
sinus, *1952:* Jan., 6, 17
Taeniasis, treatment, *1953:* May, 912
Tamponade, cardiac, treatment, *1953:* Sept., 1317; *1954:* Jan., 19
Tannic acid, liver damage from, *1953:* Sept., 1386
Tapazole in hyperthyroidism, *1952:* May, 619, 621; *1953:* May, 706, July, 1067
Tar baths, *1953:* May, 800
Taussig-Bing syndrome, *1952:* Nov., 1668
Teeth, diseases, headache in, *1954:* May, 690
Telangiectasia, hemorrhagic, hereditary, *1952:* July, 1053
TEM. See *Triethylene melamine.*
Temperatures, body, basal, See *Body temperatures.*
environmental, for premature infant, *1952:* Nov., 1572

Tendinitis of shoulder, *1952:* Sept., 1300
physical medicine in, *1952:* Sept., 4190
Tension, and gratification, *1952:* Nov., 1542
physical manifestations, *1952:* March, 458
signs, objective, *1953:* Nov., 1789
Teratomas, precocious pseudopuberty due to, *1952:* Nov., 1725
Terramycin, dosages, *1952:* Jan., 259
effect on normal fecal flora, *1952:* July, 1087
in amebiasis, *1952:* July, 1091
in amebic dysentery, *1953:* May, 905
in bacterial endocarditis, *1954:* March, 394
in infectious hepatitis in children, *1952:* Nov., 1645
in meningitis, *1953:* March, 338
in pediatric practice, *1952:* Nov., 1612
in pneumonia, *1954:* July, 982
in rickettsial infections, *1953:* March, 407, 420
in salmonellosis, *1952:* July, 1095
in staphyloccal infections, *1953:* Sept., 1470
in urinary tract infections, *1952:* Sept., 1433
in vaginitis, nonspecific, *1952:* Nov., 1731
Test(s), for developmental appraisal of children, *1952:* Nov., 1526
for office laboratory, *1953:* Sept., 1527
of endocrine function, *1952:* May, 739–756
patch, Vollmer, *1952:* Nov., 1522
screening, *1952:* Nov., 1518
skin, in drug allergy, *1953:* Sept., 1413
tuberculin, *1952:* Nov., 1522
Testis, appendix, torsion of, *1954:* Jan., 285
biopsy, *1952:* May, 749
embryology, *1952:* Nov., 1780
functional tests, *1952:* May, 748
injuries, *1954:* Jan., 286
tumors, *1954:* Jan., 298
undescended, differential diagnosis and management, *1952:* Nov., 1779–1785
Testosterone, in amenorrhea, *1953:* July, 1087
in carcinoma of breast, *1952:* May, 681, 682
in dysmenorrhea, *1954:* Sept., 1430
in hyperthyroidism, *1953:* May, 700
in menometrorrhagia, *1952:* Nov., 1735
in osteoporosis, postmenopausal, *1952:* May, 853
Tetanus, prophylaxis, *1952:* Nov., 1599; *1954:* Jan., 110, Sept., 1499
Tetany, biochemical and clinical considerations, *1952:* May, 875–893
Tetrachlorethylene in hookworm, *1953:* May, 908
Tetracyn in pneumonia, *1954:* July, 982
Tetraethylammonium, hypotension due to, *1953:* Sept., 1330
in peptic ulcer, *1952:* Sept., 1329
test in hypertension, *1952:* May, 754
Tetralogy of Fallot, *1952:* Jan., 45, 57, Nov., 1667
diagnosis and treatment, *1954:* Nov., 1641
roentgenology in, *1952:* Jan., 57
Thalamic syndrome, pain in, *1952:* March, 491
Themisone in epilepsy, *1954:* March, 477
Thephorin, in parkinsonism, *1953:* Sept., 1515
Thiamine in infant nutrition, *1952:* Jan., 280
Thiantoin in epilepsy, *1952:* Sept., 1385, 1389
Thibierge-Weissenbach's syndrome, *1952:* July, 912
Thioarsenite in amebiasis, *1953:* Nov., 1806
Thiocyanate therapy in hypertension, *1954:* Nov., 1721
Thiomerin, as diuretic, *1952:* July, 954
in congestive heart failure, *1954:* March, 433, Nov., 1656
Thiosemicarbazones, in meningitis, tuberculous, in children, *1952:* Nov., 1622
in tuberculosis, *1952:* Sept., 1260
Thiouracil, effect on function of thyroid cancer, *1952:* May, 658
in hyperthyroidism, *1953:* May, 706
Thomas heel, *1953:* Sept., 1438
Thoracentesis, in bronchogenic carcinoma, *1954:* July, 1121
in rheumatic fever, *1952:* Nov., 1656
Thoracoplasty for tuberculosis, *1952:* Sept., 1263
Thoracotomy, exploratory, in pulmonary disease, *1954:* May, 725, July, 1239–1241
in spontaneous pneumothorax, *1954:* July, 1071
Thorax, circumference in first five years of life, *1952:* Nov., 1740
deformities, pulmonary function tests in, value, *1954:* July, 1231
injuries, alterations in respiratory physiology in, *1954:* July, 1183–1188
auto crash, *1954:* Jan., 83
treatment, *1954:* July, 1188
pain in, *1952:* March, 339–341
cardiac vs. noncardiac, *1954:* May, 743–751
"stove-in" chest, *1954:* July, 1187, 1190
Thrombin and fibrin activation test, *1953:* Nov., 1846
Thromboangiitis obliterans, *1952:* Jan., 147, 148; *1953:* Nov., 1636
Thrombocytopenia, accompanying or complicating infection, *1952:* Nov., 1699
complicating infiltrative lesions in marrow, *1952:* Nov., 1701

Thrombocytopenia, idiopathic, *1952:* Nov., 1701
pathogenesis and treatment, *1953:* Sept., **1395–1407**
secondary to drugs or allergens, *1952:* Nov., 1699
splenectomy for, *1953:* Jan., 191
Thromboembolic accidents, *1954:* Jan., **29–46**
Thromboembolism, diagnosis, *1952:* Sept., 1316
in congestive heart failure, *1953:* July, 986
prophylaxis, and medical treatment, *1952:* Sept., **1309–1321**
in aged, *1954:* Nov., 1778
Thrombopenia, bleeding disorders associated with, *1952:* July, 1056
Thrombophlebitis, *1953:* July, **1113–1118**
acute, treatment, *1954:* Jan., 39
Thromboplastin, activation test, *1953:* Nov., 1845
generation test, *1953:* Nov., 1848
Thrombosis, arterial, acute, *1952:* Jan., 142, 145
cerebral, *1952:* Jan., 163, 169; *1953:* March, 427
diagnosis, *1954:* May, 767
hemorrhage and, differentiation, *1954:* Jan., 44; May, 771
coronary, acute, emergencies in, management, *1953:* July, 955
management, *1954:* Nov., **1659–1674**
prevention, *1952:* July, **991–999**
with infarction, pitfalls in, *1952:* Jan., 113
embolism and, differentiation, *1954:* Jan., 36
of internal carotid artery, *1954:* Jan., 175, May, 768
of splenic vein, splenectomy for, *1953:* Jan., 189
venous, acute, *1954:* Jan., 39
chronic recurring, anticoagulant therapy, long-term, *1953:* May, 660
deep, treatment, *1954:* Jan., **305–313**
diagnosis, *1952:* Sept., 1316
pathogenesis, *1952:* Sept., 1310
prevention, *1952:* Sept., 1313
treatment, *1952:* Sept., 1317
Thrombus, ball-valve, *1953:* Sept., 1319
Thymectomy in myasthenia gravis, *1953:* March, 540
Thymol turbidity test of Maclagan, *1952:* March, 398
Thymoma, asthma and, *1952:* March, 360
Thyroid extract in nephrotic syndrome, *1953:* July, 1136
Thyroid gland, adenoma, physiologic concepts, *1952:* May, 640, 641
adenocarcinoma, physiologic concepts, *1952:* May, 648
carcinoma, metastatic, radioiodine in treatment, *1952:* May, **663–680**
Thyroid gland, carcinoma, physiologic concepts, *1952:* May, 648
disease, diagnosis, radioiodine in, *1952:* July, **981–989**
functional tests, *1952:* May, 739; *1953:* July, 1062
physiology, *1953:* July, 1060
tumors, physiologic concepts, as revealed with newer tools of study, *1952:* May, **639–662**
hormone, atherogenesis and, *1952:* Jan., 191
storm, treatment, *1953:* July, 1071
with jaundice, clinicopathologic conference, *1953:* Nov., 1684
Thyroid therapy, in amenorrhea, *1952:* May, 709; *1953:* July, 1086
Thyroidectomy, in hyperthyroidism, *1953:* May, 711
total, effect on function of metastatic thyroid cancer, *1952:* May, 654, 667
Thyrotoxicosis. See *Hyperthyroidism.*
Thyrotropin in diagnosis of hypothyroidism, *1952:* May, 742
Thyroxine, hepatic function and, *1953:* Jan., 114
Tibione in tuberculosis, *1952:* Sept., 1260
Tick fever. See also *Rocky Mountain spotted fever.*
Tinea versicolor, treatment, *1954:* Sept., 1307
Tissues, lead determination in, *1952:* Nov., 1592, 1595
Tobacco in myocardial ischemia, *1953:* Sept., 1288
"Toeing-in," *1953:* Sept., 1437
Tolserol in parkinsonism, *1953:* Sept., 1514; *1954:* March, 487, 491
Tomography in pulmonary disease, *1954:* July, 1197
Tonics in treatment of functional disorders, *1953:* Nov., 1799
Tonsillitis, acute, treatment, *1954:* Sept., 1315
Toothache, *1954:* Jan., 250
Torkildsen's procedure in hydrocephalus, *1952:* Nov., 1747
Torsion, of appendix testis, *1954:* Jan., 285
of spermatic cord, *1954:* Jan., 286
Torticollis, congenital, *1953:* Sept., 1441
Tourniquet, for pulmonary edema in rheumatic fever, *1952:* Nov., 1656
test of capillary permeability, *1953:* Nov., 1847
Toxemias of pregnancy. See under *Pregnancy.*
Toxoids, paralytic poliomyelitis following injection of, *1952:* Nov., 1604
Trachea, roentgenographic changes in silicosis, *1953:* Nov., 1732
tumors, *1954:* July, 1091–1096
Tracheal suction in cardiac emergencies, *1953:* July, 961
Tracheobronchial obstruction, benign, *1954:* July, **1039–1049**

Tracheobronchial tree, foreign bodies in, *1954:* Sept., 1318
Tracheotomy, in bulbar poliomyelitis, *1953:* March, 369
technique, *1954:* Jan., 257
Traction in cervical root compression, *1953:* March, 463
Transference in therapy of neurotic patient, *1954:* Sept., 1359
Transfusions, during operation, *1953:* May, 760
exchange, in erythroblastosis fetalis, *1953:* March, 613
in rheumatic fever, *1952:* Nov., 1655
in thrombocytopenic purpura, *1953:* Sept., 1402
preoperative, *1953:* May, 759
Transposition of great vessels, *1952:* Nov., 1668; *1954:* Nov., 1644
Trauma to immature female genitalia, *1952:* Nov., 1732
Treatment methods, symposium on, *1952:* Sept., **1201–1493**; *1953:* Sept., **1283–1523**; *1954:* Sept., **1255–1548**
Tremor in parkinsonism, *1953:* March, 524
Trench foot, *1952:* Jan., 156
Trephination, diagnostic, in chronic subdural hematoma, *1953:* March, 447
Trichinosis, treatment, *1953:* May, 911
Trichomonas vaginalis vaginitis, treatment, *1952:* Sept., 1466
Trichomoniasis, treatment, *1953:* May, 908
Trichophytid reaction, treatment, *1954:* Sept., 1307
Trichuriasis, treatment, *1953:* May, 911
Tricuspid valve, atresia, *1952:* Jan., 48, 59, Nov., 1668
roentgenology in, *1952:* Jan., 59
with hypoplastic right ventricle, *1954:* Nov., 1644
stenosis, *1952:* Nov., 1668
Tridione in epilepsy, *1952:* Sept., 1385, 1388; *1953:* March, 325; *1954:* March, 477
side effects, *1954:* Sept., 1343, 1344, 1347
Triethylene melamine, in Hodgkin's disease, *1953:* May, 857; *1954:* March, 547
in leukemias, *1953:* May, 857; *1954:* March, **541–554**
and allied disorders, *1953:* Nov., 1758
granulocytic, chronic, *1953:* Nov., 1759
lymphocytic, chronic, *1953:* Nov., 1759
in lymphomas, *1953:* May, 857; *1954:* March, **541–554**
in lymphosarcoma, *1953:* May, 657, Nov., 1758; *1954:* March, 549
in polycythemia vera, *1954:* March, 550
Trilene in obstetrics, *1954:* Sept., 1441
Trimethadione. See *Tridione.*
Trinitrotoluene, liver damage from, *1953:* Sept., 1387
Tromexan, as anticoagulant, *1953:* May, 664
in coronary heart disease, *1954:* March, 411
in myocardial infarction, acute, *1953:* Sept., 1295
in prevention, *1952:* Jan., 83
Truncus arteriosus, *1952:* Nov., 1670
Truncus communis persistans, roentgenology in, *1952:* Jan., 59
Trypsin in bronchiectasis, *1954:* July, 1022
Tryptar in indolent infected cutaneous ulcers, *1954:* March **359–361**
Tsutsugamushi fever, nervous system involvement, *1953:* March, **395–422**
Tuberculin, in tuberculous meningitis with block, *1953:* March, 359
skin testing, *1952:* Nov., 1522; *1954:* July, 1154
Tuberculosis, asthma and, *1952:* March, 358
chemotherapy, *1952:* Sept., 1257; *1954:* July, **1167–1176**
collapse therapy, *1952:* Sept., 1260
immunization, *1954:* Sept., 1528
meningeal, in children, *1953:* March, **345–362**
treatment, *1952:* Nov., **1619–1626**; *1954:* July, 1169
miliary, in children, treatment, *1952:* Nov., **1619–1626**; *1954:* July, 1169
of hip, *1953:* Sept., 1432
of spine, *1954:* May, 659
of spleen, splenectomy in, *1953:* Jan., 195
pulmonary, bronchiectasis with, *1953:* Sept., 1357
diagnosis, May, 734; *1954:* July, **1153–1160**
in children, treatment, *1952:* Nov., **1619–1626**
isoniazid in, method and results, *1953:* May, **885–901**; *1954:* March, **437–448**, July, **1167–1176**
surgical resection in, indications, *1954:* July, **1177–1182**
treatment, *1952:* Sept., **1253–1267**
changing concepts, *1954:* July, **1161–1166**
resection surgery in, *1952:* Sept., 1264
streptomycin – para-aminosalicylic acid (combined) regimen, *1952:* Sept., 1257
Tumor, giant cell, in differential diagnosis of bone cysts, *1952:* Nov., 1756
intrathoracic, neck and shoulder pain due to, *1952:* Sept., 1305
of biliary tract, *1953:* Jan., 166
of bone in childhood, *1952:* Nov., 1803
of bronchus, benign, *1954:* July, 1043

Tumor, of central nervous system in childhood, *1952:* Nov., 1801
of larynx, *1954:* Sept., 1317
of lung, alveolar cell, *1954:* July, **1139–1142**
diagnosis, *1954:* May, 729
of mouth, *1954:* Sept., 1315
of neck, *1954:* Sept., 1317
of salivary glands, *1954:* Sept., 1318
of soft tissues in childhood, *1952:* Nov., 1803
of spinal canal, neck and shoulder pain due to, *1952:* Sept., 1294
of spine, *1954:* May, 658
of testis, *1954:* Jan., 296
of thyroid gland, physiologic concepts, *1952:* May, **639–662**
of trachea, *1954:* July, **1091–1096**
Wilms', *1952:* Nov., 1799; *1954:* Jan., 296
Tunica vasculosa lentis, *1952:* Nov., 1581
Turbidity tests in jaundice, *1952:* March, 398
2614(1-n-propyl-3-ethyl-6-aminouracil) as diuretic, *1952:* July, 954
Typhoid fever, immunization, *1954:* Sept., 1497
treatment, *1954:* March, **577–590**
Typhus fever, immunization, *1954:* Sept., 1515
nervous system involvement, *1953:* March, **395–422**

U-0382 in parkinsonism, *1953:* Sept., 1515
Ulcer, duodenal. See *Duodenal ulcer* and *Peptic ulcer.*
gastric. See *Peptic ulcer.*
gastrojejunal, *1953:* Jan., 40
peptic. See *Peptic ulcer.*
skin, indolent, infected, Tryptar in, *1954:* March, **359–361**
Urea, as diuretic, *1952:* July, 933; *1953:* May, 691, July, 985, 1136
clearance test in hypertension, *1952:* Jan., 121
Uremia, chronic, medical management, *1954:* Sept., **1447–1460**
reversible, treatment, *1952:* Sept., **1409–1419**
Ureter, calculus, *1954:* Jan., 283
ectopic, *1952:* Nov., 1732
injuries, *1954:* Jan., 289
Uretero-intestinal anastomosis, acidosis and, *1954:* Jan., 294
Urethane in leukemia, *1953:* May, 858
and allied disorders, *1953:* Nov., 1760
Urethra, calculus, *1954:* Jan., 280
meatus, imperforate, *1954:* Jan., 279
rupture, *1954:* Jan., 287
stricture, *1954:* Jan., 281
Urethritis, in female, *1952:* Sept., 1427
in male, *1952:* Sept., 1422
Uric acid-creatine ratio in ACTH and cortisone therapy, *1952:* Jan., 235
Urinary antiseptics, choice of, *1952:* Sept., 1430
Urinary lithiasis, medical management, *1954:* Sept., **1461–1474**
Urinary obstruction, *1954:* Jan., 279
Urinary tract infections, management, *1952:* Sept., **1421–1433**
Urine, concentration and dilution test, in hypertension, *1952:* Jan., 122
examination, office procedures, *1953:* Sept., 1531
lead concentration in lead poisoning, *1952:* Nov., 1592, 1595
sugar in, tests for, *1953:* July, 1098, Sept., 1532
Urobilinogen in urine, in jaundice, *1952:* March, 401
test for, *1954:* Sept., 1345
Urogastrone in peptic ulcer, *1952:* Sept., 1331
Urologic emergencies, *1954:* Jan., 87, **279–297**
Urticaria, acute severe, management, *1954:* Jan., 69
chronic, *1953:* May, 790, 793
in infants and children, *1954:* Sept., 1269
Uterus, bleeding from, abnormal, endocrine therapy, *1952:* May, 712
course and management, *1953:* Sept., **1497–1509**
functional, *1953:* Sept., 1506
carcinoma, bleeding in, *1953:* Sept., 1505
early diagnosis, *1954:* May, 645
conditions in, leukorrhea due to, *1952:* Sept., 1469

VACCINATION, against rickettsial infections, *1953:* March, 419
procedures, *1954:* Sept., **1493–1534**
encephalitis associated with, *1952:* Nov., **1627–1635**
smallpox, *1952:* Nov., 1603; *1954:* Sept., 1494
Vaccines, paralytic poliomyelitis following injection of, *1952:* Nov., 1604
Vagal stimulation, syncope due to, *1953:* Sept., 1313
Vagina, foreign bodies in, leukorrhea due to, *1952:* Sept., 1468
smear of, *1952:* May, 750
suppositories in leukorrhea, *1952:* Sept., 1463
Vaginitis, caused by foreign body, *1952:* Nov., 1732
fungus and yeast, treatment, *1952:* Sept., 1468
gonorrheal, acute, *1952:* Nov., 1731
nonspecific, *1952:* Nov., 1731
streptococcal, hemolytic, *1952:* Nov., 1731
Trichomonas vaginalis, treatment, *1952:* Sept., 1466
Van der Hoeve's syndrome, *1952:* July, 913

Varicella. See *Chickenpox*.
Varices, esophageal, massive bleeding from, *1954:* Jan., 139
Variola. See *Smallpox*.
Vascular disease, cerebral, differential diagnosis, *1954:* May, **765–779**
emergency treatment, *1954:* Jan., 43
syncope in, *1953:* Sept., 1327
peripheral, diagnosis and management, *1952:* Jan., **141–158**
diagnostic tests, *1954:* May, **781–794**
Vascular headache, *1954:* May, 682
Vascular lesions, intracranial, acute, diagnosis and management, *1953:* March, **423–435**
Vascular rings, *1952:* Nov., 1665
Vasoconstrictor blocking drugs in hypertension, *1952:* Jan., 135; *1954:* March, 364
Vasodepressor syncope, *1953:* Sept., 1327
Vasodilator agents, hypotension due to, *1953:* Sept., 1332
Veins, cervical, observation of phenomena in, *1953:* Nov., 1640
ligation, in deep vein thrombosis, *1954:* Jan., 309
overdistention following sudden death, *1953:* Nov., **1669–1673**
pulmonary, transposed, cardiac catheterization in, *1952:* July, 1044
splenic, thrombosis, splenectomy for, *1953:* Jan., 189
Venae cavae, occlusion, complete, *1953:* Nov., 1611, 1616, 1619
Venesection, hypotension following, *1953:* Sept., 1335
Venography, dural sinus, *1954:* May, 801
peripheral, *1954:* May, 790
portal and splenic, *1954:* May, 805
Venous congestion, syncope due to, *1953:* Sept., 1335
Venous occlusion, cerebral, diagnosis, *1954:* May, 770
Venous return, anomalous, *1952:* Nov., 1670
Venous thrombosis, acute, *1954:* Jan., 39
deep, treatment, *1954:* Jan., **305–313**
Ventilatory tests of pulmonary function, *1954:* July, 1227
Ventricle, single, *1952:* Nov., 1669
Ventricular fibrillation, treatment, *1952:* Jan., 18
Ventricular septal defect, *1952:* Nov., 1665
cardiac catheterization in, *1952:* July, 1044
Ventricular tachycardia, paroxysmal, *1952:* Jan., 9, 17; *1953:* July, 962
Ventriculoperitoneal shunt in hydrocephalus, *1952:* Nov., 1748
Ventriculostomy, third, in hydrocephalus, *1952:* Nov., 1747
Veratrum alkaloids in hypertension, *1953:* Nov., 1651; *1954:* March, 366, 371, Nov., 1725
Veratrum viride, hypotension due to, *1953:* Sept., 1332
in hypertension, *1952:* July, 1021; *1953:* Sept., 1305
Vertigo, *1952:* March, 330
Vesiculitis, *1952:* Sept., 1423, 1426
Vinobel in parkinsonism, *1953:* Sept., 1513
Vioform in amebiasis, *1953:* Nov., 1807
Viral infections, antibiotics in, *1952:* Jan., 254, Sept., **1239–1252**
Virilism, adrenal, 17-ketosteroids in, *1952:* May, 762
Virus, encephalomyelitides, *1953:* March, **373–393**
therapy in lymphomas and leukemias, *1953:* May, 864
Visceral disease, backache due to, *1954:* May, 666
Vision, loss of, *1954:* Jan., 233
screening test, *1952:* Nov., 1520
Vitamin(s), deficiencies, pre- and postoperative management, *1953:* May, 761
in infant nutrition, *1952:* Jan., **277–283**
requirements of premature infant, *1952:* Nov., 1576
therapy, in asthma, *1953:* July, 1016
in liver disease, *1953:* July, 1142, Sept., 1390
Vitamin A deficiency, urinary calculi in, *1954:* Sept., 1463
Vitamin B_{12}, in allergic disorders, *1952:* Sept., 1234
in anemias, *1953:* July, 1198
megaloblastic, *1952:* Sept., 1232
pernicious, *1952:* Sept., 1230
in dermatologic disorders, *1952:* Sept., 1234
in hematologic disorders, *1952:* Sept., 1230
in medicine, *1952:* Sept., **1223–1237**
in neurologic disorders, *1952:* Sept., 1235
in nutritional disorders, *1952:* Sept., 1235
in peripheral neuropathies, *1954:* Sept., 1335
metabolism of, *1952:* Sept., 1225
Vitamin C. See *Ascorbic acid*.
Vitamin D deprivation, tetany due to, *1952:* May, 880
Vitamin K, in hypoprothrombinemia, *1952:* July, 1063
following Dicumarol therapy, *1953:* May, 762
in liver disease, *1953:* July, 1143
Vitamin K_1, emulsified, in excessive therapeutic hypoprothrombinemia, *1954:* March, **413–417**
in bleeding from coumarin therapy, *1953:* Sept., 1296

Vitreous, hyperplastic, persistent, in differential diagnosis of retrolental fibroplasia, *1952:* Nov., 1581
Vollmer patch test, *1952:* Nov., 1522
Volvulus of sigmoid colon, intestinal obstruction due to, *1954:* Jan., 129
Vomiting, *1952:* March, 374
functional types, *1953:* Jan., 5
persistent, massive gastric hemorrhage from, *1953:* Jan., 27
Von Gierke's disease, case presentation, *1954:* May, **921–932**
liver and spleen in, *1954:* May, 861
Vulvovaginitis, *1952:* Nov., 1731

WARFARIN as anticoagulant, *1953:* May, 665
Wasp stings, reactions in children, *1954:* Sept., 1273
Water, metabolism, physiologic considerations, *1952:* May, **829–846**
of body, total, *1954:* May, 875
tolerance test for Addison's disease, *1952:* May, 723, 745
Waterhouse-Friderichsen syndrome, *1953:* March, 333
Watson test for porphyrins in urine, *1954:* Sept., 1330
Weakness in emotional disorders, *1952:* March, 461
Weight, gain or loss, amenorrhea and, *1953:* July, 1093
reduction in myocardial ischemia, *1953:* Sept., 1285
Weil's disease, liver and spleen in, *1954:* May, 863
Whooping cough, erythromycin in, *1954:* March, 572
immunization, *1952:* Nov., 1599; *1954:* Sept., 1504
Wilms' tumor, *1952:* Nov., 1799; *1954:* Jan., 296
Wilson's disease, liver in, *1953:* Jan., 102
Win 2780-2 in parkinsonism, *1954:* March, 490
Work capacity of the cardiac, *1953:* May, **667–684**
Wounds, compound, in auto crash, *1954:* Jan., 88
human bite, *1954:* Jan., 106
soft tissue, care of, *1954:* Jan., **101–114**
Xanthine drugs in myocardial ischemia, *1953:* Sept., 1290
Xanthomatosis, liver and spleen in, *1954:* May, 862
X-ray. See *Roentgen.*

YEAST infections of vagina, treatment, *1952:* Sept., 1468
Yellow fever, immunization, *1954:* Sept., 1514
Yellow jacket stings, reactions in children, *1954:* Sept., 1273

ZINC sulfate turbidity reaction of Kunkel, *1952:* March, 399
Zygoma, fractures, *1954:* Jan., 260